

Handbook of the World Congress and School on Universal Logic III

April 18 - 25
Lisbon - Portugal
www.uni-log.org

Edited by Jean-Yves Béziau, Carlos Caleiro, João Rasga e
Alexandre Costa-Leite

Contents

1	Organizers of UNILOG'10	3
1.1	Scientific Committee	3
1.2	Organizing Committee	3
2	What is Universal Logic?	4
3	World School on Universal Logic III	5
3.1	Aim of the School	5
3.2	Tutorials	6
3.2.1	Hybrid Logic	6
3.2.2	Logical Pluralism	6
3.2.3	Truth-Values	7
3.2.4	Refutation	9
3.2.5	Graded Consequence	9
3.2.6	Quantum Logic	10
3.2.7	Instantiations	10
3.2.8	Erotetic Logics	11
3.2.9	Institutions	12
3.2.10	Ideospheres	13
3.2.11	Natural Deductions	14
3.2.12	Kripke's World	14
3.2.13	Consistency	15
3.2.14	Fractals, Topologies and Logic	16
3.2.15	The World of Possible Logics	18
3.2.16	Geometry of Oppositions	19
3.2.17	Truth-Functionality	20
3.2.18	Probabilistic Logic	22

3.2.19	Logics of Empirical Sciences	24
3.2.20	Logics of Plurality	25
3.2.21	How to Cut and Paste Logical Systems	25
4	Congress on Universal Logic III	27
4.1	Invited Speakers	27
4.2	Sessions	32
4.2.1	Logic Diagrams	32
4.2.2	Non-Classical Mathematics	36
4.2.3	Abstract Algebraic Logic	42
4.2.4	Paradoxes	51
4.2.5	Substructural Logics	55
4.2.6	Categorical Logic	62
4.2.7	Negation	67
4.2.8	Multimodal Logics	74
4.2.9	Paraconsistent Logics	81
4.2.10	Algebras for Logics	86
4.3	Contest	92
4.4	Contributed Talks	94
5	Sponsors	141

1 Organizers of UNILOG'10

1.1 Scientific Committee

- Joham van Benthem, University of Amsterdam Stanford University, The Netherlands and USA
- Ross Brady, La Trobe University, Melbourne, Australia
- Walter Carnielli, UNICAMP, Campinas, Brazil
- Michael Dunn, School of Informatics, Indiana USA
- Dov Gabbay, King's College, London, UK
- Huacan He, Northwestern Polytechnical University, Xi'an, China
- Vladimir Vasyukov, Academy of Sciences, Moscow, Russia
- Heinrich Wansing, Dresden University of Technology, Germany

1.2 Organizing Committee

- Jean-Yves Béziau, CNPq-FUNCAP UFC, Fortaleza, Brazil
- Carlos Caleiro, IST, Lisbon, Portugal
- Alexandre Costa-Leite, University of Brasilia, Brazil
- Katarzyna Gan-Krzywoszynska, Poznan University, Poland Archives Poincaré, University Nancy 2, France
- Ricardo Goncalves, IST, Lisbon, Portugal
- Paula Gouveia, IST, Lisbon, Portugal
- Raja Natarajan, Tata Institute, Mumbai, India
- Jaime Ramos, IST, Lisbon, Portugal
- João Rasga, IST, Lisbon, Portugal
- Darko Sarenac, Colorado State University, USA

2 What is Universal Logic?

In the same way that universal algebra is a general theory of algebraic structures, universal logic is a general theory of logical structures. During the 20th century, numerous logics have been created: intuitionistic logic, deontic logic, many-valued logic, relevant logic, linear logic, non monotonic logic, etc. Universal logic is not a new logic, it is a way of unifying this multiplicity of logics by developing general tools and concepts that can be applied to all logics.

One aim of universal logic is to determine the domain of validity of such and such metatheorem (e.g. the completeness theorem) and to give general formulations of metatheorems. This is very useful for applications and helps to make the distinction between what is really essential to a particular logic and what is not, and thus gives a better understanding of this particular logic. Universal logic can also be seen as a toolkit for producing a specific logic required for a given situation, e.g. a paraconsistent deontic temporal logic.

This is the third edition of a world event dedicated to universal logic. This event is a combination of a school and a congress. The school offers 21 tutorials on a wide range of subjects. The congress will follow with invited talks and contributed talks organized in many sessions including 10 special sessions. There will also be a contest.

This event is intended to be a major event in logic, providing a platform for future research guidelines. Such an event is of interest for all people dealing with logic in one way or another: pure logicians, mathematicians, computer scientists, AI researchers, linguists, psychologists, philosophers, etc.

The whole event will happen nearby Lisbon, Portugal, a place which was the departure point of many adventures.

UNILOG'2010

Join this adventure!

3 World School on Universal Logic III

3.1 Aim of the School

This school is on universal logic. Basically this means that tutorials will present general techniques useful for a comprehensive study of the numerous existing systems of logic and useful also for building and developing new ones.

For PhD students, postdoctoral students and young researchers interested in logic, artificial intelligence, mathematics, philosophy, linguistics and related fields, this will be a unique opportunity to get a solid background for their future researches.

The school is intended to complement some very successful interdisciplinary summer schools which have been organized in Europe and the USA in recent years: The ESSLLI (European Summer School on Logic, Language and Information) in Europe and the NASSLLI (North American Summer School on Logic, Language and Information).

The difference is that our school will be more focused on logic, there will be less students (these events gather several hundreds of students) and a better interaction between advanced students and researchers through the combination of the school and the congress (Participants of the School are strongly encouraged to submit a paper for the congress). We also decided to schedule our event in Spring in order not to overlap with these big events.

3.2 Tutorials

3.2.1 Hybrid Logic

PATRICK BLACKBURN
INRIA NANCY GRAND-EST - FRANCE
PATRICK.BLACKBURN@LORIA.FR

These lectures introduce hybrid logic, a form of modal logic in which it is possible to name worlds (or times, or computational states, or situations, or nodes in parse trees, or people - indeed, whatever it is that the elements of Kripke Models are taken to represent).

The course has three major goals. The first is to convey, as clearly as possible, the ideas and intuitions that have guided the development of hybrid logic. The second is to introduce a concrete skill: tableau-based hybrid deduction. The third is to say a little about the history of the subject, and to link it to philosophical the work of Arthur Prior. No previous knowledge of hybrid logic is assumed.

The lecture outline is as follows:

Lecture 1: From modal logic to hybrid logic

Lecture 2: Hybrid deduction

Lecture 3: The Priorean perspective

Bibliography:

1. Arthur Prior and Hybrid Logic, by Patrick Blackburn. *Synthese*, 150, 329-372, 2006.
2. Representation, Reasoning, and Relational Structures: a Hybrid Logic Manifesto, by Patrick Blackburn. *Logic Journal of the IGPL*, 8(3), 339-625, 2000.
3. Chapter 7, Section 3 of *Modal Logic*, by Patrick Blackburn, Maarten de Rijke and Yde Venema. *Cambridge Tracts in Theoretical Computer Science*, 53, Cambridge University Press, 2001.

3.2.2 Logical Pluralism

CATARINA DUTILH-NOVAES
UNIVERSITY OF AMSTERDAM - THE NETHERLANDS
CDUTILHNOVAES@YAHOO.COM

OLE HJORTLAND
UNIVERSITY OF ST. ANDREWS - SCOTLAND
OTH2@ST-ANDREWS.AC.UK

Up until the end of the 19th century, logic was typically seen as the art and science of correct reasoning, and in this sense it was not specific to any discipline

or subject-matter (i.e. logic was seen as topic-neutral); moreover, even if there might have been competing systems, the general opinion was that there should be only one true logic. True enough, at different times the scope of logic went very much beyond correct reasoning in the sense of drawing inferences strictly speaking: in the Latin medieval period, for example, what we now call semantics and much of what we now call epistemology also belonged to the realm of logic. Still, even though there were different logical theories for different applications, when it came to reasoning, syllogistic inference remained the canon of correct reasoning for almost 2.500 years.

A bit over a century later, the status of logic as a discipline has changed dramatically: we now have different logics, specially designed for certain situations, topics or tasks what one could describe as a situation of logical plurality and the idea that there is only one correct way of reasoning and thus only one correct logic is no longer unanimously accepted what is now referred to as the position of 'logical pluralism'. In this context, a universal logic seems to be a welcome development: it should allow for the comparison between systems, and for the arbitration of the disputes between competing systems. However, this contemporary plethora gives rise to certain philosophical questions concerning logical pluralism and universality, in particular the kind of universality claimed by universal logic. The tutorial will look at logical pluralism against the background of the history of logic, and tie it to the recent debate started by Beall and Restall's book *Logical Pluralism* (2006, OUP). We will then look at a number of reactions to logical pluralism in the literature, and try to connect some of the questions to the project of Universal Logic.

Session (1) The Emergence of Logical Plurality and Logical Pluralism

Session (2) Contemporary Logical Pluralism Session (3) Reactions to Logical Pluralism

References

1. J. Y. Béziau, Universal Logic. In T. Childers O. Majer (eds), *Logica'94 -Proceedings of the 8th International Symposium*, Philosophia, Prague, pp. 73-93.
2. JC Beall and G. Restall, *Logical Pluralism*. Oxford University Press, 2006.
3. S. Haack, *Philosophy of Logics*. Cambridge University Press, 2000.
4. G. Priest, *Doubt Truth to Be a Liar*. OUP, 2006 (ch. 12).
5. G. Restall, Carnap's Tolerance, Meaning, and Logical Pluralism, *Journal of Philosophy*, 99(8): 426-443, 2002.

3.2.3 Truth-Values

HEINRICH WANSING

DRESDEN UNIVERSITY OF TECHNOLOGY - GERMANY

HEINRICH.WANSING@TU-DRESDEN.DE

FABIEN SCHANG
DRESDEN UNIVERSITY OF TECHNOLOGY - GERMANY
FABIEN.SCHANG@UNIV-NANCY2.FR

The notion of a truth value has been introduced into logic and philosophy by Gottlob Frege in two seminal papers in 1891 and 1892. Truth values play a central role in logic and have been put to quite different uses. They have been characterized as:

- primitive abstract objects denoted by sentences in natural and formal languages,
- abstract entities hypostatized as the equivalence classes of sentences,
- what is aimed at in judgements,
- values indicating the degree of truth of sentences,
- entities that can be used to explain the vagueness of concepts,
- values that are preserved in valid inferences,
- idealizations of basic proof-theoretical properties,
- values that convey information concerning a given proposition.

Depending on their particular use, truth values have been treated as unanalyzed, as defined, as unstructured, or as structured entities.

In this tutorial, we will briefly comment on the history of the notion of a truth value and on the various uses of this notion in philosophy and logic. We will then focus on some selected topics including the famous slingshot argument and Suszko's Thesis. The slingshot argument may be interpreted to call into question the view that sentences denote truth values, and Suszko's Thesis was meant to prove that there are but two logical values, Frege's the True and the False. Moreover, the tutorial will deal with generalized truth values as used in Belnap's useful four-valued logic (FDE) and extensions of FDE.

Bibliography:

1. Truth values. Part I, *Studia Logica* 91-3 (2009), special issue edited by Y. Shramko and H. Wansing.
2. Truth values. Part II, *Studia Logica* 92-2 (2009), special issue edited by Y. Shramko and H. Wansing

3.2.4 Refutation

TOM SKURA
UNIVERSITY OF ZIELONA GÓRA - POLAND
TFSKURA@UNI.WROC.PL

Refutation systems are inference systems, just like traditional axiomatic systems, but they generate non-valid formulas rather than valid ones. They consist of refutation axioms (which are non-valid formulas) and refutation rules (which are rules preserving non-validity).

In this tutorial the following topics are considered.

- Examples of syntactic refutations in non-classical logics, and a general theory of refutation systems.
- Refutation systems and other standard methods (sequent systems, tableau procedures, model building constructions, the finite model property).
- Tools and techniques for proving syntactic completeness (characteristic formulas of finite algebras, normal forms and inductive completeness proofs).

References:

1. V. Goranko, Refutation systems in modal logic. *Studia Logica* 53 (1994), 299-324.
2. J. Lukasiewicz, Aristotles Syllogistic from the Standpoint of Modern Formal Logic. Oxford, 1951.
3. D. Scott, Completeness proofs for the intuitionistic sentential calculus. In Summaries of talks presented at the Summer Institute of Symbolic Logic. Cornell University, 1957. second edition, Princeton, 1960, 231-241.
4. T. Skura, Refutations, proofs, and models in the modal logic K4. *Studia Logica* 70 (2002), 193-204.
5. T. Skura, Maximality and refutability. *Notre Dame Journal of Formal Logic* 45 (2004), 65-72.
6. T. Skura, A refutation theory. *Logica Universalis* (2009).
7. T. Skura, Refutation systems in propositional logic. In D. Gabbay and F. Guenther (eds.) *Handbook of Philosophical Logic*, Volume 16, 2010.

3.2.5 Graded Consequence

MIHIR CHAKRABOTY
UNIVERSITY OF CALCUTTA - INDIA

3.2.6 Quantum Logic

PAULO MATEUS
TECHNICAL UNIVERSITY OF LISBON - PORTUGAL
PMAT@MATH.IST.UTL.PT

In this tutorial we start by reviewing the relevant concepts and results in linear algebra and operator theory. We also present Dirac notation and the postulates of quantum mechanics.

Then, we motivate the notion of orthocomplemented lattice and present the main results concerning Birkhoff and von Neumann quantum logics.

Moved by the emergence of new practical applications on quantum information and computation, we survey modern approaches to reason about quantum systems.

We focus on two approaches: exogenous quantum propositional logic (EQPL) by Mateus and Sernadas; and probabilistic modal logic (PML) by van der Meyden and Patra. We present several results concerning EQPL such as: complete Hilbert calculus; complexity of the model-checking and SAT problems; and how to deal with dynamic extensions. We illustrate both EQPL and PML by reasoning about quantum security protocols.

Finally, we briefly discuss how to extend a logic into a quantum logic.

3.2.7 Instantiations

ARTHUR BUCHSBAUM
FEDERAL UNIVERSITY OF SANTA CATARINA - BRAZIL
ARTHUR@INF.UFSC.BR

Instantiation is an operation essential for performing logical reasoning, it is placed in the heart of its basis, when dealing with universal and existential quantifiers. In many logics it must appear explicitly in at least three of the four laws of introduction and elimination of quantifiers.

In spite of it, the study and presentation of this operation has been underestimated in most books on logic, usually only half of a page is dedicated to it. Beyond that, when it is presented, it is often wrongly confused with a particular case of another operation, named here replacement, which is used on formulation of some laws related to equivalence and equality. While replacement of a variable by a term considers all occurrences of variables which don't succeed a quantifier or a qualifier, instantiation considers only free occurrences of this variable; the former does not rename bound variables, while the latter, for a good working, needs renaming of bound variables in many of its forms.

By consequence of lack of carefulness in dealing with instantiation, when there is no renaming of bound variables, the presentation of the basic laws of introduction and elimination of quantifiers needs some patches, and these ones become more difficult reasoning perform from this point on.

In this tutorial all possible alternatives of instantiation are presented, and

one of them, maybe the most promising one, is presented in detail, in order to make easier reasoning perform inside a logical system.

3.2.8 Erotetic Logics

ANDRZEJ WIŚNIEWSKI
ADAM MICKIEWICZ UNIVERSITY IN POZNAŃ

The term *erotetic logic* is often understood as synonymous to the logic of questions. There is no common agreement as to what erotetic logic should be. The most developed proposals will be overviewed and compared. Then a general setting, the Minimal Erotetic Semantics (MES), will be presented; kinds of answers to questions, types of their presuppositions, basic relations between questions, and certain normative concepts pertaining to questions will be characterized in terms of MES. Next, conceptual foundations of Inferential Erotetic Logic (IEL) will be discussed. IEL focuses its attention on erotetic inferences, that is, roughly, inferences which have questions as conclusions. Some of these inferences are intuitively valid; we will show how IEL explicates the relevant concept of validity.

We will also address some more technical issues. First, we will consider models of problem decomposition, offered by Hintikka's Interrogative Model of Inquiry and by IEL. Second, a certain proof method grounded in IEL, the Socratic proofs method, will be presented.

Finally, the idea of erotetic logic as a theory of internal question processing will be discussed.

References

1. Groenendijk, J., Stokhof, M., Questions, in: J. van Benthem, and A. ter Meulen (eds.), *Handbook of Logic and Language*, Elsevier, Amsterdam/ New York 1996, pp. 1055-1125.
2. Harrah, D., The Logic of Questions, in: D. Gabbay, and F. Guenther (eds.), *Handbook of Philosophical Logic*, Second Edition, Volume 8, Kluwer, Dordrecht/ Boston/ London 2002, pp. 1-60.
3. Hintikka, J., *Inquiry as Inquiry: A Logic of Scientific Discovery*, Kluwer, Dordrecht/ Boston/ London 1999.
4. Wisniewski, A., *The Posing of Questions: Logical Foundations of Erotetic Inferences*, Kluwer, Dordrecht/ Boston/ London 1995.
5. Wisniewski, A., Questions and Inferences, *Logique et Analyse* 173-175, 2001, pp. 5-43.
6. Wisniewski, A., Erotetic Search Scenarios, *Synthese* 134, No. 3, 2003, pp. 389-427.

7. Wisniewski, A., Shangin, V., Socratic Proofs for Quantifiers, *Journal of Philosophical Logic* 35, No. 2, 2006, pp. 147-178.

3.2.9 Institutions

RAZVAN DIACONESCU
INSTITUTE OF MATHEMATICS "SIMION STOILLOW" (IMAR) - ROMANIA
RAZVAN.DIACONESCU@IMAR.RO

Institution theory is a major model theoretic trend of universal logic that formalizes within category theory the intuitive notion of a logical system, including syntax, semantics, and the satisfaction relation between them. It arose within computing science, especially specification theory [1], as a response to the population explosion of logics there and where it has become the most important foundational theory. Later on institution theory has been successfully used in pure logic studies in the spirit of universal logic. This means the development of model and proof theory in the very abstract setting of arbitrary institutions, free of commitment to a particular logical system [2]. In this way we gain freedom to live without concrete models, sentences satisfaction, and so on, we gain another level of abstraction and generality and a deeper understanding of model theoretic phenomena not hindered by the largely irrelevant details of a particular logical system, but guided by structurally clean causality. The latter aspect is based upon the fact that concepts come naturally as presumed features that a "logic" might exhibit or not and are defined at the most appropriate level of abstraction; hypotheses are kept as general as possible and introduced on a by-need basis, and thus results and proofs are modular and easy to track down regardless of their depth. The continuous interplay between the specific and the general in institution theory brings a large array of new results for particular non-conventional, unifies several known results, produces new results in well-studied conventional areas, reveals previously unknown causality relations, and dismantles some which are usually assumed as natural. Access to highly non-trivial results is also considerably facilitated. The dynamic role played by institution theory within the wider universal logic project is illustrated by the fact that institution theory papers have come second and first, respectively, in the contests of the Montreux (2005) and Xi'and (2007) UNILOG, respectively.

In this tutorial we will start with a brief explanation of the historical and philosophical origins of institution theory, followed by a presentation of its basic mathematical concepts. We will also have a trip through the rather rich body of methods and results of the institution theoretic approach to logic and model theory. Although institution theory is primarily a model theoretic approach we will also discuss recent proof theoretic developments in the area. However our real emphasis will be not on the actual mathematical developments but on the non-substantialist way of thinking and the top-down methodologies promoted by institution theory, that contrast sharply the substantialist view and the bottom-up methodologies that pervade and underly conventional logic, this being the most profound message of institution theory as a universal logic trend.

References:

1. J. Goguen, R. Burstall, Institutions: Abstract Model Theory for Specification and Programming, J.ACM 39(1) 95-146, 1992.
2. R. Diaconescu, Institution-independent Model Theory, Birkhauser, 2008.

3.2.10 Ideospheres

DOMINIQUE LUZEAUX
DGA, MINISTRY OF DEFENSE - FRANCE
LUZEAUX@ETCA.FR

JEAN SALLANTIN
LE LABORATOIRE D'INFORMATIQUE, DE ROBOTIQUE ET DE MICROÉLECTRONIQUE
DE MONTPELLIER - FRANCE
JEAN.SALLANTIN@LIRMM.FR

This tutorial will present formal structures which often structure the development of ideospheres in Human Sciences. An ideosphere (Barthes77) is initiated by a founding speech and helps establish correspondences to other such speeches and take commitment and refusal positions in a system that is inachieved. In pedopsychiatry, an ideosphere is focus on early interactions between the infant and his environment, and examine the processes of semiotization, as well as the use of representation abilities as a means to communicate (Golse 99,07) (Dor 02).

These structures and their organization within a general system can be formalized with category theory, as is done for instance when modeling computation systems and relating different models. We show under what conditions they correspond to a formalization within modal logic of the system in use; at this point we will make a comparison with what is done with categorial models which relate various logics. Finally we develop the concepts of autonomy and learning, and use them to illustrate the presented mathematical tools and methods; this will help model zig-zag processes between various formalizations

Bibliography:

1. Barthes R., Le Neutre, Cours au collège de France 1977-1978.
2. Dor J., Introduction à la lecture de Lacan : l'inconscient structuré comme un langage, Espace analytique , Denoel 2002.
3. Golse B., Du corps à la pensée, Le fil rouge, PUF, 1999. .
4. Golse B, l'être-bébé, Le fil rouge PUF 2007.

3.2.11 Natural Deductions

FERNANDO FERREIRA
UNIVERSITY OF LISBON - PORTUGAL
FERFERR@CH.FC.UL.PT

The theory of natural deduction of pure intuitionistic logic for the (\rightarrow, \wedge, A) -fragment is very elegant. It includes a strong normalization theorem and a Church-Rosser property. This elegant treatment extends to pure second-order intuitionistic logic (Girard's polymorphic system F). The technical details are more complicated in this case because of the impredicativity of the second-order quantifier, but strong normalization (and Church-Rosser) still holds.

The other connectives (absurdity, disjunction, existential quantification), whose features are more typical of intuitionism, do not have such an elegant treatment. Girard sees their elimination rules as defective. In second-order logic, these connectives can be circumvented because they are definable in terms of the others. It is not widely known that these connectives can also be circumvented in the treatment of first-order logic if we embed it in a version of predicative second-order logic.

Our tutorial will explain these issues.

Bibliography:

1. F. Ferreira. Comments on predicative logic, *Journal of Philosophical Logic* 35, pp. 1-8 (2006).
2. J.-Y. Girard et al. Proofs and Types, Cambridge University Press, 1989. D. Prawitz. *Natural Deduction*, Dover Publications, 2006.
3. W. Tait. Intensional interpretation of functionals of finite type I, *The Journal of Symbolic Logic* 32, pp. 198-212 (1967)
4. A. S. Troelstra H. Schwichtenberg. *Basic Proof Theory*, Cambridge University Press, 2000.

3.2.12 Kripke's World

ANDREAS HERZIG
IRIT AT UNIVERSITÉ PAUL SABATIER - FRANCE
HERZIG@IRIT.FR

Possible worlds models have been introduced by Saul Kripke in the early sixties. Basically they are graphs with labelled nodes and edges. Such models provide semantics for various modal logics such as temporal logics, logics of knowledge and belief, logics of programs, logics of action, logics of obligation, as well as for description logics. They also provide semantics for other nonclassical logics such as intuitionistic logics and conditional logics. Such logics have been studied intensively in philosophical and mathematical logic and in computer

science, and have been applied in various domains such as theoretical computer science, artificial intelligence, and more recently as a basis of the semantic web. Semantic tableaux are the predominant reasoning tool for all these logics: given a formula (or a set of formulas) they allow to check whether it has a model or not. A tableau calculus uses a set of rules in order to build trees, and more generally graphs. If a tableau graph is contradiction free then it can be transformed into a model for the given formula.

The aim of the tutorial is to provide a step-by-step introduction to modal logics, both in terms of Kripke models and in terms of semantic tableaux. The different logics will be illustrated by means of examples. We will use the generic tableaux theorem prover Lotrec (<http://www.irit.fr/Lotrec>), which is a piece of software that allows to build models, check whether a given formula is true in a model, and check whether a given formula is valid in a given logic. Lotrec also allows to implement tableau systems for new logics by means of a simple interactive graph-based language accessible to users that are not computer scientists. The tutorial requires basic mathematical and logic background (the basic definitions of graph theory, and the bases of classical propositional logic).

Contents:

1. graphs, Kripke frames and Kripke models; model checking;
2. the basic modal logic K and its tableaux; soundness, completeness and decidability;
3. description logics; - the basic modal logics (KD, KT, S4, S5,...);
4. modal logics with transitive closure (PDL, logic of common knowledge).

3.2.13 Consistency

JUI-LIN LEE
 NATIONAL FORMOSA UNIVERSITY TAIWAN
 JLLEE@PHIL.CCU.EDU.TW

In classical logic the extended completeness theorem ($T \models \phi$ implies that $T \vdash \phi$ for any set of sentences T and any sentence ϕ) is frequently proved by the following two steps:

- (CME) Every consistent set has a (classical) model; and
- (RAA) If T cannot derive ϕ , then $T \cup \neg\phi$ is consistent (for any set T and any sentence ϕ).

Sometimes the former statement, as a major step of this approach, is called the extended completeness theorem (or the strong completeness theorem). This is not always a correct name of it because there are some non-classical logics satisfying CME, the classical model existence property (which means that consistency implies classical satisfiability).

In this course we investigate this meta-logical property CME. Since there are many different consistencies and in non-classical logics they are not always

equivalent, we will study consistency first. Note that with different consistencies the meaning of CME could be different.) Then we present ways to construct non-classical logics/proof systems (by selecting axioms or rules) which satisfy CME, and discuss how one can construct a weaker system still satisfying CME. These (propositional or predicate) logics include some (weak extensions of) paraconsistent logics, subintuitionistic logics, or substructural logics. Applications of CME include Glivenko-style theorem and pure implicational logic. Furthermore, we will also analyze the necessary-and-sufficient condition of CME (which is related to Left Resolution Gentzen system in [3]) and discuss other model existence property.

References:

1. J.-Y. Béziau, Sequents and bivaluations, *Logique et Analyse*, Vol. 44, pp.373-394, 2001.
2. Jui-Lin Lee, Classical model existence theorem in propositional logics, in Jean-Yves Béziau and Alexandre Costa-Leite (eds.),
3. *Perspectives on Universal Logic*, pages 179-197, Polimetrica, Monza, Italy, 2007.
4. Jui-Lin Lee, Classical Model Existence and Left Resolution, *Logic and Logical Philosophy*, Vol. 16 No 4, pages 333-352, 2007.
5. Jui-Lin Lee, The Classical Model Existence Theorem in Subclassical Predicate Logics I, in D. Makinson, J. Malinowski, H. Wansing (eds.), *Towards Mathematical Philosophy*, Trends in Logic 28, pages 187-199, Springer, 2008.
6. Richard Zach, Proof Theory of Finite-Valued Logics, Diploma Thesis, Technische Universität Wien, Vienna, 1993.

3.2.14 Fractals, Topologies and Logic

TAMAR LANDO
 UNIVERSITY OF BERKELEY - USA
 TLANDO AT BERKELEY.EDU

DARKO SARENAC
 COLORADO UNIVERSITY - USA
 DARKO.SARENAC@COLOSTATE.EDU

This tutorial explores the connection between fractal geometry and topological intentional logic. The main cluster of results we present is a class proofs of completeness of the modal logic S4, and Intuitionist Propositional Logics with respect to the following fractals: Koch Snowflake/Curve, Sierpinski Carpet, Menger Cube, which all are well known classic fractals. The main corollary

of the paper is a new proof of the completeness of afore mentioned logics for most significant n-dimensional Euclidean metric topological space R , R^2 and R^3 . The latter results were originally obtained by Tarski and MacKinsey in [7], and much simplified and refined by Mints et al. and van Benthem et al. [examples, variations, and refinements can be found in [1], [2] and [4]]. Our new proof uses fractal techniques, that, as we will argue is the main contribution to the topological semantics for modal logic in recent years. The completeness for both Koch Curve and other fractals and R^n are best seen as examples of the power of the fractal techniques introduced here. Another somewhat original contribution is the use of the infinite binary tree with limits, Wilson tree. We prove that such a tree is complete for S4 and related logics in several extended languages. Such proof then facilitates topological transfer onto fractals and metric spaces. Although this tree has not to our knowledge been used previously in the modal logic community, and we have introduced it independently, it has since come to our attention that the tree has been used and named in category theory by Peter Freyd sometime in the late 1980s. [We follow his naming convention in calling the tree Wilson tree. Wilson tree is obtained by a kind of model saturation technique called ‘sobering’ from the more usual infinite binary branching tree. The name is then derived from the fact that Wilson was the founder of the 12 step recovery program.]

In this tutorial the following topics are considered.

We begin the tutorial by placing topological techniques and the techniques of fractal geometry in the pantheon of various spatial techniques in both universal approach to logic and in the full gamut of formal approaches to reasoning about space, space-time, and spatiotemporal dynamics. In the spirit of the school on universal logic, we will be emphasizing techniques that are portable and universally applicable over particular results and systems. We continue by introducing a class of self-similar fractals and discussing their usefulness in various model-construction techniques in topological modal logic. We look at a series of well-known trees, both finite and infinite discussing their fractal nature and demonstrating their connection with well known fractals, such as for instance, Koch Flake/Curve, Sierpinski Carpet, Menger Cube, and many others. We then explore various topological and logical properties of fractals. We will show that each of the three fractals mentioned, Koch, Sierpinski, and Menger, is in some sense universal for a class of model theoretic or topological objects. A distant topological relative of this result was first proved by Sierpinski in the early 1920s. We will explore logical relevance of this result. In showing the relevance we will use another tree called Wilson Tree. This tree-like the infinite binary branching tree-ought to be well known, but it is not. We will explore the immense usefulness of the tree in reasoning about complete metric Euclidean spaces and speculate about the reasons why the tree is not more commonly known among modal (and intensional) logicians. As we mention in the introduction above, after we reinvented the tree, it turned out to be a rather standard object in Category Theory. We will explore some connections between results in category theory by P. Freyd and A. Scedrov and some well known results in topological semantics.

We will conclude the tutorial by looking at the class of intensional logics, (S4, S4u, S4 + time, Int. Logic, etc.) to which the fractal techniques introduced here apply. If we have some extra time, we will look at a recently introduced Probabilistic Modal Logics of Dana Scott.

References

1. M. Aiello, J. van Benthem, and G. Bezhanishvili, "Reasoning about space: the modal way," *Journal of Logic and Computation* (13)6, 889–920, (2003).
2. G. Bezhanishvili, M. Gehrke, "Completeness of S4 with respect to the real line: revisited", *Ann. Pure Appl. Logic* 131(1-3): 287-301 (2005)
3. P. J. Freyd and A. Scedrov 'Allegories, Categories', North-Holland (1999)
4. P. Kremer and G. Mints, "Dynamic Topological Logic," in *Handbook of Spatial Logic*, M. Aiello, I. Pratt-Hartmann, J. van Benthem (Eds.), Springer, pp 565-606, (2007).
5. T. Lando and D. Sarenac, Sierpinski Carpet, Menger Sponge, and Fractal Techniques in Topological Modal Logic. (Forthcoming 2009.)
6. T. Lando and D. Sarenac, "Fractal Completeness Techniques in Topological Modal Logic: Koch Curve, Limit Tree, and the Real Line." (Forthcoming 2009.)
7. J.C.C. McKinsey and A. Tarski, "The algebra of topology", *Ann. of Math.* (2) (45), 141–191, (1944).
8. M. Schroeder, 'Fractals, Chaos, Power Laws: Minutes from an Infinite Paradise', New York: W. H. Freeman, pp. 41-45, (1991).

3.2.15 The World of Possible Logics

JEAN-YVES BÉZIAU
CNPQ-FUNCAP/UNIVERSITY OF CEARÁ, BRAZIL
JYB@UFC.BR

Many logics are possible: from a logic where nothing is a consequence of nothing, to a logic where everything is a consequence of everything passing through a whole spectrum including classical logic, many-valued logic, turbo polar linear logic.

One can wonder if we are not then facing a wild jungle, from which some monsters like anti-classical logic, the complement of classical logic where a proposition is not a consequence of itself, have to be rejected.

In this tutorial we will discuss these questions. We will also present methodologies to construct logics and frameworks to compare them.

Many examples and concepts will be provided.

Bibliography:

1. J.-Y. Beziau, *From consequence operator to universal logic: a survey of general abstract logic* in Logica Universalis; Towards a general theory of logic, Birkhuser, Basel, 2007, pp.3-17.
2. Haskell Curry, Foundations of mathematical logic, McGraw-Hill, New York 1963.
3. Dov Gabbay (ed), What is a logical system? Clarendon, Oxford, 1994.
4. Jean Porte, Recherches sur la théorie générale des systèmes formels et sur les systèmes connectifs, Gauthiers-Villars, Paris and Nauwelaerts, Louvain, 1965.

3.2.16 Geometry of Oppositions

ALESSIO MORETTI
UNIVERSITY OF NICE - FRANCE

n -opposition theory (2004) generalises Aristotle's opposition theory (exemplified by the *logical square*) by introducing the notion of *logical bi-simplex of dimension n* .

This theory, relevant to both quantification theory and modal logic (both are tied to the logical square) shows that there exists a field, between logic and geometry, where logical-geometrical n -dimensional solids (highly symmetrical structures whose edges are implication arrows), instead of being limited to the square (the poorest and ugliest of them), develop into infinite growing orders according some relatively simple but generally unknown principles.

This field is related to modal logic, in so much such n -dimensional structures can be decorated (as can the square) with arbitrary modalities via some suited decorating techniques (as the *modal $n(m)$ -graphs*, or the *setting-method*, for instance).

The theory's known applications, so far, concern mainly the study from a new geometrical point of view of the known modal systems (normal or non-normal, abstract or applied), but also the study of the non-logical formalisms inspired by the logical square in psychology (cognitive science and psychoanalysis), linguistics (semiotics and pragmatics), philosophy (analytical as continental) and others.

In this tutorial we will introduce to the theory of n -opposition, showing (rapidly) its historical roots (Aristotle, Vasil'ev, Sesmat, Blanché), then concentrating both on its classical (recently discovered) tenets and on its actual (open) research issues. At the end of the tutorial, according to the time left, we will discuss of some of this theory's possible applications.

The theory of n -opposition

1. Béziau, J.-Y., *Paraconsistent logic from a modal viewpoint*, Journal of Applied Logic, 3 (2005) 7-14.
2. Blanché, R. *Sur l'opposition des concepts*, Theoria, 19 (1953).

3. Moretti, A., *Geometry for Modalities? Yes: Through n-Opposition Theory*, in Aspects of Universal Logic, Neuchtel, 2004.
4. Pellissier, R., *Setting n-opposition*(to appear)

3.2.17 Truth-Functionality

JOAO MARCOS

FEDERAL UNIVERSITY OF RIO GRANDE DO NORTE - BRAZIL

JMARCOS@DIMAP.UFRN.BR

In research areas so diverse as model theory, philosophy of language, formal and computational linguistics, algebraic logic, and the denotational semantics of programming languages, a common widely accepted meta-theoretical compositionality principle is to be found according to which the denotation of a complex expression is built up from the denotations of its parts. In proof theory and automated reasoning, also, two frequent ways in which such a structural connection is displayed between the whole and its parts, or between the premisses and their conclusions, resides in the so-called subformula property and its connections to cut-elimination and interpolation, as well as in the notion of analyticity of proof formalisms and strategies. One of the most straightforward ways of realizing such principles, notions and properties is exactly through the intuitive and well-known notion of *truth-functionality*.

The first session of the tutorial will directly explore the characterization of truth-functionality from the viewpoint of Universal Logic. Abstract properties defining (single-conclusion) consequence relations that have adequate semantical counterparts in terms of truth-tables will be surveyed, and non-truth-functional LOGICS will be illustrated and carefully distinguished from logics that are still truth-functional but turn out to be circumstantially characterized by way of non-truth-functional SEMANTICS. Characterizability of logics by finite collections of truth-values and operators will also be touched upon.

The second session of the tutorial will be devoted to a reexamination of many-valued logics and fuzzy logics as inferential mechanisms based on truth-functionality. The so-called Suszko's Thesis, according to which a distinction can be made among 'algebraic' truth-values, on the one hand, and 'logical' values on the other, will be explained, and a constructive approach to the result, as applied to logics characterized by finite-valued truth-functional semantics will be exhibited. Applications to proof theory and rewrite systems, including generalizations of both the subformula property and the analyticity requirement, will next be illustrated.

The final session of the tutorial will recall some basic semantical results connected to functional completeness and pre-completeness, as well as to maximality of logics with a so-called standard truth-tabular semantics. Generalizations of truth-tabularity by the consideration of agents that behave truth-functionally in their own quarters but that appear not to do so when combined by way of a so-called *society semantics*, other *non-deterministic* versions of truth-

tabularity, and also some controlled combinations of truth-tabular scenarios by way of the so-called *possible-translations semantics* will also be illustrated, and shown to share some of the good computational behaviors of the standard approach to truth-functionality, in terms of the preservation or the enjoyment of important meta-theoretical properties such as decidability, compactness and modularity.

References:

1. A. Avron and I. Lev, *Non-deterministic multiple-valued structures*, Journal of Logic and Computation, 15 (2005), pp.241-261.
2. C. Caleiro and J. Marcos, *Classic-like analytic tableaux for finite-valued logics*, in H. Ono, M. Kanazawa, and R. de Queiroz (eds.), Proceedings of the XVI Workshop on Logic, Language, Information and Computation (WoLLIC 2009), vol. 5514 of Lecture Notes in Artificial Intelligence, Springer, 2009, pp.268-280.
3. C. Caleiro, W. Carnielli, M.E. Coniglio, and J. Marcos, *Two's company: The humbug of many logical values*, in J.-Y. Béziau (ed.), Logica Universalis, Birkhäuser Verlag, 2005, pp.169-189.
4. W.A. Carnielli, M.E. Coniglio, D. Gabbay, P. Gouveia, and C. Sernadas, *Analysis and Synthesis of Logics: How To Cut And Paste Reasoning Systems*, vol. 35 of Applied Logic, Springer, 2008.
5. W.A. Carnielli, *Possible-translations semantics for paraconsistent logics*, in D. Batens, C. Mortensen, G. Priest, and J.P. Van Bendegem (eds.), Frontiers of Paraconsistent Logic, Research Studies Press, Baldock, 2000, pp.149-163.
6. W.A. Carnielli and M.E. Coniglio, *Splitting logics*, in S. Artemov, H. Barringer, A. Garcez, L. Lamb, and J. Woods (eds.), We Will Show Them! Essays in Honour of Dov Gabbay, vol.1, College Publications, 2005, pp.389-414.
7. W.A. Carnielli, M.E. Coniglio, and J. Marcos, *Logics of Formal Inconsistency*, in D. Gabbay, and F. Guenther (eds.), Handbook of Philosophical Logic, vol.14, 2nd edn., Springer, 2007, pp.1-93.
8. J. Dugundji, *Note on a property of matrices for Lewis and Langford's calculi of propositions*, The Journal of Symbolic Logic, 5 (1940), pp.150-151.
9. J. Marcos, *Possible-translations semantics*, in W.A. Carnielli, F.M. Dionisio, and P. Mateus, (eds.), Proceedings of the Workshop on Combination of Logics: Theory and applications (CombLog'04), Departamento de Matemática, Instituto Superior Técnico, Lisbon, PT, 2004, pp.119-128.

10. J.Marcos, *Possible-translations semantics for some weak classically-based paraconsistent logics*, Journal of Applied Non-Classical Logics, 18 (2008), pp.7-28.
11. J. Marcos and D. Mendona, *Towards fully automated axiom extraction for finite-valued logics*, in W. Carnielli, M.E. Coniglio, and I.M.L. D'Ottaviano (eds.), The Many Sides of Logic, Studies in Logic, College Publications, London, 2009.
12. J. Marcos, *What is a non-truth-functional logic?*, Studia Logica, 92 (2009), pp.215-240.
13. D.J. Shoesmith and T.J. Smiley, *Deducibility and many-valuedness*, The Journal of Symbolic Logic, 36 (1971), pp.610-622.
14. R.Wójcicki, *Logical matrices strongly adequate for structural sentential calculi*, Bulletin de l'Academie Polonaise des Sciences, Série des Sciences Mathématiques, Astronomiques et Physiques, 17 (1969), pp.333-335.

3.2.18 Probabilistic Logic

GREGORY WHEELER
 UNIVERSIDADE NOVA DE LISBOA - PORTUGAL
 GRW@FCT.UNL.PT

Logic is traditionally understood to be the study of *what follows from what* and probabilistic logic is no exception. But whereas the entailment problem typically asks whether a conclusion C is entailed by some premises P_1, \dots, P_n , with respect to some specified entailment relation, written as \models

$$(1) P_1, \dots, P_n \models C?$$

on our approach (Haenni et al. 2009) to probabilistic logic poses a slightly different question. In a probabilistic setting, attached to each premise P_i is a probability or set of probabilities, X_i . But it is rare to ask whether a set of probabilistic premises entails that a particular probability (set of probabilities) Y is assigned to C . Instead, the entailment problem in probabilistic logic typically concerns what probability (set of probabilities) are assigned to a particular conclusion, C , written as

$$(2) P_1(X_1), \dots, P_n(X_n) \models C?$$

A surprisingly wide variety of probabilistic semantics can be plugged into (2), thereby providing different semantics for the entailment relation \models and allowing those different systems to be studied as bona fide logics. In this respect we view (2) as the fundamental question of probabilistic logics and view it as the lynch pin to our proposal for unifying probabilistic logics. As for how to answer the fundamental question, we propose a unifying approximate proof procedure utilizing credal networks, which are probabilistic graphical models analogous to Bayesian networks but configured to handle sets of probability functions representing interval valued probabilities.,

This course introduces the progicnet framework for unifying probabilistic logic in three parts:

Day 1. An introduction to the fundamental question for probabilistic logic and an introduction to the most basic semantics, our generalization of the standard semantics of ‘Bayesian probabilistic logic’, as put forward in Ramsey (Ramsey 1926) and De Finetti (de Finetti 1937), and explicitly advocated by Howson, (Howson 2001, 2003), Morgan (Morgan 2000), and Halpern (Halpern 2003), to handle interval-valued probability assignments via sets of probabilities.

Day 2. An introduction to a semantics for handling relative frequency information, ‘Evidential Probability’ (EP) (Kyburg 1961, Kyburg and Teng 2001, Kyburg et al. 2007, Wheeler and Williamson 2009). EP is traditionally thought of as a logic of probability rather than a probabilistic logic (Levi 2007), and our framework helps to explain why this is so. Time permitting we will introduce some extensions to EP that utilize different features of the progicnet framework.

Day 3. An introduction to credal networks (Levi 1980, Cozman 2000) and approximate proof theory we develop with this machinery. Several open problems will be presented.

References:

1. Cozman, F. (2000). Credal networks. *Artificial Intelligence*, 120(2):199-233.
2. de Finetti, B. (1937). La prevision: ses lois logiques, ses sources subjectives. *Annales de l’Institut Henri Poincaré*, 7(1):1-68.
3. Haenni, R., Williamson, J., Romeyn, J.-W., and Wheeler, G. (2009). *Probabilistic Logic and Probabilistic Networks*. Synthese Library. Springer, Dordrecht.
4. Halpern, J. Y. (2003). *Reasoning about Uncertainty*. MIT Press, Cambridge, MA.
5. Howson, C. (2001). The logic of Bayesian probability. In Corfield, D. and Williamson, J., editors, *Foundations of Bayesianism*, pages 137-159. Kluwer, Dordrecht.
6. Howson, C. (2003). Probability and logic. *Journal of Applied Logic*, 1(3-4):151-165.
7. Kyburg, Jr., H. E. (1961). *Probability and the Logic of Rational Belief*. Wesleyan University Press, Middletown, CT.
8. Kyburg, Jr., H. E. and Teng, C. M. (2001). *Uncertain Inference*. Cambridge University Press, Cambridge.
9. Kyburg, Jr., H. E., Teng, C. M., and Wheeler, G. (2007). Conditionals and consequences. *Journal of Applied Logic*, 5(4):638-650.

10. Levi, I. (1980). *The Enterprise of Knowledge*. MIT Press, Cambridge, MA.
11. Levi, I. (2007). Probability logic and logical probability. In Harper, W. and Wheeler, G., editors, *Probability and Inference: Essays in Honor of Henry E. Kyburg, Jr.*, pages 255-266. College Publications.
12. Morgan, C. G. (2000). The nature of nonmonotonic reasoning. *Minds and Machines*, 10:321-360.
13. Ramsey, F. P. (1926). Truth and probability. In Kyburg, H. E. and Smokler, H. E., editors, *Studies in subjective probability*, pages 23-52. Robert E. Krieger Publishing Company, Huntington, New York, second (1980) edition.
14. Wheeler, G. and Williamson, J. (2009). Evidential probability and objective bayesian epistemology. In Bandyopadhyay, P. and Forster, M., editors, *Handbook of the Philosophy of Statistics*. Elsevier Science.

3.2.19 Logics of Empirical Sciences

DÉCIO KRAUSE

FEDERAL UNIVERSITY OF SANTA CATARINA - BRAZIL

DKRAUSE@CFH.UFSC.BR

In this tutorial, we present a general discussion on the relevance of the logical analysis of empirical theories, which is identified with the axiomatization of the relevant theories, giving special emphasis to physics. The concept of Suppes Predicate is introduced and some case studies are presented. The role of the background set theory used for defining the predicate is discussed. In the last part, a particular topic involving quantum mechanics plus a metaphysics of non-individual entities is discussed.

References:

1. Browder, F. (ed.), *Mathematical Problems Arising from Hilbert Problems*, *Proceedings of Symposia in Pure Mathematics*, Vol.XXVIII, Providence , American Mathematical Society, 1976.
2. French, S. and Krause, D., *Identity in Physics: A Historical., Philosophical, and Formal Analysis*. Oxford , Oxford Un. Press, 2006.
3. Krause, D., *Introduction to the Axiomatic Foundations of Science* (in Portuguese), EPU, S.Paulo, 2002.
4. Magalhães, J. C. M. and Krause, D., *Suppes predicate for genetics and natural selection* *Journal of Theoretical Biology* 209 (2) 2001, pp. 141-153.

5. Manin, Yu. I., *Mathematical Problems, I: Foundations*, in Browder 1976, p. 36.
6. Manin, Yu. I., *Georg Cantor and his heritage*, arXiv:math.AG/0209244 v.1, 19 Sept. 2002
7. Suppes, P., *Representation and Invariance of Scientific Structures*, Stanford, CSLI Pu., 2002.

3.2.20 Logics of Plurality

FRIEDERIKE MOLTSMANN
 CNRS/IHPST - FRANCE
 FMOLTSMANN@UNIV-PARIS1.FR

The correct logical analysis of plural terms such as the trees in the trees are similar or the trees are green is at the center of an important debate both in formal semantics and in philosophical logic. Two fundamentally distinct approaches can be distinguished, one on which the trees refers to a single collective entity, a plurality of trees, and one on which the trees refers plurally to the various individual trees. The first tradition is linked to the work of Link and related mereological approaches, the second to the work of Boolos and subsequent work in that tradition (Oliver, Yi, Rayo and others). This course will give an overview over the two kinds of approaches to the logical analysis of plural terms with its various developments and discusses the crucial linguistic empirical and conceptual motivations for the two kinds of approaches.

Session 1:

Reference to a plurality: The mereological approach

This session discusses the motivations and the development of the mereological approach such as that of Link and others. It presents a range of potential empirical and conceptual problems for that approach.

Session 2:

Plural Reference: The second-order approach

This session will discuss the seminal work of Boolos and subsequent developments such as the work of Oliver, Rayo, Yi. It focuses on the formal and conceptual aspects of that approach.

Session 3:

This session discusses potential extensions of the second approach, such as to mass terms like courage, as in courage is admirable. It also discusses various ramifications of the plural reference approach and the challenges it faces from the point of view of natural language.

3.2.21 How to Cut and Paste Logical Systems

MARCELO CONIGLIO
 STATE UNIVERSITY OF CAMPINAS - BRAZIL

Combination of logics is still a fairly young subject. It arose from the study of some particular cases especially connected with modal logics, through the techniques of fusion, product and fibring. This was a first stage of the development of this new field of research, and afterwards the initial techniques (mainly fibring) were generalized to general logics. The techniques for combining logics help to the study of some fundamental phenomena of logic which are still not properly understood, connected to what a logic is and what are the relations between different formulations of a given logic. This tutorial, based on the book [2], is mainly devoted to the study of the so-called categorial fibring (or algebraic fibring), introduced in [1] and later on generalized to a wide class of logic systems such as modal (first-order) logics, higher-order logics and non-truth-functional logics, among others (see [2]).

The main topics to be analyzed herein are the following:

1. Fibring syntactically: The Hilbert calculi case
2. Fibring semantically: Interpretation systems and their fibring
3. Preservation results: Completeness and interpolation preservation by fibring
4. Heterogeneous fibring: Combining abstract proof systems
5. One step ahead: Fibring first-order (modal) logics
6. Still more generality: Fibring higher-order (modal) logics and non-truth-functional logics
7. The future: Graph-theoretic fibring

Bibliography

1. A. Sernadas, C. Sernadas and C. Caleiro. Fibring of logics as a categorial construction. *Journal of Logic and Computation*, 9(2):149179, 1999.
2. W. Carnielli, M. Coniglio, D. Gabbay, P. Gouveia and C. Sernadas. *Analysis and Synthesis of Logics: How to Cut and Paste Reasoning Systems*. Volume 35 of Applied Logic Series, Springer, 2008.
3. A. Sernadas, C. Sernadas, J. Rasga and M. Coniglio. *On Graph-theoretic Fibring of Logics*. *Journal of Logic and Computation*, to appear.

4 Congress on Universal Logic III

4.1 Invited Speakers

HARTRY FIELD
NEW YORK UNIVERSITY - USA
HF18@NYU.EDU

Is there a problem about revising logic?

How, if at all, can one rationally change which logic one employs? I'll reply both to those who think we can't and to those who minimize the problems of doing so, and suggest a model for how such rational change might occur. I'll connect the discussion with a real example: the issues surrounding what I take to be a serious though not incontrovertible case for logical revision.

GEORGE GRÄTZER
UNIVERSITY OF MANITOBA - CANADA
GRATZER@CC.UMANITOBA.CA

A Combinatorial Problem in Lattice Theory

The congruences of a finite lattice L form a finite distributive lattice. Given a finite distributive lattice D , we can represent D as the congruence lattice of a finite lattice L . If D has n join-irreducible elements, how small we can make L as a function of n ? The classical result of Dilworth gives an exponential upper bound. This was improved by several authors. The best result is Grätzer, Lakser, Schmidt (1995): $O(n^2)$. Grätzer, Rival, Zaguia (1998) proved that this result is best possible. While there are many results about upper bounds, this was the only one providing a lower bound. In Grätzer, Lakser, Zaguia (1995), we proved that a finite distributive lattice D with n join-irreducible elements can be represented as the congruence lattice of a finite semimodular lattice L of size $O(n^3)$. In my book, *Congruence Lattices of Finite Lattices* (2006), I raise the question whether $O(n^3)$ is best possible. A lattice L is rectangular if it is finite, semimodular, planar, has a left corner a (the only doubly irreducible element on the left boundary), has a right corner b , and the elements a and b are complementary. In a series of four papers with E.Knapp (2007-2010), we prove that a finite distributive lattice D with n join-irreducible elements can be represented as the congruence lattice of a rectangular lattice L of size $O(n^3)$ and this result is best possible. The lower bound is kn^3 , where $k = 1/3456$. The problem in my book remains unresolved.

References:

1. G. Grätzer, *The Congruences of a Finite Lattice, A Proof-by-Picture Approach*, Birkhäuser Boston, 2006.
2. G. Grätzer, E.Knap, "Notes on planar semimodular lattices. I. Construction", *Acta Sci. Math. (Szeged)* 73 (2007), 445-462.
3. G. Grätzer, E.Knap, "Notes on planar semimodular lattices. II. Congruences", *Acta Sci. Math. (Szeged)* 74 (2008), 23-36.

4. G. Grätzer, E.Knap, "Notes on planar semimodular lattices. III. Congruences of rectangular lattices", Acta Sci. Math. (Szeged) 75 (2009), accepted for publication.
5. G. Grätzer, E.Knap, "Notes on planar semimodular lattices. IV. The size of a minimal congruence lattice representation with rectangular lattices", Acta Sci. Math. (Szeged), 76 (2010), accepted for publication.
6. G. Grätzer, H.Lakser, E.T.Schmidt, "Congruence lattices of small planar lattices", Proc. Amer. Math. Soc. 123 (1995), 2619-2623.
7. G. Grätzer, I.Rival, N.Zaguia, "Small representations of finite distributive lattices as congruence lattices", Proc. Amer. Math. Soc. 123 (1995), 1959-1961.

YURI GUREVICH
 MICROSOFT RESEARCH, USA
 GUREVICH@MICROSOFT.COM

Algebra and Logic: Pitfalls and Potential Benefits

One danger in algebra and logic is over-abstraction. You rise to a rarified air with little substance and no good theorems. Another potential problem is that it is easy to formulate questions that are mathematically precise but uninteresting. In applications though the greater problem is under-abstraction. Whether you program or prove, it is all too easy to get bogged down with details so that you can't see the forest for the trees. How to get the level of abstraction right? That is where algebra and logic are indispensable, and that is the issue that we intend to dwell upon.

GERHARD JÄGER
 UNIVERSITY OF BERN - SWITZERLAND
 JAEGER@IAM.UNIBE.CH

About the Suslin Operator in Applicative Theories

In the seventies Feferman developed his so-called explicit mathematics as a natural formal framework for Bishop-style constructive mathematics. Explicit mathematics is strongly influenced by generalized recursion theory and soon turned out to be of independent proof-theoretic interest. Since the operations of explicit mathematics can be regarded as abstract computations, functionals of higher types can be added in a direct and perspicuous way.

A first important step in the proof-theoretic treatment of functionals of higher types in the framework of explicit mathematics was the analysis of the non-constructive minimum operator over a basic theory BON of operations and numbers. A further interesting type two functional is the Suslin operator which tests for well-foundedness of total binary relations.

In this talk I take up the proof-theoretic analysis of the Suslin operator in explicit mathematics due to Strahm and myself, but present a new and conceptionally preferable approach. This is joint work with Dieter Probst.

MARCUS KRACHT
UNIVERSITY OF CALIFORNIA AT LOS ANGELES - USA
KRACHT@HUMNET.UCLA.EDU

Judgement

The logical literature is filled with signs of judgement (typically the turnstile and all its graphical variants). Yet a discussion of their role in logic is typically absent. In this talk I want to rectify this imbalance by focussing on the nature of judgement. I will show that certain logics can be motivated by the character of judgement alone. This provides a way to reconcile logical monism with logical pluralism. For we may maintain that there is just one objective logic while there are many subjective logics, each based on a different notion of judgement.

HIROAKIRA ONO
JAPAN ADVANCED INSTITUTE OF SCIENCE AND TECHNOLOGY - JAPAN
ONO@JAIST.AC.JP

Regular embeddings of residuated lattices and infinite distributivity

Recently there have been remarkable developments of the study of completions of residuated lattices, in particular of canonical extensions and MacNeille completions. Embeddings associated with MacNeille completions are always *regular*, which means that all existing infinite joins and meets are preserved, while embeddings associated with canonical extensions are never so. Meanwhile MacNeille completions do not always preserve distributivity. Here, we will consider completions of residuated lattices with regular embeddings which preserve (infinite) distributivity, since such completions would be quite useful in proving algebraic completeness of *distributive* substructural predicated logics. It will be shown that the join infinite distributivity (JID) will play a particularly important role.

GIOVANNI SAMBIN
UNIVERSITY OF PADOVA - ITALY
SAMBIN@MATH.UNIPD.IT

JONATHAN SELDIN
UNIVERSITY OF LETHBRIDGE - CANADA
JONATHAN.SELDIN@ULETH.CA

Logical Algebras as Formal Systems: H. B. Curry's Approach to Algebraic Logic

Nowadays, the usual approach to algebras in mathematics, including algebras of logic, is to postulate a set of objects with operations and relations on them which satisfy certain postulates. With this approach, one uses the general principles of logic in writing proofs, and one assumes the general properties of sets from set theory. This was not the approach taken by H. B. Curry in [1] and [2], Chapter 4. He took algebras to be formal systems of a certain kind, and he did not assume either set theory or the '*rules of logic*'. I have not seen this approach followed by anybody else. The purpose of this paper is to explain Curry's approach.

References:

1. H. B. Curry, *Leons de Logique Algbrique*, Paris: Gauthier-Villars and Louvain: Nauwelaerts, 1952.
2. H. B. Curry, *Foundations of Mathematical Logic*, New York: McGraw-Hill, 1963. Reprinted by Dover, 1977 and several times since.

AMILCAR SERNADAS
TECHNICAL UNIVERSITY OF LISBON - PORTUGAL
ACS@MATH.IST.UTL.PT

Parallel Composition of Logics

The practical significance of the problem of combining logics is widely recognized, namely in knowledge representation (within artificial intelligence) and in formal specification and verification of algorithms and protocols (within software engineering and information security). In these fields, the need for working with several calculi at the same time is the rule rather than the exception. The topic is also of interest on purely theoretical grounds. For instance, one might be tempted to look at predicate temporal logic as resulting from the combination of first-order logic and propositional temporal logic. However, the approach will be significant only if general preservation results are available about the combination mechanism at hand, namely preservation of completeness. For these reasons, different forms of combining logics have been studied and several such transference results have been reported in the literature. To name just a few, fusion (of modal logics), temporalization and fibring are now well understood, although some interesting open problems remain concerning transference results. Fibring [1] is the most general form of combination and its recent graphic-theoretic account makes it applicable to a wide class of logics, including substructural and non truth-functional logics. Capitalizing on these latest developments on the semantics of fibring [2] and inspired by the notion of parallel composition of processes in its most basic form (interleaving), a novel form of combination of logics, applicable to a wide class of logics, is proposed together

with a couple of transference results, and compared with other combination mechanisms, showing how they can be recovered as special cases.

References:

1. D. Gabbay. Fibred semantics and the weaving of logics: part 1. *Journal of Symbolic Logic*, 61(4):10571120, 1996.
2. A. Sernadas, C. Sernadas, J. Rasga, and M. Coniglio. On graph-theoretic fibring of logics. *Journal of Logic and Computation*, 19:1321–1357, 2009.

DANA SCOTT

UNIVERSITY PROFESSOR EMERITUS, CARNEGIE MELLON UNIVERSITY AND
VISITING SCHOLAR, UNIVERSITY OF CALIFORNIA, BERKELEY, USA

DANA.SCOTT@CS.CMU.EDU

Mixing modality and probability

For some time at many recent workshops, the author has lectured about a Boolean-valued model for higher-order logic (and set theory) based on the complete Boolean algebra of Lebesgue measurable subsets of the unit interval modulo sets of measure zero. This algebra not only carries a probability measure, but it also allows for a non-trivial S4-modality by using the proper subframe of open sets modulo zero sets. This provides rich ingredients for building many kinds of structures having non-standard random elements. The lecture will review the basics of this type of semantics and discuss several examples and their logical properties.

SECRET SPEAKER

UNIVERSITY OF ???

XYZ@???

???

4.2 Sessions

4.2.1 Logic Diagrams

This session is organized by Amirouche Moktefi (IRIST, Strasbourg and LHPS, Nancy, France) and Sun-joo Shin (Yale University, USA).

The use of diagrams in logic is old but unequal. The nineteenth century is often said to be the golden age of diagrammatic logic, thanks to the wide use of Euler and Venn diagrams, before a period of decline with (because of?) the arrival of the Frege–Russell tradition of mathematical logic.

One more obstacle that prevented the use of diagrams is the plurality of logical systems and the difficulty to deal with them.

However, diagram studies have known a revival in recent years. It is thus legitimate to wonder what place diagrams hold in modern logical theory and practice.

The aim of this session is to discuss the logical status of diagrams. Topics may include:

- What is a logic diagram?
- Is diagrammatic logic one more logic?
- Or are diagrams merely a notation that one can adapt to fit to different logics?
- Do diagrams fit to some logical systems better than to others?
- Is there still room for the use of diagrams in modern logic?

Accepted contributed talks

JULIUSZ DOBOSZEWSKI

ANDRZEJ J. NOWAK

JAGIELLONIAN UNIVERSITY - POLAND

Nonlinear orthography or nonlinear reasoning: Frege's Begriffsschrift as seen against Peirce's existential graphs

VALERIA GIARDINO

INSTITUT JEAN NICOD (CNRS-EHESS-ENS) - FRANCE

VALERIA.GIARDINO@ENS.FR

A Cognitive Approach to Diagrams in Logic

The term *logocentric* was chosen to define the *dogma* of the standard view of mathematics, according to which proofs are syntactic objects consisting only of sentences arranged in a finite and inspectable way. By contrast, reasoning is a heterogeneous activity: it is necessary to expand the territory of logic by freeing it from a mode of representation only (Barwise and Etchemendy (1996), Shin (2004)). In this talk, I will argue that the antidote against the logocentric approach to diagrams consists neither in finding the right set of rules nor in

assuming an *optiocentric* view, but in considering that the most relevant aspect of diagrammatic reasoning is the way in which diagrams are manipulated to infer some new conclusion from them; this happens in continuous interaction with language. My view moves from a purely syntactic approach to a semantic and indeed pragmatic approach to problem solving.

JOHN HOWSE
PETER RODGERS
GEM STAPLETON
UNIVERSITIES OF BRIGHTON AND KENT - UK
Levels of Syntax for Euler Diagram Logics

CATHERINE LEGG
CLEGG@WAIKATO.AC.NZ
UNIVERSITY OF WAIKATO - NEW ZEALAND
The Hardness of the Iconic Must: Can Peirces Existential Graphs Assist Modal Epistemology?

The current of development in 20th century logic bypassed Peirces existential graphs, but recently much good work has been done by formal logicians excavating the graphs from Peirces manuscripts, regularizing them and demonstrating the soundness and completeness of the alpha and beta systems (e.g. Roberts 1973, Hammer 1998, Shin 2002). However, given that Peirce himself considered the graphs to be his chef oeuvre in logic, and explored the distinction between icons, indices and symbols in detail within the context of a much larger theory of signs, much about the graphs arguably remains to be thought through from the perspective of philosophical logic. For instance, are the graphs always merely of heuristic value or can they convey an essential icon (analogous to the now standardly accepted essential indexical)? This paper claims they can and do, and suggests important consequences follow from this for the epistemology of modality. It is boldly suggested that structural articulation, which is characteristic of icons alone, is the source of all necessity. In other words, recognizing a statement as necessarily true consists only in an unavoidable recognition that a structure has the particular structure that it in fact has. (What else could it consist in?)

DANIELLE MACBETH
HAVERFORD COLLEGE - USA
DMACBETH@HAVERFORD.EDU
Reasoning in Diagrams: The Case of Begriffsschrift

Frege designed his strange two-dimensional Begriffsschrift notation as a system of written signs within which to exhibit the contents of concepts, as those contents matter to inference, and to reason in mathematics. Frege furthermore claimed that reasoning from definitions in his language can be ampliative, a real extension of our knowledge, and in particular, that his Begriffsschrift proof of theorem 133 is ampliative (so synthetic in Kants sense) despite being strictly deductive (or, as Kant would think of it, analytic). The proof is, in other words,

constructive in something like Kants sense, despite being strictly deductive. But if it is constructive then the notation within which the construction is made, that is, Freges notation, must be functioning diagrammatically in something like Kants sense (which encompasses not only Euclidean diagrams but also the symbolic language of arithmetic and algebra). I will explain what is required of such a notation, and show that Freges notation can be read in just this way, as a mathematical language, a system of written signs, within which to reason from defined concepts in mathematics. So read, Freges work, and the language he developed within which to do it, belongs not to the tradition of mathematical logic begun by Boole and mostly developed after Frege, but instead within the twenty-five hundred year long tradition of constructive paper-and-pencil mathematical reasoning that came before him.

KOJI MINESHIMA
MINESIMA@PHIL.FLET.KEIO.AC.JP
MITSUHIRO OKADA
RYO TAKEMURA
TAKEMURA@ABELARD.FLET.KEIO.AC.JP
KEIO UNIVERSITY - JAPAN

Reasoning with Euler diagrams: a proof-theoretical approach

This talk is concerned with a proof-theoretical investigation of Euler diagrammatic reasoning. We introduce a novel approach to the formalization of reasoning with Euler diagrams, in which diagrams are defined not in terms of regions as in the standard approach, but in terms of topological relations between diagrammatic objects. On this topological-relation-based approach, the unification rule, which plays a central role in Euler diagrammatic reasoning, can be formalized in a style of Gentzen's natural deduction. We prove the soundness and completeness theorems of our Euler diagrammatic inference system. We then investigate structure of diagrammatic proofs and prove a normalization theorem. Finally, we discuss some cognitive properties of Euler diagrammatic reasoning in our system, in comparison to linguistic reasoning and reasoning with Venn diagrams.

JORGEN FISCHER NILSSON
TECHNICAL UNIVERSITY OF DENMARK - DENMARK
JFN@IMM.DTU.DK

Diagrammatic Reasoning with Class Relationship Logic

We discuss diagrammatic visualization and reasoning for a class relationship logic accomplished by extending Euler diagrams using higraphs. The considered class relationship logic is inspired by contemporary studies of logical relations in biomedical ontologies, and it appeals to the Closed World Assumption (CWA) unlike e.g. Description logic. The suggested diagrams provide inference principles inherent in the visual formalism. The considered logical forms are dealt with at the metalogic level by variables ranging over classes and relations. There are inference rules being formalized at the meta-level using definite clauses without compound terms (Datalog).

LEO OLSEN
PHILANDER SMITH COLLEGE - USA
LOLSEN@PHILANDER.EDU

Sentential Modal Logic and the Gamma Graphs

The system of Existential Graphs is a diagrammatic system of logic that was developed by Charles S. Peirce. This system has three main sections and Peirce named these three sections: Alpha, Beta, and Gamma. The Alpha section of EG is a diagrammatic account of sentential logic; the Beta section (which is an extension of Alpha) is a diagrammatic account of first order predicate logic with identity; and the Gamma section (which is an extension of Beta) gives a combined diagrammatic account of higher order predicate logic and modal logic. In my paper I give brief account of Alpha. Once this has been done, I extend Alpha to include some of the rules of Gamma (as presented in Peirces 1903 version of Gamma), so that a system of sentential modal logic results. After investigating some of the properties of Gamma, I compare them to some of the properties of contemporary accounts of sentential modal logic.

AHTI-VEIKKO PIETARINEN
UNIVERSITY OF HELSINKI - FINLAND
PIETARINEN@HELSINKI.FI

Tableaux for the Gammas

Tableaux methods are conveniently applied to existential graphs, because tableaux interpret the assertions in the endoporeutic fashion. Since graphs can be read in a number of logically equivalent ways, the number of tree rules is kept in a minimum (negative juxtapositions go to different branches, positive ones to the same branch). Already in 1885, Peirce had suggested tableaux for propositional logic. He never applied the idea to the EGs. But his semantic rules for EGs are equivalent to those of the game-theoretic semantics, and thus are naturally amenable also to semantic tableaux systems. The gamma part of EGs was Peirce's boutique of modal and higher-order logics, metagraphs, and many others. I will define semantic tableaux-type proofs for the modal gammas, and propose such transformation rules for the broken-cut gamma that yield better correspondences with modern characterisations of modal logical systems.

DENIS I. SAVELIEV
MOSCOW STATE UNIVERSITY OF RUSSIAN ACADEMY OF SCIENCES - RUSSIA
DENISSAVELIEV@MAIL.RU

Diagrams in the Membership Game

There is a natural way to represent sets by certain diagrams; it has grown customary in modern studies of ill-founded sets. We use this way to study a set-theoretic game, the *membership game*. This game, introduced probably by T.Forster in [1] (see also [2]) and originally related to NF-like set theories, is a perfect information game of two persons played on a given set along its membership: The players choose in turn an element of the set, an element of this element, etc.; a player wins if its adversary cannot make any following move, i.e. if he could choose the empty set. Sets that are *winning*, i.e. have a winning

strategy for some of the players, form an ordinal hierarchy easily visualized by diagrams.

We show that all levels of the hierarchy are nonempty and the class of hereditarily winning sets is a full model of set theory containing all well-founded sets. Then we show that each of four possible relationships between the universe, the class of hereditarily winning sets, and the class of well-founded sets is consistent. For consistency results, we propose a new method to get models with ill-founded sets. Its main feature is that such models are stratified like the cumulative hierarchy and reflect certain formulae at own lowest layers. Thus to know properties of whole models it suffices to observe diagrams of their lowest layers, usually very simple objects. We apply this method to establish various fine results, some of which display a deep difference between odd- and even-winning sets.

Our results are proved in a weak set theory, ZF minus both choice and regularity axioms. Although they can be established without using of diagrams, diagrams make the constructions much more clear and easily observable. These results were announced in [3] and appeared with detailed proofs in [4].

References

1. FORSTER, Thomas E. Axiomatising Set Theory with a Universal Set. In: *La Theorie des ensembles de Quine. Cahiers du Centre de Logique* 4, CABAY Louvain-La-neuve, 1983.
2. FORSTER, Thomas E. Games Played on an Illfounded Membership Relation. In: *A Tribute to Maurice Boffa*. Eds: Crabbé, Point, and Michaux. (Supplement to the December 2001 number of the *Bulletin of the Belgian Mathematical Society*).
3. SAVELIEV, Denis I. A report on a game on the universe of sets. *Mathematical Notes*, vol. 81, no. 5-6 (2007), pp. 716-719.
4. SAVELIEV, Denis I. A game on the universe of sets. *Izvestiya: Mathematics (Proc. Russ. Acad. Sci., Ser. Math.)*, vol. 72, no. 3 (2008), pp. 581-625.

4.2.2 Non-Classical Mathematics

The 20th century has witnessed several attempts to build parts of mathematics on grounds other than those provided by classical logic. The original intuitionist renderings of set theory, arithmetic, analysis, etc. were later accompanied by those based on relevant, paraconsistent, contraction-free, modal, and other non-classical logics. The subject studying such theories can be called non-classical mathematics, i.e., the study of any part of mathematics that is, or can in principle be, formalized in some logic other than classical. This special session at the 2010 UniLog World Congress is a follow-up to the conference on Non-Classical Mathematics that was held in Hejnice, Czech Republic, in June 2009.

The scope of interest of this special session contains, but is not limited to the following topics:

* Intuitionistic, constructive, and predicative mathematics: Heyting arithmetic, intuitionistic set theory, topos-theoretical foundations of mathematics, constructive or predicative set and type theories, pointfree topology, etc.

* Substructural and fuzzy mathematics: relevant arithmetic, contraction-free naive set theories, axiomatic fuzzy set theories, fuzzy arithmetic, etc.

* Inconsistent mathematics: calculi of infinitesimals, inconsistent set theories, etc.

* Modal mathematics: arithmetic or set theory with epistemic, alethic, or other modalities, modal comprehension principles, modal treatments of vague objects, modal structuralism, etc.

* Alternative classical mathematics: alternative foundational theories over classical logic, non-standard analysis, etc.

* Topics related to non-classical mathematics: metamathematics of non-classical or alternative mathematical theories, their relative interpretability, etc. Non-Classical Mathematics

This session is organized by Libor Behounek and Petr Cintula from the Czech Academy of Sciences.

Accepted contributed talks

ARNON AVRON
TEL-AVIV UNIVERSITY - ISRAEL
AA@CS.TAU.AC.IL

A New Approach to Predicative Set Theory

The Poincare-Weyl-Feferman predicativist program for the foundations of mathematics seeks to establish certainty in mathematics without necessarily revolutionizing it (as the intuitionistic program does). The main goal of this paper is to suggest a new framework for this program by constructing an absolutely reliable predicative pure set theory PZF whose language is type-free, and (from a platonic point of view) the universe ZF is a model of it. Our basic idea is that the predicatively acceptable instances of the comprehension schema are those which determine the collections they define in an absolute way, independent of the extension of the *surrounding universe*. This idea is implemented using a syntactic safety relation between formulas and sets of variables. This relation is obtained as a common generalization of syntactic approximations of the notion of domain-independence used in database theory, and syntactic approximations of Gödel's notion of absoluteness used in set theory. Two important features of our framework is that it makes an extensive use of abstraction terms, and its underlying language is that of ancestral logic (which is strictly stronger than first-order languages, but much weaker than full second-order languages). Another crucial feature is that it is possible to use it together with classical logic, but it equally makes sense to use it in combination with some non-classical logic, especially intuitionistic logic.

LIBOR BEHOUNEK
BEHOUNEK@CS.CAS.CZ
PETR CINTULA

cintula@cs.cas.cz

ACADEMY OF SCIENCES OF THE CZECH REPUBLIC

Features of Mathematical Theories in Contraction-Free Logics

First-order contraction-free substructural logics are strong enough to support non-trivial mathematical theories. However, the absence of the law of contraction makes certain practices that are commonly used in classical mathematics meaningless. This talk summarizes the most important differences between classical and contraction-free mathematics and suggests several guidelines for developing contraction-free theories.

In particular, in contraction-free mathematics, defined notions need be parameterized by multiplicities of subformulae of the defining formula; free combinations of subconditions replace conjunctive compound notions; non-contraction preconditions need occur as premises of theorems (with variable multiplicities) rather than in definitions; non-contraction subsets can only be viewed as an additional structure rather than universes for substructures; and instead of equivalences, theorems indicating mutual bounds for truth-values are regularly obtained in contraction-free mathematics.

Some of these features were first observed in our paper "Features of mathematical theories in formal fuzzy logic" (LNAI 4529:523-532, 2007), but they actually apply to all contraction-free substructural mathematics. Further features, such as the splitting of classically equivalent notions into several variants, are common to all branches of non-classical mathematics.

FRODE BJORDAL

UNIVERSITY OF OSLO - NORWAY

FRODE.BJORDAL@FILOSOFI.UIO.NO

Minimalistic Liberalism a contradictory semi-formal set theory respecting classical logic, and with mathematical power beyond $PI(1,1) - CA(0)$

We present the semantics and some salient partial axiomatic and inferential principles for a semi formal set, or predication theoretic framework which we call Minimalistic Liberalism (ML). ML deals with paradoxes in a way which is akin to paraconsistent approaches, though differs in that classical logical principles are always theorems and their negations always fail to be theorems, even in the presence of what is called "liberal comprehension". E.g., if R is Russell's set, it will be a theorem of ML that R is in R , and it will be a theorem in ML that R is not in R , but it will not be a theorem of ML that R is in R and R is not in R . So ML is non-adjunctive. One focus of the presentation will be upon explaining the semantical framework, which relies upon an additional twist upon revisionary types of semantics in the tradition from Herzberger, Gupta and Belnap, and to isolate some of the salient axiomatic and inferential principles which hold. It is a fact that ML is strong enough to interpret ACA. We show how we may make use of a fixed point construction going back to Cantini and Visser in order to show that a set of hereditarily non-paradoxical iterative sets in ML interprets the theory of finitely iterated inductive definitions $ID < (\omega)$ which has the same proof theoretic strength as $PI(1,1) - CA(0)$. So this is a lower limit for the kind of proof theoretic strength at stake.

PIOTR BLASZCZYK
PEDAGOGICAL UNIVERSITY OF CRACOW - POLAND
PB@AP.KRAKOW.PL

Nonstandard Analysis in action. Zeno of Elea and his modern rivals revisited

In my talk I consider The Achilles Paradox with regard to the structure of continuum. To compare Zenos arguments with the modern solutions to the paradox I suppose that Zenos space is that of Euclid. As a result, provided that $(F, +, \cdot, 0, 1, <)$ is a real closed field, $F \times F \times F$ is a model of Zeno's space, so it does not have to be continuous (in Dedekind sense). In the classical resolution to the paradox (Ajdukiewicz, Grnbaum) it is supposed that Zeno's arguments can be represented in the arithmetic of reals and $R \times R \times R$ is the only model of Zeno's space. There is an implicit supposition both in Achilles paradox itself and its classical resolution: to overtake the Tortoise, Achilles must first reach the point where he catches up with the Tortoise. I show that Achilles can overtake the Tortoise and there may be no point where he catches up with the Tortoise. To this end an example is given: a continuous map defined on the set of hyperreals that does not has the intermediate value property. Next, I provide such a model (a hyperfinite time line that is a subset of hyperreal line) that Achilles overtakes the Tortoise, there is no point where he catches up with it, there is the last point where the Tortoise is ahead of Achilles, and the first point where Achilles is ahead of the Tortoise.

ROSS T. BRADY
LA TROBE UNIVERSITY - AUSTRALIA
ROSS.BRADY@LATROBE.EDU.AU

The Simple Consistency of Arithmetic, for Metacomplete Logics without a Quantified Form of Distribution

We first prove the simple consistency of arithmetic by finitary methods, where the arithmetic is based on a logic MC of meaning containment. The essential difference between MC and classical logic is that it is conceptualized in terms of meanings rather than truth and falsity. This idea will permeate the axiomatization of the logic, and its quantificational and arithmetic extensions. The sentential logic MC is a weak relevant logic containing neither of the key classical principles: the Law of Excluded Middle (LEM) and the Disjunctive Syllogism (DS). It also does not include the sentential distribution properties. Further, the quantificational extension MCQ does not include the corresponding two distribution properties even in their rule forms. The reasons for dropping all these principles is that conjunction and disjunction are extensional whilst the entailment and the quantifiers are intensional, the latter possibly applying to a non-recursive property. We then set up the axiomatization of arithmetic capturing the spirit of Peano's axioms in the form of rules. This is because the entailment is an inappropriate relationship between statements involving distinct natural numbers. We do, however, take all the identity statements as classical, i.e. the LEM and the DS both apply to them. However, due to consistency, we can add the full DS admissibly. Since metavaluations are used for

modelling purposes, this result will extend to metacomplete logics. Due to the recursiveness in the proof, we can add back in the existential distribution rule. Lastly, we will examine the development of arithmetic in Mendelson's Introduction to Mathematical Logic [1964] to compare what our system can and cannot do in relation to the classical Peano arithmetic.

MICHAL HOLČAPEK
UNIVERSITY OF OSTRAVA - CZECH REPUBLIC
MICHAL.HOLCAPEK@OSU.CZ

Fuzzy Sets and Fuzzy Classes in Universes of Sets

Traditionally, the concept of fuzzy sets is closely related to a fix set of interesting objects called the "universe of discourse". This restriction, however, seems to have several disadvantages. We can recognize a natural need to deal with fuzzy sets over different universes as in the case of fuzzy sets of "fresh apples" in the first basket and "fresh pears" in the second basket, where the sets of all apples and pears in the baskets are the corresponding universes. Further, the presumption of a fix set as a universe for fuzzy sets has some fuzzy sets construction limitation. Practically, a fuzzy set theory cannot be introduced on a fix universe. An analogical disadvantage was also recognized by S. Gottwald and, therefore, he proposed a cumulative system of fuzzy sets [1].

In the presentation, we will introduce a universe of sets over which fuzzy sets are defined. The definition is based on the axioms of Grothendieck universe, i.e., on a set in which the whole set theory may be formed (see e.g. [2]), where an axiom ensuring the existence of fuzzy sets with membership degrees interpreted in a complete residuated lattice is added. Some of the examples and properties of the universe of sets will be demonstrated. Further, we will establish the concept of fuzzy set in a universe of sets and show several constructions of fuzzy objects and fuzzy relations that are well known in the fuzzy set theory. Finally, we will define the informal but very useful notion of fuzzy class in a universe of sets which generalizes the concept of fuzzy set. Some properties of fuzzy classes will be also presented.

1. S. Gottwald. Set theory for fuzzy sets of higher level. *Fuzzy Sets and Systems*, 2: 125 – 151, 1979.
2. C. McLarty. *Elementary Categories, Elementary Toposes*. Oxford University Press, 1992.

VALERY KHAKHANIAN
MOSCOW STATE UNIVERSITY OF RAILWAY COMMUNICATIONS - RUSSIA
VALKHAKHANIAN@MTU-NET.RU

Intuitionistic Approach for Justification of a Set Theory

The crisis in foundation of mathematics in the end of XIX - beginning of XX centuries initiated a number of axiomatic set theoretical systems during the rst half of XX century. These systems were the result of diereent philosophical approaches (in view of second Godel's Theorem) which were aimed to overcome the above crisis. But the way out of this situation has never been found. In

my report I will try to give a new approach to solve this problem using a basic axiomatic system of a set theory with intuitionistic logic. I will present many mathematical results which were obtained during last thirty years. We will survey more than thirty years development of the set theory with intuitionistic logic underlining main points and formulating unsolved problems and describe the basic system of intuitionistic set theory.

VILEM NOVAK
UNIVERSITY OF OSTRAVA - CZECH REPUBLIC
VILEM.NOVAK@OSU.CZ

Many-valued (Fuzzy) Type Theories

Mathematical fuzzy logic is a well established formal tool for modeling of human reasoning affected by the vagueness phenomenon and captured via degree theoretical approach. Besides various kinds of propositional and first-order calculi, also higher-order fuzzy logic calculi have been developed that are in analogy with classical logic called fuzzy type theories (FTT). These are generalization of classical type theory presented, e.g., in [1]. The generalization consists especially in replacement of the axiom stating *there are just two truth values* by a sequence of axioms characterizing structure of the algebra of truth values. The truth values form either an IMTL-algebra (a prelinear residuated lattices with double negation) or an EQ-algebra in which the main operation is a fuzzy equality equivalence) and, unlike residuated lattices, implication is a derived operation. The syntax of FTT is a generalization of the lambda-calculus constructed in a classical way, but differing from the classical one by definition of additional special connectives, and by logical axioms. The fundamental connective in FTT is that of a fuzzy equality interpreted by a reflexive, symmetric and weakly transitive binary fuzzy relation. This paper provides an overview of the main calculi of FTT.

1. P. Andrews, An Introduction to Mathematical Logic and Type Theory: To Truth Through Proof, Kluwer, Dordrecht, 2002
2. V. Novak, On fuzzy type theory, Fuzzy Sets and Systems 149 (2005) 235–273.
3. V. Novak, EQ-algebra-based fuzzy type theory and its extensions, Logic Journal of the IGPL (to appear).

GRAHAM PRIEST
UNIVERSITIES OF MELBOURNE (AUSTRALIA) AND ST ANDREWS (UK), AND
THE GRADUATE CENTER, CITY UNIVERSITY OF NEW YORK (USA)
G.PRIEST@UNIMELB.EDU.AU

Mathematical Pluralism

There is a plurality of mathematical investigations. These cannot all be reduced to proofs within the framework of Zermelo-Fraenkel set theory, if only because some of them use non-classical logic (such as the various branches of

intuitionist mathematics). How is one to understand this situation? In this paper, I suggest that one should see this plurality as analogous the plurality of games, any of which may be played. Various objections are considered and rejected, including the charge that the picture engenders a pernicious relativism.

ITALA M.L. D'OTTAVIANO
STATE UNIVERSITY OF CAMPINAS - BRAZIL
ITALA@CLE.UNICAMP.BR
TADEU FERNANDES DE CARVALHO
PONTIFICAL UNIVERSITY OF CAMPINAS - BRAZIL
TVCARVALHO@DIRECTNET.COM.BR

Relations between the classical differential calculus and da Costa's paraconsistent differential calculus

Da Costa(2000) introduces a paraconsistent differential calculus, whose underlying logic and set theory are, respectively, his known paraconsistent predicate calculus $C=1$ and his paraconsistent set theory $CHU1$, introduced in 1986; two special algebraic structures are constructed, the hyper-ring A and the quasing A^* , which extend the field of the real numbers and whose elements are called hyper-real numbers. From A^* , da Costa proposes the construction of a paraconsistent differential calculus, whose language is the language of $C=1$, extended to the language of $CHU1$, in which we deal with the elements of A^* . Carvalho (2004), by using the paraconsistent apparatus, studies and improves the calculus proposed by da Costa, obtaining extensions of several fundamental theorems of the classical differential calculus. In this paper, we introduce the concepts of paraconsistent super-structure and monomorphism between paraconsistent super-structures. By considering the paraconsistent super-structure R constructed over the set of standard real numbers, and mixing the structures A and A^* as basic sets for the construction of extensions of R , we prove a Transference Theorem, that translates the classical differential calculus into da Costas paraconsistent calculus.

References

1. CARVALHO, T.F. On da Costa's paraconsistent differential calculus, 2004. 200p. (Doctorate Thesis). Campinas, State University of Campinas, 2004.
2. Da COSTA, N.C.A. Paraconsistent Mathematics. In: I WORLD CONGRESS ON PARACONSISTENCY, 1998, Ghent, Belgium. Frontiers in paraconsistent logic: proceedings. Edited by D. Batens, C. Mortensen, G. Priest, J.P. van Bendegen. London: Kings College Publications, 2000, p. 165-179.

4.2.3 Abstract Algebraic Logic

This session is organized by Josep Maria Font and Ramon Jansana from the University of Barcelona, Spain.

This discipline can be described as Algebraic Logic for the XXIst century. It gathers all mathematical studies of the process of algebraization of logic in its

most abstract and general aspects. In particular it provides frameworks where statements such as "A logic satisfies (some form of) the interpolation theorem if and only if the class of its algebraic counterparts satisfies (some form of) amalgamation" become meaningful; then one may be able to prove them in total generality, or one may investigate their scope, or prove them after adding some restrictions, etc.

The term appeared for the first time in Volume II of Henkin-Monk- Tarski's "Cylindric Algebras", referring to the algebraization of first-order logics, but after the Workshop on Abstract Algebraic Logic (Barcelona, 1997) it has been adopted to denote all the ramifications in the studies of sentential-like logics that have flourished following Blok, Pigozzi and Czelakowski's pioneering works in the 1980's. Abstract Algebraic Logic has been considered as the natural evolution of the traditional works in Algebraic Logic in the style of Rasiowa, Sikorski, Wjicki, etc., and integrates the theory of logical matrices into a more general framework.

The 2010 version of the Mathematics Subject Classification will incorporate Abstract Algebraic Logic as entry 03G27, which witnesses the well-delimited, qualitatively distinctive character of this discipline and its quantitative growth.

Topics that can fit this Special Session include, but are not limited to, the following ones:

1. Studies of the Leibniz hierarchy, the Frege hierarchy and their refinements, and relations between them.
2. Lattice-theoretic and category-theoretic approaches to representability and equivalence of logical systems.
3. Use of algebraic tools to study aspects of the interplay between sentential logics and Gentzen systems, hypersequent systems and other kinds of calculi and logical formalisms
4. Formulation of abstract versions of well-known algebraic procedures such as completions, representation theory and duality.
5. Study of the algebraization process for logics where order, besides equality, is the main relation to be considered in the algebraic counterparts.
6. Extensions to other frameworks motivated by applications to computer science, such as institutions, behavioural logics, secrecy logic, etc.
7. Study of algebra-based semantics of first-order logics.

Accepted contributed talks

FÉLIX BOU
IIIA - CSIC - SPAIN
FBOU@IIIA.CSIC.ES
UMBERTO RIVIECCIO

UNIVERSITY OF GENOA - ITALY
UMBERTO.RIVIECCIO@UNIGE.IT

Implicative Bilattices

Bilattices are algebraic structures introduced by Matt Ginsberg in the context of A.I. In recent years, Arieli and Avron introduced a logic defined from matrices called "logical bilattices". In a previous work we studied, from the perspective of Abstract Algebraic Logic, the implicationless fragment of Arieli and Avron's logic. Here we complete this study considering the full system. We prove that this logic is strongly (but not regularly) algebraizable and define its equivalent algebraic semantics through an equational presentation. We call the algebras in this variety "implicative bilattices". We obtain several results on this class, in particular that it is a discriminator variety (hence arithmetical), generated by a single finite algebra, and characterize its members as certain bilattice products of two copies of a generalized Boolean algebra. We also characterize some subreducts of implicative bilattices that have a particular logical interest.

CARLOS CALEIRO
TECHNICAL UNIVERSITY OF LISBON - PORTUGAL
CCAL@MATH.IST.UTL.PT

RICARDO GONALVES
TECHNICAL UNIVERSITY OF LISBON - PORTUGAL
RGON@MATH.IST.UTL.PT

Behavioral algebraization of logics (I)

The theory of Abstract Algebraic Logic (AAL) aims at drawing a strong bridge between logic and algebra. It can be seen as a generalization of the well known Lindenbaum-Tarski method. Although the enormous success of the theory we can point out some drawbacks. An evident one is the inability of the theory to deal with logics with a many-sorted language. Even if one restricts to the study of propositional based logics, there are some logics that simply fall out of the scope of this theory. One paradigmatic example is the case of the so-called non-truth-functional logics that lack of congruence of some of its connectives, a key ingredient in the algebraization process. The quest for a more general framework to deal with these kinds of logics is the subject of our work. In this two-sessions talk we will present a generalization of AAL obtained by substituting the role of unsorted equational logic with (many-sorted) behavioral logic. The incorporation of behavioral reasoning in the algebraization process will allow to amenable deal with connectives that are not congruent, while the many sorted framework will allow to reflect the many sorted character of a given logic to its algebraic counterpart. In this first part of the talk we focus on syntactical issues, leaving the semantical issues for the second part of the talk. We illustrate these ideas by exploring some examples, namely, paraconsistent logic C1 of da Costa.

PETR CINTULA
ACADEMY OF SCIENCES OF THE CZECH REPUBLIC
CINTULA@CS.CAS.CZ CARLES NOGUERA

ARTIFICIAL INTELLIGENCE RESEARCH INSTITUTE (IIIA - CSIC) - SPAIN
CNOGUERA@IIIA.CSIC.ES

A general approach to non-classical first-order logics

The goal of this talk is to present a general theory of first-order non-classical logics. Our approach generalizes the tradition of Rasiowa's implicative logics, Gödel-Dummett first-order logic, and Hájek's first-order fuzzy logic, i.e. starting from a propositional non-classical logic we add quantifiers in the same way as in first-order intuitionistic logic. The unifying idea of this treatment of first-order logics can be formulated simply as:

the truth value of a universally (resp. existentially) quantified formula is the infimum (resp. supremum) of all instances of that formula w.r.t. the existing matrix order.

To do so, one needs a good notion of order in the semantics which is typically obtained from a suitable implication in the syntax, thus our underlying propositional logics are the so called weakly p-implicational logics previously studied by the authors this differs from other approaches where the order is extralogical such as a recent paper by James Raftery). Given a propositional logic L we present a first-order Hilbert-style calculus extending it, and prove its completeness w.r.t. the class of all first-order structures based upon the matrix semantics of L and hence, it turns out to be the minimal first-order logic over L. Having this suitable minimal logic we can study several of its extensions in order to cope with important examples of variants of non-classical first-order logics in the literature. For instance, we find a uniform axiomatization for logics complete with respect to linearly ordered or witnessed semantics and characterize logics enjoying Skolemization for their prenex fragment.

JANUSZ CZELAKOWSKI
OPOLE UNIVERSITY - POLAND
JCZEL@MATH.UNI.OPOLE.PL

Structural Theorems on Congruence Modular Quasivarieties of Algebras

The focus of the talk is on applying the methods worked out by Abstract Algebraic Logic (AAL) to the problem of finite axiomatizability of classes of algebras. AAL offers here convenient tools based on the notion of a commutator equation. This notion behaves pretty well in the context of relatively congruence-distributive (RCD) quasivarieties of algebras and yields an elegant proof of the theorem stating that every finitely generated RCD quasivariety is finitely based. For relatively congruence modular (RCM) quasivarieties the analogous problem is much harder. In the talk a number of observations concerning the structure of quasivarieties possessing the additive equational commutator is presented. The class of quasivarieties with the additive equational commutator encompasses RCM quasivarieties.

References

1. J. Czelakowski [2006] General theory of the commutator for deductive

systems. Part I. Basic facts, *Studia Logica* 83, 183-214.

2. K. Kearnes and R. McKenzie [1992] Commutator theory for relatively modular quasivarieties, *Transactions of the American Mathematical Society* 331, No. 2, 465–502.
3. D. Pigozzi
[1988] Finite basis theorems for relatively congruence-distributive quasivarieties, *Transactions of the American Mathematical Society* 310, No. 2, 499-533.

LISA FULFORD

FULFROG@GMAIL.COM

ALESSANDRA PALMIGIANO

A.PALMIGIANO@UVA.NL

UNIVERSITEIT VAN AMSTERDAM - THE NETHERLANDS

Modular canonicity for bi-implicative algebras

We will report on the canonicity of certain identities and inequalities in a signature consisting of constants \top, \perp and implications \rightarrow, \leftarrow , which relates to the canonicity of logics associated with certain distinguished sub-quasivarieties of (bi-)implicative algebras, the best known of which are the varieties of (bi-)Hilbert algebras and (bi-)Tarski algebras. These results are instances of a research program connecting canonical extensions and Abstract Algebraic Logic (see [?]). Previous results of this kind were obtained in [?]. Our basic setting is the quasi-axiomatization of implicative algebras and expand it “symmetrically” with a subtraction operator and a bottom. Within this setting we analyse the independence and interdependence of certain axioms w.r.t canonicity, which yields a better, more modular understanding of the canonicity of Hilbert algebras.

NIKOLAOS GALATOS

UNIVERSITY OF DENVER - USA

NGALATOS@DU.EDU JOS GIL-FÉREZ

JAPAN ADVANCED INSTITUTE OF SCIENCE AND TECHNOLOGY - JAPAN

The Isomorphism Problem for modules over quantaloids, Part I

Given a structural consequence relation, the lattice of theories can be expanded to include the action of substitutions (or equivalently inverse substitutions). Blok and Pigozzi, in their monograph, showed that the expanded lattice of theories of an algebraizable sentential logic is isomorphic to the expanded lattice of theories of the corresponding algebraic consequence relation, and conversely any such isomorphism comes from an algebraizable sentential logic. The result was further extended from sentential logics to k -deductive systems. Blok and Jonsson, realizing that the action of the monoid of substitutions to the set of formulas plays a crucial role, developed a general framework, where one considers the action of an arbitrary monoid M on a set, yielding an M -set. Considering

logics on (equivalently, closure operators over) M -sets, one can easily prove that every bidirectional syntactic translation between two such logics (a notion that specializes to algebraizability, if one of the two logics comes from a class of algebras) yields an isomorphism between the expanded lattices of theories. The converse (unlike in the case of sentential and k -deductive systems) is not always true, and determining when it holds is known as the Isomorphism Problem.

Blok and Jonsson gave a sufficient condition (existence of a basis) for the Isomorphism Problem and Gil-Ferez provided a more general sufficient condition (existence of a variable), while a necessary and sufficient condition (a characterization of cyclic projective modules) was given by Galatos and Tsinakis. Their proof puts the problem in the correct level of abstraction, by extending the framework even further to modules (join-complete lattices) over complete residuated lattices (or quantales); this corresponds to passing to the action of the powerset of M to the powerset of the M -set. In particular, both the syntactic translation and the semantic isomorphism become morphisms at the same level, namely between modules.

Sentential logics and k -deductive systems are deductive systems where the syntactic objects involved all have a fixed "length", while this is not the case for sequent and hypersequent deductive systems. Although the latter are also examples of M -sets, the sufficient condition for the Isomorphism Problem of Blok and Jonsson does not apply. The Isomorphism Problem for associative sequent systems was addressed by Rebagliato and Verdu, Gil-Ferez gave a sufficient condition (existence of a multi-variable) in the setting of M -sets, while the general solution (in the context of modules) follows from the work of Galatos and Tsinakis.

The Isomorphism Problem was also considered in the context of π -institutions by Voutsadakis, who provided a sufficient condition (the term condition). The context of π -institution extends that of M -sets in a different direction than its extension to modules and Voutsadakis condition covers extensions of "fixed length" deductive systems. A sufficient condition (the multi-term condition) for "variable length" π -institutions was provided by Gil-Ferez. The problem of an exact solution of the Isomorphism Problem for π -institutions was open.

Our work provides, in particular, a solution to the Isomorphism Problem for π -institutions. We first provide a general categorical context that encompasses π -institutions and modules over quantales and we solve the Isomorphism Problem in its full generality.

More specifically, in the first of the two talks, we consider the category of modules over quantaloids. A quantaloid is an enriched category over the category of join-complete lattices. A one-object quantaloid is coextensive with a quantale, so our theory can be viewed as a categorical extension of the work of Galatos and Tsinakis. A module over a quantaloid is defined as an enriched functor from the quantaloid to the category of join-complete lattices; it is the natural generalization of a quantale module and of an M -set, where the action is identified with a homomorphism to the endomorphisms of the join-complete lattice or to the endomaps of the M -set, respectively.

We solve the Isomorphism Problem by characterizing the modules over quan-

taloids for which the theorem holds (every isomorphism is induced by syntactic translators), which end up being the projective objects in the category. The characterization for the cyclic projective modules is given by the existence of a generalized variable.

ÀNGEL GIL
UNIVERSITAT POMPEU FABRA - SPAIN
ANGEL.GIL@UPF.EDU

On Hilbertizable Gentzen systems associated with finite valued logics

According to J.G. Raftery's [2] definition, a Gentzen relation is Hilbertizable if it is equivalent to some Hilbert relation. This is the strongest among several relations that have been considered in the literature between a Gentzen system and a Hilbert system. In this work we show that when we consider an m -dimensional sequent calculus associated with a finite algebra L (in the sense of M. Baaz et al. [1]) and its corresponding Gentzen system G_L , then G_L is Hilbertizable if and only if the elements of L can be expressed by terms. This means that for every element l , there exists a term function $p_l(x)$ that always takes the value l when evaluated in L . This will be the case, for instance, if L is a finite MV-algebra.

References

1. M. Baaz et al., "Elimination of cuts in first-order finite-valued logics", Journal of Information Processing and Cybernetics EIK, 29. 1994
2. J.G. Raftery's, "Correspondences between Gentzen and Hilbert Systems". Journal of Symbolic Logic 71(3), 2006.

NIKOLAOS GALATOS
UNIVERSITY OF DENVER - USA
NGALATOS@DU.EDU JOS GIL-FÉREZ
JAPAN ADVANCED INSTITUTE OF SCIENCE AND TECHNOLOGY - JAPAN
The Isomorphism Problem for modules over quantaloids, Part II

CARLOS CALEIRO
TECHNICAL UNIVERSITY OF LISBON - PORTUGAL
CCAL@MATH.IST.UTL.PT
RICARDO GONALVES
TECHNICAL UNIVERSITY OF LISBON - PORTUGAL
RGON@MATH.IST.UTL.PT

Behavioral algebraization of logics (I)

In this second part of the talk we focus on the semantical issues of the theory of behavioral algebraization of logics. This newly developed behavioral approach to the algebraization of logics extends the applicability of the methods of algebraic logic to a wider range of logical systems, namely encompassing many-sorted languages and non-truth-functionality. However, where a logician adopting the traditional approach to algebraic logic finds in the notion of a logical matrix the

most natural semantic companion, a correspondingly suitable tool is still lacking in the behavioral setting. Herein, we analyze this question and set the ground towards adopting an algebraic formulation of valuation semantics as the natural generalization of logical matrices to the behavioral setting, by establishing some promising results. For illustration, we use again da Costa's paraconsistent logic C1.

RAMON JANSANA
UNIVERSITAT DE BARCELONA - SPAIN
JANSANA@UB.EDU

Equationally orderable quasivarieties and sequent calculi

A quasivariety is equationally orderable if there is a finite set of equations in two variables that in every member of the quasivariety defines a partial order. We characterize the equationally orderable quasivarieties as the equivalent algebraic semantics of the sequent calculi with the binary cut rule which are algebraizable with the translation from equations to sequents performed by the map that sends an equation $t = t'$ to the pair of sequents $t \Rightarrow t', t' \Rightarrow t$. Sequents are taken as a pair of a finite sequence of formulas and a formula. We will discuss characterizations of these sequent calculi and the relations they may have with their external deductive systems.

TOMASZ KOWALSKI
FRANCESCO PAOLI
UNIVERSITÀ DI CAGLIARI - ITALY
MATTHEW SPINKS

Quasi-subtractive varieties

MANUEL A. MARTINS
UNIVERSIDADE DE AVEIRO - PORTUGAL
MARTINS@UA.PT

Abstract Algebraic Logic approach to Algebraic Specification

Standard abstract algebraic logic (AAL) cannot be straightforwardly applied to the theory of specification of abstract data types. Specification logic must be seen as a deductive system (i.e., as a substitution-invariant consequence relation on an appropriate set of formulas) and behavioral equivalence as some generalized notion of Leibniz congruence. The class of deductive systems has to be expanded in order to include multisorted as well as one-sorted systems. The notion of Leibniz congruence has to be considered in the context of the dichotomy of visible vs. hidden. In our approach ([MP07, Mar07]), the standard AAL theory of deductive systems is generalized to the hidden heterogeneous case. Data structures are viewed as sorted algebras endowed with a designated subset of the visible part of the algebra, called a filter, which represents the set of truth values. This new perspective helps to provide a better insight on the properties of the behavioral equivalence, the key concept in the behavioral algebraic specification theory ([Hen97]).

In another direction, recently in [MMB09a, MMB09b], the authors intro-

duced an alternative approach to refinement of specifications in which signature morphisms are replaced by logic interpretations. Intuitively, an interpretation is a logic translation which preserves meaning. Originally defined in the area of algebraic logic, in particular as a tool for studying equivalent algebraic semantics ([BP89]), the notion has proved to be an effective tool to capture a number of transformations difficult to deal with in classical terms, such as data encapsulation and the decomposition of operations into atomic transactions.

Keywords: Behavioral Equivalence, Behavioral Specification, Refinement, Hidden Logic, Leibniz congruence, Interpretation.

References

- BP89 W. J. Blok and D. Pigozzi. Algebraizable logics. Mem. Am. Math. Soc., 396, 1989.
- Hen97 R. Hennicker. Structural specifications with behavioural operators: semantics, proof methods and applications. Habilitationsschrift.1997.
- Mar07 M. A. Martins. Closure properties for the class of behavioral models. Theor. Comput. Sci., 379(1-2):53-83, 2007.
- MMB09a M. A. Martins, A. Madeira, and L. S. Barbosa. Refinement via interpretation. In Proc. of 7th IEEE Int. Conf. on Software Engineering and Formal Methods, Hanoi, Vietnam, November 2009. IEEE Computer Society Press.
- MMB09b M. A. Martins, A. Madeira, and L. S. Barbosa. Refinement via interpretation in a general setting. In Proc. of the Refinement Workshop REFINE'09, Eindhoven, Netherlands (co-located with Formal Methods 2009). Electr. Notes Theor. Comput. Sci., 2009.
- MP07 M. A. Martins and D. Pigozzi. Behavioural reasoning for conditional equations. Math. Struct. Comput. Sci., 17(5):1075-1113, 2007.

MICHAŁ STRONKOWSKI

WARSAW UNIVERSITY OF TECHNOLOGY - POLAND CHARLES UNIVERSITY - CZECH REPUBLIC

M.STRONKOWSKI@MINI.PW.EDU.PL

Finite axiomatizability theorems and sub-technology

In 2002 Baker and Wang gave a very clear proof of Baker's theorem: Finitely generated congruence-distributive varieties are finitely axiomatizable. For this purpose they introduced *definable principal SUBcongruences*. In the talk we would like to notice that the sub-technology of Baker and Wang may be adapted to

- Quasivarieties: classes of algebras defined by quasi-identities, i.e. sentences of the form $(\forall \bar{x})[t_1(\bar{x}) = s_1(\bar{x}) \cdots t_n(\bar{x}) = s_n(\bar{x}) \rightarrow t(\bar{x}) = s(\bar{x})]$;
- Strict universal Horn classes: classes of models defined by sentences of the

form $(\forall \bar{x})[\phi_1(\bar{x}) \cdots \phi_n(\bar{x}) \rightarrow \phi(\bar{x})]$, where $\phi(\bar{x}), \phi_1(\bar{x}), \dots, \phi_n(\bar{x})$ are atomic formulas different from equations.

The last type of classes is especially interesting from abstract algebraic logic perspective. Indeed, each sentential logic corresponds to a strict universal Horn class of logical matrices (algebras endowed with one unary predicate).

We obtained new proofs of

- Pigozzi's theorem: Finitely generated relative congruence-distributive quasivarieties are finitely axiomatizable;
- Pałasińska's theorem: Finitely generated filter-distributive protoalgebraic strict universal Horn classes are finitely axiomatizable.

To this end we introduced *definable relative principal SUBcongruences* and *definable principal SUBfilters*.

4.2.4 Paradoxes

This session is organized by Andrea Cantini and Pierluigi Minari from the University of Florence - Italy.

Between the end of the 19th century and the beginning of the 20th century, the foundations of logic and mathematics were affected by the discovery of a number of paradoxes, involving fundamental notions and basic methods of definition and inference, which were usually accepted as unproblematic. Since then paradoxes have acquired a new role in contemporary logic: basic notions of logic, as it is presently taught, and important metatheorems have reached their present shape at the end of a process which has been often triggered by various attempts to solve paradoxes.

The broad aim of this session is to compare and evaluate different logical systems able to solve paradoxes, which involve the notions of truth, set, operation, abstraction, vagueness. More precisely, the idea is to discuss most recent proposals which bring about new logical ideas and methods.

We encourage submissions of papers which use proof-theoretic as well model-theoretic methods, and deal with topics from the following list:

1. Paradoxes from the viewpoint of (the whole spectrum of) substructural logics, fuzzy logics included;
2. Theories of predication and truth;
3. Paradoxes in type theories and theories of operations;
4. Recent developments in the Neofregean approach;
5. Theories of predication and truth;
6. Epistemic paradoxes.

Papers dealing with the history of paradoxes are also welcome.

Accepted contributed talks

REINHARD KAHLE
UNIVERSIDADE NOVA DE LISBOA - PORTUGAL
KAHLE@MAT.UC.PT

David Hilbert and the set-theoretic paradoxes

In this talk we present the discussion of different set-theoretic paradoxes by David Hilbert in a series of lectures given at the Department of Mathematics at the University of Göttingen between 1905 and 1920. This discussion, preserved in unpublished lecture notes available at the library of the Mathematical Institute in Göttingen, shows that the paradoxes played an important role in Hilbert's elaboration of what is today called Hilbert's programme.

MICHAL WALICKI
UNIVERSITY OF BERGEN - NORWAY

Paradoxes - propositionally

A feature of natural discourse, not represented by a straightforward propositional model, is that every pronounced statement has, in addition to its actual content, also its unique identity (as witnessed, for instance, by cataphoric and anaphoric references.) The following discourse: (*) The next statement is not false. The previous statement is false. is purely propositional and, giving an explicit identifier to every statement, it can be represented by the two propositions: (**) $x_1 \text{ } \neg \text{ } \text{not}(\text{not}(x_2)) \text{ } x_2 \text{ } \neg \text{ } \text{not}(x_1)$. Simplicity of this representation notwithstanding, it gives a definite account of propositional paradoxes of so called "self-reference", determining uniquely the paradoxical or non-paradoxical status of every discourse. It does it without any use of higher-order logic or arithmetics and without recourse to any infinitary constructions. Still, it is not limited to finite, circular paradoxes and applies unmodified to the more recent, infinitary paradoxes without self-reference.

The model leads also to an interesting equivalence between consistent propositional theories and directed graphs possessing kernels (independent subset of nodes with an edge from every outside node to some node in the set). One central result guarantees the existence of a kernel in graphs without odd cycles, and this finds its counterpart in the consistency of our theories without "self-referential negation". (In (**) such a negation obtains, e.g.: $x_1 \text{ } \neg \text{ } \text{not}(\text{not}(\text{not}(x_1)))$), and simplifies to the Liar: $x_1 \text{ } \neg \text{ } \text{not}(x_1)$.) Thus, besides illuminating the relation between paradoxes, consistency and circularity, as a more practical consequence, we can also envision transfer of the results and algorithms between kernel theory and the research on satisfiability.

VILEM NOVAK
UNIVERSITY OF OSTRAVA - CZECH REPUBLIC
VILEM.NOVAK@OSU.CZ

Coping With Falakros Paradox in the Meaning of Specials Linguistic Expressions

sions

A special but very important class of linguistic expressions is formed by the, so called evaluative linguistic expressions (e.g., small, medium, big, very weak, medium strong, extremely strong, about 1 million, etc.). Logical analysis of their meaning reveals that the falakros (sorites) paradox is hidden in it. Moreover, the paradox extends even to real numbers ((very) small amount of water, an extremely strong pressure, etc.). We present a formal theory, the interpretation of which provides a model of their meaning and demonstrate that the theory copes well with the falakros paradox. The main assumption is that vagueness of the meaning of these expressions is a consequence of the indiscernibility relation between objects. Our main formal tool is the fuzzy type theory (FTT) introduced in [1]. We developed a formal theory T of the meaning of evaluative expressions.

Theorem 1: Let an evaluative linguistic expressions Sm be given (for example "very small", "extremely weak", etc.). Then in each context the following is provable in T: 1. Sm(0) 2. There exists n such that surely not Sm(n). 3. There does not exist x such that surely Sm(n) and surely not Sm(n+1). 4. For all n, if Sm(n) then it is almost true that Sm(n+1).

Theorem 2: In arbitrary context, there is no last surely small x and no first surely big x .

The proofs of these theorems are syntactical and so, they can have various kinds of interpretation. Full formalism, proofs and other details can be found in [2].

References

1. V. Novak, On fuzzy type theory, Fuzzy Sets and Systems 149 (2005) 235-273.
2. V. Novak, A comprehensive theory of trichotomous evaluative linguistic expressions, Fuzzy Sets and Systems 159 (22) (2008) 2939-2969.

FRODE BJORDAL
UNIVERSITY OF OSLO - NORWAY

A contradictory semi formal resolution respecting classical logic.

We undertake to show that there is a semi formal approach honouring classical logic which shares features with paraconsistent approaches and also retains virtually all naïve principles of truth and comprehension. The semantics and some salient partial axiomatic and inferential principles of the system, called Minimalistic Liberalism (ML), will be presented. ML differs from paraconsistent approaches in that classical logical principles are always theorems and their negations never are, even in the presence of paradoxical phenomena generated by the "liberal comprehension principle" implicitly defined by the theory; the latter happens by means of principles governing a truth operator T and by presupposing that it is, and never fails to be a theorem that s is an element of x:F(x) iff TF(s). E.g., if R is Russell's set, it will be a theorem of ML that

R is in R, and it will as well be a theorem in ML that R is not in R. But it will not be a theorem of ML that R is in R and R is not in R. So ML is non-adjunctive; as like magnetic poles, contradictory theorems repel. One focus of the presentation will be upon explaining the semantical framework, which relies upon some additional twists upon revisionary types of semantics in the tradition from Herzberger, Gupta and Belnap, and to isolate some of the salient axiomatic and inferential principles which hold. Importantly, modus ponens is not generally valid. There are, however, a row of other inference rules which compensate for this. We will focus upon how paradoxes are resolved, and pay particular attention to the recalcitrant Curry-paradoxes, and how their resolution crucially hinges upon the fact that ML is, and must needs be a semi formal system.

RICCARDO BRUNI
UNIVERSITÀ DI FIRENZE - ITALY
RICCARDOBRUNI@HOTMAIL.COM

An approach to paradoxes by Beppo Levi

In a 1908 note of his [2], Beppo Levi argued that some of the most famous among the logical antinomies of mathematics, could be shown to be based on some fundamental misunderstanding of the meaning of the terms involved in their formulation. The aim of this talk is to introduce the audience to Levis approach to the issue, and to discuss some consequences of it which might be useful to consider from the metamathematical viewpoint. Though this paper of Levis carries no original methodology for dealing with the paradoxes, we will present reasons of a different sort for re-considering this contribution from a contemporary perspective: first of all, the similarities between Levi's proposed analysis of the logical antinomies and those provided elsewhere (as within the French group of so-called semi-predicativists, or even those given by Russell and Poincare); relatedly, Levi's peculiarity of not making the choice between what are commonly considered as alternative views in the debate on the foundations of mathematics; finally, the relation with a slightly more popular contribution of Levi's in the metamathematical field, the one on Zermelos axiom of choice naturality as an assumption in the settheoretic setting, and his proposed substitute for that assumption, his "approximation principle", which, although so far remained unclear and unexplored, has been recently undergone a process of reformulation (in [1]) that seems capable of making it intelligible.

1. R. Bruni and P. Schuster. On Beppo Levis approximation principle. In preparation, 2009.
2. B. Levi. Antinomie logiche. *Annali di Matematica Pura ed Applicata*, (III), Tomo XV:187216, 1908.

RICCARDO STROBINO
SCUOLA NORMALE SUPERIORE - ITALY
R.STROBINO@SNS.IT

Medieval obligations and paradoxes

The medieval theory of obligations can be regarded as an attempt to codify in a highly regimented way the structure of a dialectical disputation. Consider a situation in which two disputants perform a series of actions, governed by rules. The Opponent is supposed to lay down an initial thesis and then, in case the Respondent admits it, to put forward further sentences with the aim of forcing the latter into a contradiction. The Respondent, on the other hand, should try to maintain consistency by conceding, denying or doubting the sentences proposed during the disputation according to certain criteria. Such criteria are precisely the object of a number of rules that constitute the theoretical bulk of medieval treatises on the topic.

One interesting feature of this literature is that, after setting up the stage at an abstract level, the focus shifts on the application of rules in the context of particular examples which are supposed to count as limit-cases devised to test the theory and see it at work. Now, such limit-cases often come in the form of paradoxes. Much in this game seems to depend on the Respondent's ability to detect the paradox in advance and choose either to reject it or, if it is possible, to work out a solution, i.e. accept the paradox as an initial thesis and find out a way to defend it.

I will examine a number of examples in order to clarify how the theory was actually employed in such contexts. The focus will be especially on epistemic paradoxes of the form: if p is the case, then you know that p is the case, and if not- p is the case, then you know that not- p is the case.

4.2.5 Substructural Logics

This session is organized by Francesco Paoli and Tomasz Kowalski from the University of Cagliari, Italy.

Substructural logics are usually described as logics that lack some members of the usual triple of structural rules: contraction, weakening, or exchange. From this description alone it is clear that substructural logics are intimately connected with sequent calculi. Indeed their origin is rooted in proof theory and Gentzen-style systems. Four broad families of logics immediately answer the description:

- relevant logics
- BCK logics, or logics without contraction
- linear logic and its extensions
- Lambek calculus

It was realised early on that substructural logics share a common algebraic characteristic. Namely, all the algebraic semantics for substructural logics are (embeddable in) residuated structures. Hence the slogan "Substructural logics are logics of residuated structures". This shift of focus brings forth a fruitful

connection with more traditional areas of mathematical research, such as lattice-ordered groups, as well as encompassing two families of logics that the proof-theoretical description misses:

- fuzzy logics (where the sequent presentation is not obvious)
- intuitionistic and intermediate logics, including classical logic (where all structural rules are present)

Thus, a carefully stated proof-theoretical description of substructural logics could perhaps read: axiomatic extensions of any logic that, if presented as a sequent calculus, lacks zero or more structural rules. A phrase worthy of a logician, without a doubt.

We welcome submissions of papers on topics from (but possibly also outside of) the following list:

- Proof theory of substructural logics;
- Substructural logics from the viewpoint of abstract algebraic logic;
- Residuated lattices;
- Individual classes of residuated lattices (l-groups, MV algebras, etc.);
- Reducts and expansions of residuated lattices (BCK algebras, equivalential algebras, modal FL-algebras, etc.);
- Relationships between substructural logics and other non-classical logics (modal, paraconsistent, quantum logics, etc.);
- Applications of substructural logic

Accepted contributed talks

ARNON AVRON
TEL AVIV UNIVERSITY - ISRAEL
AA@CS.TAU.AC.IL

Substructural Logics are not Logics of Residuated Structures

RMI_m is the logic which is obtained from the sequent calculus for R_m , the purely intensional (or "multiplicative") fragment of the relevant logic R, by viewing sequents as consisting of finite sets of formulas on both of their sides. This is equivalent to adding the converse of contraction to the usual sequential formulation of R_m . Now it is well known that RMI_m is a relevant logic, enjoying major properties like the variable-sharing property, cut-elimination, and a very natural version of the relevant deduction theorem. However, by enriching it with an "additive" conjunction, one gets an unconservative extension (with the full power of the intensional fragment of the semi-relevant system RM, for which the variable-sharing property fails). It follows that the substructural logic RMI_m

is not the logic of any class of residuated structures. Despite this observation, RMI_m has a very useful and effective semantics. In this paper we construct an effective class S of finite-valued matrices, for which RMI_m is finitely strongly sound and complete. Moreover: all the matrices in S can be embedded in one effective infinite-valued matrix for which RMI_m is strongly sound and complete. We also show that the last result cannot be improved: there is no finite-valued matrix for which RMI_m is even weakly sound and complete.

ARNO BASTENHOF
 UTRECHT UNIVERSITY - THE NETHERLANDS
 A.BASTENHOF@UU.NL

An algebraic semantics for type similarity in Symmetric Categorical Grammar
 Starting with (unit-free) intuitionistic multiplicative linear logic, one descends the Lambek categorial hierarchy by gradually removing the structural rules of exchange and even associativity. The increase in structural discrimination so achieved is coupled with a decrease in the expressivity of type similarity: the reflexive, transitive and, crucially, the symmetric closure of derivability. Pentus and Moortgat found a counterexample to this pattern in the Lambek-Grishin calculus (LG), where associativity and commutativity remain undervivable while at the same time being validated under type-similarity. Compared to the intuitionistic bias underlying the Lambek hierarchy, LG manifests an arrow-reversing duality by adding a co-residuated family of connectives (headed by the par), thus achieving full symmetry. In this talk, we revisit Pentus and Moortgat's results by showing type-similarity in LG sound and complete w.r.t. an algebraic semantics featuring two associative and commutative binary operations, related by linear distributivity. In addition, we show that this result extends to a recent suggestion of Moortgat to augment LG with families of (co-)Galois connected operators.

GIULIA BATTILOTTI
 UNIVERSITY OF PADUA - ITALY

Structural rules and implication in a sequent calculus for quantum computation

Basic logic is a core for sequent calculi of several substructural extensional logics, including intuitionistic, linear and quantum logics. It shows how to obtain such extensions by the addition of structural rules to the basic calculus, that is obtained translating metalinguistic links into logical connectives. The critical point is represented by the implication. In the framework of basic logic, we have recently introduced a paraconsistent and predicative interpretation of quantum parallelism in terms of sequents. It allows to consider logical implication as a causal link, in opposition to a semi-predicative associative link, formalizing a quantum link, which can have a meaning only in a paraconsistent setting, where the variable has the role of a random variable. Substitution of variables by closed terms is the structural rule which makes the quantum link collapse. The calculus exploits the limitation of contexts in the rules for quantifiers. One could

argue a computational interpretation of "quantum contextuality", in terms of sequents.

JAMES BROTHERSTON
IMPERIAL COLLEGE LONDON - UK
J.BROTHERSTON@IMPERIAL.AC.UK

Bunched logics displayed

Display calculi, as formulated by Belnap in the 1980s, can be seen as natural successors of Gentzen's sequent calculi, suitable for the proof-theoretic analysis of substructural logics. They are characterised by the display property, which essentially states that proof judgments may be rearranged so that any chosen part appears alone on one side of the proof turnstile.

In this talk, we apply display calculus techniques to obtain a unified proof theory for *bunched logics*, which originate in O'Hearn and Pym's BI and can be seen as the result of freely combining a standard (additive) propositional logic with a (multiplicative) linear logic. The practical interest in bunched logics stems from their Tarskian "resource" interpretation of formulas, as used e.g. in the heap model of separation logic. However, the cut-free sequent calculus for BI does not extend naturally to its important variants such as Boolean BI. We show how cut-eliminating display calculi may be uniformly obtained for all the principal varieties of bunched logic, and incidentally provide an explanation as to why well-behaved sequent calculi seem very unlikely to exist for most of these varieties.

This talk is based upon a related paper by the speaker *A unified display proof theory for bunched logic. Submitted, 2009.*

ANATOLIJ DVUREČENSKIJ
SLOVAK ACADEMY OF SCIENCES - SLOVAKIA
DVURECEN@MAT.SAVBA.SK

State-morphism MV-algebras

In the last decade, the interest to probabilistic uncertainty in many valued logic increased. A new approach to states on MV-algebras was recently presented by T. Flaminio and F. Montagna; they added a unary operation, σ , (called as an inner state or a state-operator) to the language of MV-algebras, which preserves the usual properties of states. It presents a unified approach to states and probabilistic many valued logic in a logical and algebraic settings.

In the talk, we show how subdirectly irreducible elements can be described, we show that any state-operator on the variety $V(S_1, \dots, S_n)$ is a state-morphism-operator. We describe an analogue of the Loomis-Sikorski theorem for a state-morphism MV-algebra (A, τ) , where A is a σ -complete MV-algebra and τ is a σ -endomorphism: We show that any such state-morphism MV-algebra is a σ -epimorphic image of $(\mathcal{T}, \tau_{\mathcal{T}})$, where \mathcal{T} is a tribe defined on a totally disconnected compact Hausdorff topological space and $\tau_{\mathcal{T}}$ is a σ -endomorphism generated by a continuous function.

References:

1. A. Di Nola, A. Dvurečenskij, *State-morphism MV-algebras*, Ann. Pure Appl. Logic 161 (2009), 161–173.
2. A. Di Nola, A. Dvurečenskij, *On some classes of state-morphism MV-algebras*, Math. Slovaca 59 (2009), 517-534.
3. A. Di Nola, A. Dvurečenskij, A. Lettieri, *On varieties of MV-algebras with internal states*, submitted.
4. T. Flaminio, F. Montagna, *MV-algebras with internal states and probabilistic fuzzy logic*, Inter. J. Approx. Reasoning 50 (2009), 138-152.

ROSTISLAV HORCIK

CZECH TECHNICAL UNIVERSITY - CZECH REPUBLIC

HORCIK@CS.CAS.CZ

Disjunction Property and Complexity of Substructural Logics

In this talk we are going to present an algebraic method for proving PSPACE-hardness of a substructural logic which is less dependent on the sequent calculus. More precisely, we will prove by algebraic means that each substructural logic satisfying a stronger version of the disjunction property (SDP) is PSPACE-hard. This gives us a simpler method since it is usually easy to prove SDP from a cut-free sequent calculus. We demonstrate it by showing that the basic substructural logics (i.e., Full Lambek calculus and its extensions by the structural rules of exchange, contraction, left and right weakening) have SDP. Thus, as a corollary, we obtain PSPACE-hardness for these logics.

GEORGE METCALFE

UNIVERSITY OF BERN - SWITZERLAND

GEORGE.METCALFE@MATH.UNIBE.CH

Admissible Rules for Substructural Logics

The study of logical systems usually focuses on derivability: whether or not a rule, understood as a set of premises and a conclusion, belongs to the consequence relation of the system. Such rules may be thought of as providing an "internal" description of the system. However, an "external" perspective, describing properties of the system, can also be valuable. Following Lorenzen, a rule is said to be admissible in a system if the set of derivable structures is closed under the rule; that is, adding the rule to the system does not give any new derivable structures. In algebra, such rules correspond to quasi-equations holding in free algebras, while from a computer science perspective, admissibility is intimately related to equational unification.

For classical logic, derivability and admissibility coincide: the logic is structurally complete. However, for many non-classical logics, in particular, core modal, many-valued, intermediate, and substructural logics, this is no longer the case. In this work, we consider a selection of open problems for characterizing admissible rules. In particular, while the admissible rules of most fragments of intermediate logics have been characterized, we provide first bases for the implication-negation fragments. We also provide bases for the admissible rules

of fragments of the relevant logic RM and identify some interesting research challenges in the area.

SZABOLCS MIKULAS
UNIVERSITY OF LONDON - UK
SZABOLCS@DCS.BBK.AC.UK

On representable distributive lattice-ordered residuated semigroups

Residuated algebras have been extensively investigated in the literature, partly because of their connection to substructural logics. We call a residuated algebra representable if it is isomorphic to a family of binary relations. They provide sound semantics for substructural logics like the Lambek calculus (LC) and relevance logics. Cases of completeness include the LC (Andreka and Mikulas) and relevance logic with mingle RM (Maddux).

In this talk, I address the problem whether the completeness results above can be extended. In the case of LC, we look at the similarity type expanded with join, and we also consider relevance logics without the mingle axiom. We will look at the corresponding classes of representable residuated algebras and see that they have nonfinitely axiomatizable (quasi)equational theories. Applying this result to logic, we get that it is impossible to get completeness with finitely many axioms and standard derivation rules for a variety of substructural logics.

HIROAKIRA ONO
JAIST - JAPAN
ONO@JAIST.AC.JP
WILLIAM YOUNG
VANDERBILT UNIVERSITY - USA
WILLIAM.J.YOUNG@VANDERBILT.EDU

Extending the Gödel-McKinsey-Tarski Translation to Substructural Logics

In 1933, Gödel suggested a way of translating formulas in the language of intuitionistic logic into the language of classical modal logic. He conjectured that for any intuitionistic formula φ , φ is provable in the intuitionistic logic LJ iff its translation $G(\varphi)$ is provable in the modal logic S4, making S4 a modal counterpart of LJ. This conjecture was later proven by McKinsey and Tarski, using algebraic methods. Then, Dummett and Lemmon extended this result to all superintuitionistic logics, showing that for any superintuitionistic logic L, there exists a smallest modal counterpart of L, among the normal modal logics over S4. Maksimova and Rybakov showed that there also is a greatest modal counterpart of L, and Blok proved a conjecture of Esakias concerning an axiomatization for this greatest modal counterpart. In this talk, the sequent system S4FL for substructural modal logics (i.e., modal logics with all of the theorems of the substructural logic FL) will be introduced, corresponding to the classical modal logic S4. The Gödel-McKinsey-Tarski translation will then be extended to take formulas in substructural logics into formulas in substructural modal logics, and analogues of the aforementioned theorems will be considered for the class of substructural logics over FL with respect to the class of substructural modal logics over S4FL. In particular, we will show that there is a least element

and a maximal element (with a specific axiomatization) among the modal counterparts of a given substructural logic.

JAMES RAFTERY

UNIVERSITY OF KWAZULU-NATAL - SOUTH AFRICA

RAFTERY@UKZN.AC.ZA

Finiteness properties for idempotent residuated structures

An idempotent residuated po-monoid is said to be semiconic if it is a subdirect product of algebras in which the monoid identity is comparable with all other elements. It is proved that the quasivariety SCIP of all semiconic idempotent commutative residuated po-monoids is locally finite. The lattice-ordered members of this class form a variety SCIL, provided that we add the lattice operations to the signature. This variety is not locally finite, but it is proved that SCIL has the finite embeddability property (FEP). More generally, for every relative subvariety K of SCIP, the lattice-ordered members of K are shown to have the FEP. This gives a unified explanation of the strong finite model property for a range of logical systems. It is also proved that SCIL has continuously many semisimple subvarieties, and that the involutive algebras in SCIL are subdirect products of chains.

SUSAN ROGERSON

SAM BUTCHART

MONASH UNIVERSITY - AUSTRALIA

A, more adorable

SEBASTIAN SEQUOIAH-GRAYSON

UNIVERSITY OF LEUVEN - BELGIUM

SEQUOIAH@GMAIL.COM

Permuting Nonassociating Lambek Calculus and Cognitive Grammars

We show how the residuation structure that encodes the permuting, nonassociating Lambek calculus is a tempting base-structure for modeling the information flow in mono-agent deductive reasoning scenarios. The resulting model has a straightforward interpretation in terms of the data-base structure, or grammar, of the "cognitive language" of deductive reasoning.

KATARZYNA SLOMCZYNSKA

PEDAGOGICAL UNIVERSITY - POLAND

KSLOMCZ@AP.KRAKOW.PL

Projective algebras in Fregean varieties

Projective algebras in Fregean varieties A variety of algebras with a distinguished constant 1 is called Fregean if it is 1-regular and congruence orderable. The subdirectly irreducible algebras in a Fregean variety can be characterized as those which have the largest non-unit element, traditionally denoted by *. Every congruence permutable Fregean variety has a binary term that turns each of its algebras into an equivalential algebra, where by an equivalential algebra we mean a grupoid that is a subreduct of a Heyting algebra with the naturally given

equivalence operation. We show that for a congruence permutable Fregean variety V of finite type L the following conditions are equivalent: (1) every finitely generated algebra from V is projective; (2) A^* forms a subalgebra of A for every subdirectly irreducible algebra A from V ; (3) V fulfills the identities: $t(1,1) = 1$ and $t(x_1, \dots, x_n)yy = t((x_1)yy, \dots, (x_n)yy)$ for every t from L . The equivalence of (1) and (2) is also true under the weaker assumption that V is a subtractive Fregean variety. The case where the language of V contains more than one constant is also discussed. In particular, we show that in the variety of equivalential algebras with 0 , that gives the algebraic semantics for the equivalence-negation fragment of IPC, a finitely generated algebra is projective, iff 0 is not equal to 1 .

1. S. Ghilardi, Unification, finite duality and projectivity in varieties of Heyting algebras, *Ann. Pure Appl. Logic* 127 (2004), 99-115.
2. P.M. Idziak, K. Slomczynska, A. Wronski, Fregean Varieties, *Internat. J. Algebra Comput.* 19 (2009), 595-645.

SHAWN STANDEFER
 UNIVERSITY OF PITTSBURGH - USA
 STANDEFER@GMAIL.COM
Philosophical Aspects of Display Logic

Many discussions of logical inferentialism take place against a backdrop of natural deduction systems. Against this, we argue that the proper setting for philosophical reflection on the meaning of connectives for the inferentialist is the consecution calculus. The arguments for this are based on the role of structure in natural deduction systems and in consecution calculuses. We present examples of elements of natural deduction that play a structural role, arguing that their influence on the meaning of the connectives is obscured in natural deduction systems. This role is made explicit in consecution calculuses, which present a clearer picture of the context of deducibility.

Once the inferentialist has shifted her attention to consecution calculuses, similar considerations seem to favor adopting the display logic generalization of consecution calculuses. This is because display logic makes the distinction between structure and non-structure sharper. There is a natural question of what constitutes harmony in this setting. We provide a novel characterization of harmony, suited to display logic, and close by presenting two applications of it.

4.2.6 Categorical Logic

This session is organized by Valeria de Paiva (CUIL, Inc, USA) and Andrei Rodin (University of Paris 7, France).

Categorical logic is a branch of mathematical logic that uses category theory as its principal mathematical tool and as mathematical foundation. This mathematical setting profoundly changes the conception of logic put forward

by Frege and Russell in the beginning of 20th century both in its technical and philosophical aspects. On the technical side categorical logic inherits features from earlier constructive and algorithmic approaches to logic, in particular from realizability, lambda-calculus, intuitionistic logic and type theory. (In fact a typed intuitionistic logical calculus in the categorical setting appears to be the most natural system of logic while classical logic turns out to be a very special case that requires strong additional conditions.). This is one of the reasons why categorical logic is so successfully used in computer science. On its philosophical side categorical logic suggests a new notion of intrinsic logic that is analogous to the notion of intrinsic geometry that made a revolution in this mathematical discipline in 19th century. Frege and Russell after Aristotle conceived of logic as a system of universal rules of reasoning independent of any particular subject domain. Categorical logic not only diversifies the notion of logic by giving a space for different systems of logic, but also provides a mechanism of adjustment of a system of logic (i.e. a formal language) to a given domain of study and thought.

Some of the research in categorical logic sees a great dichotomy between "categorical proof theory" and "categorical model theory". Categorical proof theory is able to model different proofs of a given theorem, and compares these different proofs, using categorical concepts. Categorical model theory is an extension of traditional model theory, where models are categories. We see this meeting as encompassing both aspects of categorical logic.

Topics that fit this Special Session include, but are not limited to, the following:

1. Relationships between logic and geometry in a topos-theoretic setting
2. Categorical logic and Categorical foundations of mathematics
3. Sketch theory; diagrammatic syntax
4. Functorial semantics and Categorical Model theory
5. Quantum logic categorically
6. Extensions of categorical semantics to different kinds of logics, such as modal and substructural logics
7. Comparison of different categorical frameworks

Invited speaker

MARIA EMILIA MAIETTI
 UNIVERSITY OF PADOVA - ITALY
 MAIETTI@MATH.UNIPD.IT

The role of the quotient completion for the foundations of constructive mathematics

A key characteristic of the foundations for constructive mathematics is that they should enjoy a computational interpretation.

In joint work with G. Sambin [2] we argued that a foundation for constructive mathematics should have two levels: an intensional one acting as a programming language and an extensional one in which to develop mathematics. The link between the two levels should guarantee the extraction of programs from proofs.

Category theory offers a tool to characterize such a link in terms of quotient completion with respect to a suitable fibration developed in joint work with G. Rosolini.

Key examples of two-level foundations are available based on Martin-Lof's type theory and the minimalist type theory in [1] following [2].

1. M.E. Maietti "A minimalist two-level foundation for constructive mathematics" APAL, 160(3):319–354,2009
2. M.E. Maietti, G. Sambin "Toward a minimalist foundation for constructive mathematics" in "From Sets and Types to Topology and Analysis: Practicable Foundations for Constructive Mathematics", (L. Crosilla and P. Schuster eds.) OUP, 2005.

Accepted contributed talks

OLIVIA CARMELLO
SCUOLA NORMALE SUPERIORE - ITALY
OLIVIA.CARMELLO@SNS.IT

Fraïssé's construction from a topos-theoretic perspective

We present a topos-theoretic interpretation of (a categorical generalization of) Fraïssé's construction in Model Theory, with applications to countably categorical theories.

The proof of our main theorem represents an instance of exploiting the interplay of syntactic, semantic and geometric ideas in the foundations of Topos Theory; specifically, the three concepts involved in the classical Fraïssé's construction (i.e. amalgamation and joint embedding properties, homogeneous structures, atomicity of the resulting theory) are seen to correspond precisely to three different ways (resp. of geometric, semantic and syntactic nature) of looking at the same classifying topos.

References:

1. Olivia Caramello, Fraïssé's construction from a topos-theoretic perspective, arXiv:math.CT/0805.2778.

DOMINIQUE DUVAL
UNIVERSITÉ DE GRENOBLE - FRANCE
DOMINIQUE.DUVAL@IMAG.FR

Deduction rules are fractions

A deduction rule is usually written as a "fraction" H/C . The aim of the talk is to actually define a deduction rule as a fraction in the categorical sense of Gabriel

and Zisman. However, then it is rather written as C/H, with the hypotheses as denominator and the conclusion as numerator. This point of view relies on the definition of categorical entailments, which might be called "potential isomorphisms". In terms of logic, as long as models are concerned the entailments may be seen as isomorphisms, but for dealing with proofs it is essential to consider that the entailments are not invertible.

LUIS ESTRADA-GONZÁLEZ
STATE UNIVERSITY OF MORELOS - MEXICO
LOISAYAXSEGROB@GMAIL.COM

The other topos theory

In this talk I will argue that topoi as studied up to now, standard topoi, are just part of the concept of topos and therefore common theorems on topos logic tell just part of the relevant story. As I shall explain, that incomplete picture is due to a prejudice towards truth which permeates from the definition of a topos (via the use of the morphism *true* in defining the subobject classifier) to the definition of validity in the internal logic and then to theorems and proofs about topoi and their internal logic. All this finally leads to distorted philosophical claims made on base of those results, like "The internal logic of a topos is in general intuitionistic", "Intuitionistic logic is the objective logic of variable sets", "The universal laws of mathematics are intuitionistic", "A subobject classifier is a truth-values object" or "The internal logic of a topos is in general many-valued". Chris Mortensen speaks of a considerable Public Relations Exercise done on behalf of intuitionistic logic in topos theory, but as I see it it is derived from the prejudice towards truth, in starting from *true* in the classifier instead from *false*, as Mortensen does in defining complement-topoi, or from none of them in particular, as I will suggest. I will sketch how topos theory looks like once more appropriate levels of abstraction are introduced.

References

1. Bell, J.L. (1986): From absolute to local mathematics, *Synthese*, 69 (3), pp. 409-426.
2. Estrada-Gonzalez, L. (forthcoming): Complement-topoi and dual intuitionistic logic, to appear in the *Australasian Journal of Logic*, vol. 8.
3. McLarty, C. (2006): Two constructivist aspects of category theory, *Philosophia Scienti*, Cahier special 6, 2006, pp. 95-114.
4. Mortensen, C. (1995): *Inconsistent Mathematics*, Dordrecht: Kluwer.
5. Mortensen, C. (2003): Closed set logic, in Brady, R. T. (ed.), *Relevant Logics and Their Rivals*, Vol. II, pp. 254-262. Ashgate Publishing, Aldershot, 2003.

RENÉ GUITART
UNIVERSITY PARIS-DIDEROT 7 - FRANCE
GUITART@MATH.JUSSIEU.FR

The link between logic and geometry in the mathematical pulsation between 3-ary and 2-ary laws

MICHAEL LIEBERMAN
UNIVERSITY OF PENNSYLVANIA - USA
MLIEB@MATH.UPENN.EDU

Accessible Categories and Abstract Elementary Classes

We present a family of rank functions—complete with topological motivation—for use in the analysis of stability in abstract elementary classes with amalgamation, and derive a partial stability spectrum result for tame classes that generalizes a result of the seminal paper of Baldwin, Kueker, and VanDieren. We also extract a partial spectrum result for weakly tame AECs, thanks to the surprise appearance of a notion from the theory of accessible categories. We highlight the connections between these two fields (whose deep affinities have yet to be fully appreciated) and distill AECs down to their category-theoretic essence. Once we begin looking at things through the eyes of a category theorist, some very surprising results appear, seemingly out of nowhere. In particular, using nothing more than the Yoneda embedding, we obtain a peculiar structure theorem for categorical AECs, an equivalence of categories that identifies the large structures in a κ -categorical AEC with sets equipped with an action of the monoid of endomorphisms of the unique structure of cardinality κ .

EDUARDO OCHS
FEDERAL FLUMINENSE UNIVERSITY - BRAZIL
EDUARDOOCHS@GMAIL.COM

Downcasing Types

When we represent a category C in a type system it becomes a 7-uple, whose first four components - class of objects, Hom, id, composition - are “structure”; the other three components are “properties”, and only these last three involve equalities of morphisms.

We can define a projection that keeps the “structure” and drops the “properties” part; it takes a category and returns a “proto-category”, and it also acts on functors, isos, adjunctions, proofs, etc, producing proto-functors, proto-proofs, and so on.

We say that this projection goes from the “real world” to the “syntactical world”; and that it takes a “real proof”, P , of some categorical fact, and returns its “syntactical skeleton”, P^- . This P^- is especially amenable to diagrammatic representations, because it has only the *constructions* from the original P — the diagram chasings have been dropped.

We will show how to “lift” the proto-proofs of the Yoneda Lemma and of some facts about monads and about hyperdoctrines from the syntactical world to the real world. Also, we will show how each arrow in our diagrams is a term in a precise diagrammatic language, and how these diagrams can be read out as definitions. The “downcased” diagrams for hyperdoctrines, in particular, look as diagrams about **Set** (the archetypical hyperdoctrine), yet they state the definition of an arbitrary hyperdoctrine, plus (proto-)theorems.

ALAIN PROUTÉ
UNIVERSITY PARIS-DIDEROT 7 - FRANCE
ALP@MATH.JUSSIEU.FR
On the link between topoi and the vernacular of mathematics

EIKE RITTER
UNIVERSITY OF BIRMINGHAM, UK
E.RITTER@CS.BHAM.AC.UK
VALERIA DE PAIVA
CUIL, INC. USA
VALERIA.DEPAIVA@GMAIL.COM
A fibrational semantics for System K

The Curry-Howard isomorphism for intuitionistic modal logic S4 has been well established - there is both a well-established type theory and a well-established categorical semantics. In particular, fibrations can be used to model the distinction between modal and intuitionistic formulae.

For the weaker System K the situation is more complicated. There have been definitions of a suitable type theories and also categorical semantics, but a categorical semantics using fibrations in the same way as the one for intuitionistic S4 has not been given. We give such a categorical semantics and show that it also links in with the already existing type theories.

JEAN-JACQUES SZCZECINIARZ
UNIVERSITY PARIS-DIDEROT 7 - FRANCE

Categories and diagrammatic proofs

VLADIMIR L. VASYUKOV
INSTITUTE OF PHILOSOPHY RAS - RUSSIA
VASYUKOV4@GMAIL.COM
Quantum Logics and Categories: Localism vs. Globalism

4.2.7 Negation

This session is organized by Sergei Odintsov (Sobolev Institute of Mathematics - Russia) and Heinrich Wansing (Dresden University of Technology - Germany)

Dealing with a certain polarity of thought, negation is, perhaps, the most crucial among the logical connectives. It has been studied since antiquity and has been subject to thorough investigations in the development of philosophical logic, linguistics, artificial intelligence and logic programming. This development shows that bringing into play various types of negation may produce highly fruitful and promising results in many areas, such as paraconsistent logic, non-monotonic reasoning, the theory of data bases and logic programming.

The properties of negation - in combination with those of other logical operations and structural features of the deductibility relation - serve as gateways among logical systems. Moreover, a difference between various logical systems can often be reconstructed as a difference of certain features of negation operators used in these systems.

Notwithstanding the importance of negation, the immense literature on negation is full of disagreements concerning at least necessary conditions under which a unary connective ought to be regarded as a negation operation, the syntactical type to which a negation operator should belong, etc. We hope that this session will contribute to comparing different kinds of negation, developing a general theory of negation, and investigating the scope and validity of principles about negation.

Topics suitable for this Special Session include, but are not limited to, the following ones:

1. proof-theoretical versus semantical treatments of negation
2. negation, consistency, and inconsistency; interrelations between these notions
3. negation and Galois connections; correspondence theory for negation
4. negation in the light of modal logic
5. negation in relevant and substructural logics
6. constructive treatments of negation
7. negation in belief revision
8. negation in logic programming and non-monotonic reasoning
9. negation in adaptive logics
10. negation in paraconsistent logics
11. negation in categorical grammar
12. negation in concept analysis

Accepted contributed talks

OFER ARIELI
THE ACADEMIC COLLEGE OF TEL-AVIV - ISRAEL
ARNON AVRON
TEL-AVIV UNIVERSITY - ISRAEL
AA@MATH.TAU.AC.IL
ANNA ZAMANSKY
JERUSALEM COLLEGE OF ENGINEERING - ISRAEL
All Natural Three-valued Paraconsistent Logics are Maximal

Maximality is a desirable property of paraconsistent logics, motivated by the aspiration to tolerate inconsistencies, but at the same time retain from classical logic as much as possible. This notion of maximality, as well as other notions considered in the literature, is based on extending the set of theorems of a logic. In this paper, we use a strictly stronger notion of maximality: a paraconsistent logic L is maximally paraconsistent (in the strong sense) if every logic L' that properly extends L is not paraconsistent. We show that all the three-valued paraconsistent logics, satisfying some very natural conditions, are maximal in the strong sense. This includes well-known three-valued paraconsistent logics like Sette's logic P1, Priest's logic LP, the semi-relevant logic SRM3, the logics PAC and J3, as well as any extension of them obtained by enriching their languages with extra three-valued connectives.

DIDERIK BATENS
 GENT UNIVERSITY - BELGIUM
 DIDERIK.BATENS@UGENT.BE

Negations with a Contextual Meaning

Some adaptive logics, including all inconsistency-adaptive logics, assign to negation a meaning which is contextual: the premise set determines which occurrences of negation have one meaning, say the classical one, and which the other, say a paraconsistent one. Making the meaning of negation contingent on the premise set results in sensible applications with respect to interpreting texts, but also with respect to the mathematical and empirical theories.

The technicalities will be illustrated in terms of a specific inconsistency-adaptive logic. Several variant logics will be presented and their use and effect with respect to negation discussed. Some of these logics are not inconsistency-adaptive but realize an adaptation with respect to other properties of negation, for example its completeness.

A different point concerns the way in which logical systems define the meaning of logical symbols and so determine theories from sets of non-logical axioms. Such questions are raised by adaptive logics in that, for example, the meaning assigned to all negations in *consistent* premise sets by inconsistency-adaptive logics is identical to the meaning assigned to them by Classical Logic.

GIULIA BATTILOTTI
 UNIVERSITY OF PADUA - ITALY
 GIULIA@MATH.UNIPD.IT

Negation as a Primitive Duality in a Model for Quantum Computation

We define the "random first order domain" of the set of outcomes of a measurement experiment on a quantum system. We consider a primitive negation of assertions originated by Girard's duality and extend it to random first order domains. So we obtain a representation of quantum states in dual couples, that allows to represent the NOT of quantum states. In this setting, we find a characterization of the eigenstates of the NOT matrix (the NOT gate in a quantum computer). As is well known, such eigenstates, including Bell's states, are very significant in quantum computation. In our representation, the eigenstates are

fixed points in a cut elimination procedure exploiting the duality.

1. Battilotti, G.: Interpreting quantum parallelism by sequents, International Journal of Theoretical Physics, to appear, online publication 31th july 2009.
2. Dalla Chiara M.L., Giuntini R., Leporini R., (2003) Quantum Computational Logics: a survey. in V. F. Hendricks, J. Malinowski (eds.), Trends in Logic: 50 Years of Studia Logica, Kluwer Academic Publishers, 213-255
3. Sambin, G., Battilotti, G. and Faggian, C.: Basic Logic: Reflection, Symmetry, Visibility, The Journal of Symbolic Logic 65 (2000) 979-1013.

JOSE MARTINEZ FERNANDEZ
UNIVERSITY OF BARCELONA - SPAIN
JOSE.MARTINEZ@UB.EDU

Negation and the Fixed-point Property

k-valued clone with constants is a set of k-valued functions that is closed with respect to composition and includes the projections and the constant functions. By definition, a clone F has the (Gupta-Belnap) fixed-point property if, and only if, every system of equations $x = f(x,y,\dots)$, $y = g(x,y,\dots), \dots$ (for functions f,g,\dots in F) has a solution. Clones will be understood as the interpretation of propositional languages and systems of equations are meant to represent self-referential nets of sentences (for instance, the Liar paradox is represented as $x = x$). By well-known fixed-point theorems, the three-valued clones with constants generated by Kleene logics (strong and weak) have the fixed-point property. In this talk we will characterize the fixed-point property for 2- and 3-valued clones as depending on whether the clones are able to express a generalized form of negation. We will also present some general results that specify classes of k-valued clones that have the fixed-point property. Finally those results will be applied to show that certain clones that generalize the weak Kleene operators and that include a pseudo-operator of strong negation and pathologicity operators (i.e. operators meaning in the intended philosophical interpretation of the truth values- p is a pathological sentence, p is neither true nor false...) have the fixed-point property.

REINHARD KAHLE
UNIVERSIDADE NOVA DE LISBOA - PORTUGAL
KAHLE@MAT.UC.PT

Negation: Default is Explicit + Update

Negation is still one of the controversial concepts underlying logic programming. While the negation-as-failure interpretation is operationally well-understood, the logical interpretation of negation is less clear. The two most prominent approaches—closed world assumption and completion—have helped us to understand the logic that underlies negation as failure. But, as Shepherdson remarks, “[t]heir disadvantage is that the logics involved are more complicated

and less familiar than classical logic so that they are not likely to help the naive programmer express his problem by means of a logic program, or to check the correctness of a program”. We will show that default negation in (normal, generalized, and dynamic) logic programming can be understood as explicit negation in an update framework, as long as we consider stable model semantics. The updates are taken from dynamic logic programming. The technical result is not particularly complicated, but it has some interesting conceptual consequences. Default negation is a prime example in non-monotonic reasoning. Our result questions—on philosophical grounds—the status of default negation as a special, non-monotonic form of negation. Thus, default negation can be seen as explicit negation just involving an update aspect (which could also be considered temporally). Our analysis suggests that non-monotonic reasoning can be recast as classical reasoning incorporating forms of meta reasoning.

HITOSHI OMORI

OMORI.H.AA@M.TITECH.AC.JP

TOSHIHARU WARAGAI

WARAGAI.T.AA@M.TITECH.AC.JP

TOKIO INSTITUTE OF TECHNOLOGY - JAPAN *Some Modal Logics Seen as Subsystems of Classical Propositional Calculus*

One of the well-known and widely studied non-classical logics is the so-called Modal Logic, which is nowadays often regarded as *extension* of classical propositional calculus (CPC). However, there are other ways to formulate systems which have the “same” theorems as that of well-known modal logics. Namely, we can actually obtain such systems by first regulating CPC and second giving some appropriate definitions. This kind of results, recovering the original system Σ after restricting the system Σ , are not new. Indeed, Łukasiewicz showed that intuitionistic propositional calculus contains CPC and da Costa showed that systems of paraconsistent logics $C_n (1 \leq n < \omega)$ also contain CPC (cf. [3], [2]).

Now, the fact that modal logic S5 can be formulated by using “weak” negation instead of employing the classical negation and the necessity operator was first proved by Béziau and also by Waragai and Shidori independently (cf. [1], [6]). As for the problem of formulating other systems from S5, it remained open for a while until Marcos made an important contribution showing some formulations for systems such as K, T, KB, K5, B, etc (cf. [4]).

Based on these studies, the purpose of the present paper is twofold. Firstly, we extend and refine the results obtained by Marcos. This will include (1) formulations of some systems, including S4, which have been open after the work of Marcos and (2) an alternative economic formulation of systems treated by Marcos in [4]. Secondly, we emphasize that the systems developed by Béziau and Marcos can be seen as restriction of CPC. In order to make this viewpoint clear, a framework which is sketched roughly in [5] will be introduced and discussed in detail.

References:

1. Béziau, J. -Y., The Paraconsistent Logic Z—A possible solution to Jaśkowski’s

- problem—, *Logic and Logical Philosophy*, vol.15, 99-111, 2006.
2. da Costa, N. C. A., On the Theory of Inconsistent Formal Systems, *Notre Dame Journal of Formal Logic*, vol.15, No.4, 497-510, 1974.
 3. Lukasiewicz, J., On the Intuitionistic Theory of Deduction, in L. Borkowski (ed.) *Jan Lukasiewicz Selected Works*, North-Holland, 325-340, 1970.
 4. Marcos, J., Nearly Every Normal Modal Logic is Paranormal, *Logique et Analyse*, 48, 279-300, 2005.
 5. Omori, H. & Waragai, T., On Béziau's Logic Z, *Logic and Logical Philosophy*, vol.17, 305-320, 2008.
 6. Waragai, T. & Shidori, T., A system of paraconsistent logic that has the notion of "behaving classically" in terms of the law of double negation and its relation to S5, in J. -Y. Béziau, W. A. Carnielli and D. Gabbay (eds.) *Handbook of Paraconsistency*, College Publications, 177-187, 2007.

ANDREAS PIETZ
 UNIVERSITY OF BARCELONA - SPAIN
 ANDREAS.PIETZ@GMAIL.COM
Negation in Dual Intuitionistic Logic

DAVE RIPLEY
 INSTITUT JEAN-NICOD - FRANCE
 DAVEWRIPLEY@GMAIL.COM
Weak Negations and Neighborhood Semantics

In this talk, I explore the logic and semantics of weak negations: unary operators validating only some of the inferences usually associated with negation. In particular, I am concerned with operators that are downward entailing (operators N such that if A entails B, then NB entails NA); these seem to be particularly important for linguistic theory. As such, I focus on a base system with a single downward entailing operator and various strengthenings (requiring the operator to validate more inferences traditionally associated with negation).

In the course of this investigation, I adapt model-theoretic techniques from modal and substructural logic to provide a neighborhood semantics for these systems. The systems are shown to be sound and complete with respect to classes of frames, and inferences are shown to correspond to certain conditions on frames. Neighborhood semantics allows for the exploration of weaker negations than can be captured in a relational semantics like that pursued for negations by Dunn and others. Thus, the neighborhood approach allows for an expansion of Dunn and Zhou (2005)'s map of various negations and negation-like operators.

SEBASTIAN SEQUOIAH-GRAYSON
 UNIVERSITY OF LEUVEN - BELGIUM
 SEQUOIAH@GMAIL.COM

Negation as Test-Failure in DPL and Negation as Process Exclusion in Categorical Grammar

We give a dynamic semantics for the Lambek Calculi, to which a dynamic negation is added. This dynamic negation is interpreted as procedural prohibition, or process exclusion. The resulting framework suggests connections with the analysis of negation as test–failure in Dynamic Predicate Logic (DPL). The aim of the present article is to explore this connection in detail.

LUCA TRANCHINI

SIENA UNIVERSITY - ITALY TUEBINGEN UNIVERSITY - GERMANY

LUCA.TRANCHINI@GMAIL.COM

Negation and Refutation in proof-theoretic semantics

The intuitionistic informal account of negation, according to which a construction for the negation of A is a function mapping constructions of A onto constructions of the absurdity is somewhat unsatisfactory. This emerges in particular within the so-called proof-theoretic semantic framework, a development of intuitionism on the basis of Gentzen’s work in proof-theory. In a truth-theoretic semantics, truth values are assigned to formulas: in the case of closed formulas (i.e. sentences) the semantics directly maps the sentence onto a truth value. In the case of open formulas, this happens indirectly, i.e. modulo an assignment of values to the open variables. A proof-theoretic semantics, on the other hand, takes proofs as the semantics values to be assigned to valid derivations in a deductive system. In a natural deduction setting, closed derivations are directly mapped onto proofs while open derivations are mapped onto them given an assignment of values for the open assumptions. When we come to negation, we have that a closed derivation of the negation of A is constituted by an open derivations having the absurdity as conclusion and A as only assumption, where the absurdity is what there is no proof of. The problem lays in the fact that the semantics is expected to map the open derivation onto a proof of the absurdity given an assignment of proofs of the assumption A . But if the negation of A is provable then of course there is no proof of A . The problem resembles the ones that led to the introduction of free logics: an analogous solution in this case would be a distinction between actual proofs and possible proofs. To avoid the ad hoc character of this strategy we consider an alternative one: the introduction of refutations alongside proofs as possible semantics values of derivations. We discuss a few alternative ways of doing this.

SUSUMU YAMASAKI

OKAYAMA UNIVERSITY - JAPAN

YAMASAKI@MOMO.CS.OKAYAMA-U.AC.JP

Nonmonotonic Functions Caused by Distributive Negatives

A distributed system consisting of deductive processes with treatments of negatives conceives a nonmonotonic function over set variables (denoting true and false sets of atomic formulas). From model theory views, fixpoint and procedural semantics are well defined for logic programs with negation, as discussed in Pereira,P.M. et al. (1991), Shepherdson,J.C. (1998) and Yamasaki,S. et al.

(2001), where the 3-valued logic is applied to the denotations of true and false sets. The procedural semantics is closely related to computing based on the first-order logic such that the fixpoint semantics is abstract enough to capture the computational behaviour of programs. So far varieties of negations are simultaneously treated for logic programming, where multi-negation induces a nonmonotonic function as in Yamasaki, S. (2006). In this talk, a general framework is defined for a nonmonotonic function, caused by a distributed system containing deductive derivations with negatives. The nonmonotonic function is not so easy to analyze, when we want to have a mathematical representation of the whole behaviour of the system in which the atomic formulas with and without negation are both transferred from one deductive process to others through communication. It is because the function cannot be in general monotonic even by means of the 3-valued logic. For a general theory, a fixpoint semantics can be considered as model theory, however, a pragmatic, procedural semantics may be reasonable with reference to model theory, in concretization of the framework applied to a program.

4.2.8 Multimodal Logics

This session is organized by Walter Carnielli (CLE-UNICAMP, Brazil) and Claudio Pizzi (University of Siena, Italy).

Contemporary modal logic, officially born in 1932, received a powerful impulse in the Sixties with the development of so-called relational semantics. After this important turn modal logic underwent a constant, and indeed impressive, progress passing through a specialized analysis of different concepts of necessity and possibility and giving rise to such branches as tense logic, epistemic logic, deontic logic, dynamic logic and so on.

The last step of this development has been provided by the growth of multimodal logics, i.e. of logics whose language contains more than one primitive modal operator and whose axioms define the logical properties of each one of them along with their interaction. Multimodal logic has already reached interesting results in the abstract analysis of the properties of multimodal systems. As a matter of fact, multimodal logic is not a new branch of modal logic but rather a new way to study modal notions by using a more general and deep approach, akin to the spirit of Universal Logic.

The aim of this session is to collect contributions to the field of multimodal logic. A wide number of subjects may be treated in this realm. Topics regarded as being of special interest are the following:

1. Temporal logics
2. Logics of physical modalities
3. Epistemic-doxastic logics
4. Multimodal analysis of conditionality
5. Topological logics

6. Multimodal systems of mathematical provability
7. Multimodal systems with non-classical propositional basis
8. Combinations of (multi)modal systems
9. Incompleteness of multimodal systems
10. Decision procedures for multimodal systems
11. New semantics and proof methods for (multi)modal systems
12. Multimodal quantified logics
13. Modal treatments of quantification
14. Abstract properties of multimodal systems

Accepted contributed talks

LEANDRO OLIVA SUGUITANI
 ITALA M.L. D'OTTAVIANO
 STATE UNIVERSITY OF CAMPINAS - BRAZIL
Hybrid Language and Relation Algebra

We shall take the development of modal logic and the theory of binary relations up to a meeting point at which they are combined (by means of an hybrid language and relation algebra (RA)) in a formalism which has full first order logic expressiveness. Our aim is discussing advantages and drawbacks of such formalism for both as a logical system equipotent to first order logic and as a formalism with which one can formalize set theory and work on foundational issues of mathematics.

1. Blackburn, P. and Seligman, J., 1995, "Hybrid language", Journal of Logic, Language and Information, 4, 252-272.
2. Marx, M., 2001, "Relation Algebra with Binders", J. Logic Comp., v 11, pp. 691-700.
3. Prior, A., 1967, Past, Present and Future. Oxford University Press, Oxford.
4. Tarski, A. and Givant, S., 1987, A Formalization of Set Theory without Variables, volume 41, AMS Colloquium publications, Providence, Rhode Island.

MARIO BENEVIDES
 FEDERAL UNIVERSITY OF RIO DE JANEIRO - BRAZIL,
 MARIO@COS.UFRJ.BR
Propositional Dynamic Logic, Lb Axiom and Total Correctness

This work extends Propositional Dynamic Logic for Regular Programs with Lob axiom in order to express total correctness. First, we extend PDL for regular programs, without test, with Lob axiom and prove completeness with respect to the class of well-founded programs. This ensures that all programs are well-founded and consequently all computations sequences halt. Total correctness, which could not be expressed in PDL for regular programs, can be expressed by a PDL formula. Second, we add test and the predicate wf to PDL. We provide an axiomatization of PDL with test and the predicate wf and a proof of completeness using filtration. Finally, properties about halting programs can be expressed in PDL for regular programs in a neat way.

JULIANA BUENO-SOLER
UNIVERSITY OF SÃO PAULO - BRAZIL
JULIANA.BUENO@CLE.UNICAMP.BR
Description logics from a paraconsistent viewpoint

WALTER CARNIELLI
STATE UNIVERSITY OF CAMPINAS - BRAZIL
WALTER.CARNIELLI@CLE.UNICAMP.BR
JUAN C. AGUDELO
EAFIT UNIVERSITY - COLOMBIA
JUANCARLOS@CLE.UNICAMP.BR

Polynomial ring calculus for S_4 , intuitionistic logic and multimodal logics
Polynomial ring calculi (PRC) consist in translating logic sentences into polynomials over algebraically closed fields (usually finite fields) and into performing deductions by means of polynomial operations. Elements of the field represent truth-values and polynomial equations express truth-conditions (in a similar way as specifying conditions in valuation semantics). In this way PRC can be legitimately considered a semantics, as well as a tool for performing deductions by means of polynomial operations, establishing a proof method appropriated for automation.

PRC were introduced in [2], where the method is applied to the classical propositional calculus, many-valued logics and paraconsistent logics. In [1] a PRC for the modal logic S5 is defined, and it is conjectured that such PRC can be adapted to a large class of modal and multimodal logics. Our purpose here is to adapt the PRC defined in [1] to the modal logic S4, providing a new semantics and proof method not only for S4, but also for intuitionistic logic, using the well-known Gdel's translation (1933) of Heyting's intuitionistic logic into S4. We discuss some advantages of the PRC for modal and intuitionistic logics in contrast with the traditional Kripke semantics and tableau proof methods. We also show how PRC can be extended to multimodal logics and to the provability logic (called KGL in [3]). KGL has strong connections with Gdel's incompleteness theorems of 1931 and Lb's theorem of 1953. We conjecture that the celebrated fixed point theorem of KGL (D. de Jongh and G. Sambin, independently, in 1975) can even be proven by means of formal polynomials via PRC.

1. Juan C. Agudelo and Walter Carnielli. Polynomial ring calculus for modal logics: a new semantics and proof method for modalities. Available at CLE e-Prints vol 9, n. 4, 2009. <http://www.cle.unicamp.br/e-prints/vol9,n4,2009.html>, 2009.
2. Walter A. Carnielli. Polynomial ring calculus for many-valued logics. In B. Werner, editor, Proceedings of the 35th International Symposium on Multiple-Valued Logic, pages 2025. IEEE Computer Society, 2005.
3. Walter A. Carnielli and Claudio Pizzi. Modalities and Multimodalities. Amsterdam: Springer, 2008.

ROBERTO CIUNI
 DELFT UNIVERSITY OF TECHNOLOGY - THE NETHERLANDS
 R.CIUNI@TUDELFT.NL
 ALBERTO ZANARDO
 UNIVERSITY OF PADOVA - ITALY
 AZANARDO@MATH.UNIPD.IT

A tense-modal logic with choices for agency and temporal distinctions

Truth in BTC logic (Branching Time logic with Choices) is relative to a moment and to a particular choice (of a single agent) at that moment. BTC+ is an extension of BTC in which we can consider simultaneous choices of a set of agents. According to [1] choices are viewed as sets of histories (paths) and, according to [2] BTC and BTC+ semantics have both an Ockhamist and a Peircean dimension: a modal operator quantifies over choices and tense operators quantify within a given choice. As we are mainly interested in Computer Science applications, histories are assumed to be isomorphic to the set of natural numbers. The paper is mainly concerned with the expressive power of BTC+, and shows that CTL and a fragment of CTL* are expressed in the new logic.

1. Belnap Nuel and Perloff Michael and Xu Ming (2001) Facing the Future: Agents and Choices in our Indeterminist World, Oxford, Oxford University Press.
2. Zanardo Alberto (1998) Undivided and Indistinguishable Histories in Branching-Time Logics. Journal of Logic, Language and Information, 7:297-315.

KATSUHIKO SANO
 KYOTO UNIVERSITY - JAPAN
 KATSUHIKO.SANO@GMAIL.COM

Axiomatizing hybrid products of topologies

The main aim of this paper is to propose a robust way to combine two topological hybrid logics. First, we introduce two kinds of: *nominals*: i (e.g. for a moment of time) and a (e.g. for a spatial point), and *satisfaction operators*: $@_i$ and $@_a$ to the bimodal logic of *products of topologies* [1] (note: product of topologies is a different notion from product topology). Second, we give five

interaction axioms and establish a general completeness result called *pure completeness* of *bi*-hybrid logic of products of topologies. Finally, we explain how to capture the dependence of one dimension (e.g. space) to the other (e.g. time) in a generalization of our setting. Our enrichment of the language was a suggested further direction in [1]. This work can also be regarded as a further extension of both hybrid logic of topological spaces [3] and bi-hybrid logic of *products of Kripke frames* [2].

References:

1. Bezhanishvili G. Ten Cate B. Benthem, J. van and D. Sarenac. Multimodal logics of products of topologies. *Studia Logica*, 84(3):369–392, 2006.
2. K. Sano. Axiomatizing hybrid products. Submitted to *Logic Journal of the IGPL*, Special Issue on Hybrid Logics. Available from http://www.k2sn.com/hybrid_product2.pdf, 2009.
3. B. ten Cate and T. Litak. Topological perspective on the hybrid proof rules. *Electronic Notes in Theoretical Computer Science*, 174(6):79–94, 2007.

NEWTON M.PERON
 STATE UNIVERSITY OF CAMPINAS - BRAZIL
 EWTON.PERON@GMAIL.COM
 MARCELO E. CONIGLIO
 STATE UNIVERSITY OF CAMPINAS - BRAZIL
 CONIGLIO@CLE.UNICAMP.BR

On necessary and possible contradictions

Despite several non-classical modal systems were proposed in the literature, the method for obtaining them is not too much divergent: most of them are the result of combining a propositional non-classical logic with a hierarchy of (multi)modal systems. On the other hand, the definition of non-classical primitive modal operator was investigated to a lesser extent.

Departing from paraconsistent logics (more precisely, from Logics of Formal Inconsistency — LFI's), and by analogy with the inconsistency operator, we propose here a new unary modality, reading as "necessary contradictory", and its dual, reading as "possible contradictory". From the semantical point of view, we consider paraconsistent Kripke structures such that "necessary contradictory" α holds in a state w whenever both α and not α hold in every state w such that wRw' . Analogously, "possible contradictory" holds in w whenever there is some w' such that wRw' and both α and not α hold in w' .

We introduce a minimal normal system analogous to K with the new operators. After this, we analyse the new version of axioms D, T, B, 4 and 5 suitable to the new modalities. For instance, by considering paraconsistent

Kripke structures where R is reflexive, we shown that the suitable version of axiom T is "necessary contradictory alpha implies alpha and not alpha"

The subtle discrepancies with the classical versions of such axioms can be explained by translating the propositional modal logic into a first-order LFI. This shows the important role that an appropriate non-classical Correspondence Theory would have for non-classical (multi)modal logics, mainly for systems with non-classical primitive modalities.

Finally, we shown how to combine these systems with the classical modalities necessary and possible and outline possible applications of such systems.

CLAUDIO PIZZI,
UNIVERSITY OF SIENNA - ITALY
PIZZIC@MSN.COM
Contingency operators and multimodal logics

FABIEN SCHANG
DRESDEN UNIVERSITY OF TECHNOLOGY - GERMANY
SCHANG.FABIEN@VOILA.FR
A structural semantics for multimodalities

A setting of multiple-valued logics is set forth within the general framework of **QAS** (Question-Answer Semantics). Starting from the view that any formula is a structured object whose components are a function symbol and its argument, **QAS** is used in the following to reformulate two algebraic theories: Gottschalk's theory of quaternality, and Piaget's theory of reversibility (INRC Group).

We propose to extend the process to a semantics for multimodalities, where the arguments include at least one further function symbol. This will be done with either of Gottschalk's and Piaget's questions, the content of which is not the same. A structural semantics relies upon the use of two basic answer-values, namely: *affirmation* (1), and *denial* (0, or -1). This general setting result gives rise to a family of logics, where logical pluralism lies in the plurality of questions **Q** to be asked among the variety of structured formulas.

Finally, the aim of our conceptual framework is to replace the basic notions of *truth* and *consequence* by those of *negation* and *opposition*; but some challenges are still to be overcome in order to confirm its relevance, including the reformulation of modal logics within **QAS**. It remains to see whether a *multiple-valued* family of systems could throw some new light upon the awkward relation between many-valued and modal systems: the latter challenge is reminiscent of Dugundji's negative theorem, according to which no finitely many-valued matrix can characterize the Lewis modal systems S1-S5.

References

1. Blanch, Robert: "Sur l'opposition des concepts", *Theoria* **19**(1953), pp. 89-130.
2. Dugundji, James: "Note on a property of matrices for Lewis and Lang-

- ford's Calculi of Propositions", *The Journal of Symbolic Logic* **5**, pp. 150-1.
3. Englebretsen, George: "Knowledge, negation, and incompatibility", *The Journal of Philosophy* **66** (1969), pp. 580-5.
 4. Gottschalk, Wilhelm H.: "The theory of quaternality", *The Journal of Symbolic Logic* **18** (1953), pp. 193-6.
 5. Piaget, Jean: *Trait de logique (Essai de logistiqu opratoire)*, A. Colin (2nd edition), 1972.
 6. Smessaert, Hans: "On the 3D visualisation of logical relations", *Logica Universalis* **3**, pp. 303-332.

SARA NEGRI
 UNIVERSITY OF HELSINKI - FINLAND
 SARA.NEGRI@HELSINKI.FI
 LAURA SEMINI
 UNIVERSITY OF PISA - ITALY
 SEMINI@DI.UNIPI.IT

Specifying and reasoning with asynchrony: proof theory of DSL

To specify and reason on distributed system with asynchronous communications, the use of a many-dimensional modal logic combining spatial and temporal operators is fostered. This combination has an adequate expressive power, but suffers from the lack of a complete proof system, direct standard proof techniques having failed, as well as those based on compositionality results.

The Labelled Sequent Calculi approach, introduced in [1], is proposed here to define a complete proof system for the logic. This calculus is a good candidate since both admissibility of the structural rules and completeness are obtained in a modular way: The same proof method works for all extensions and the addition of other modalities or frame properties requires only small local additions to the proofs. As a first step, the formalization of the spatial fragment in the labelled sequent calculus is addressed.

1. S. Negri. Proof analysis in modal logic. *Journal of Philosophical Logic*, vol.34, pp.507-544, 2005

CAROLINE SEMMLING
 DRESDEN UNIVERSITY OF TECHNOLOGY - GERMANY
 CAROLINE.SEMMLING@GMX.DE

Interplay of Beliefs, Desires, and Actions

In the bdi-stit logic of beliefs, desires, intentions, and actions, we combine normal modal operators as in Stit Theory with standard monotonic, regular operators for pro-attitudes and cognitive states. The emphasis of the talk is on postulating axioms describing a philosophically interesting interplay between

beliefs, desires and actions of one and the same agent. On the other hand, we suggest an independence condition for neighbourhood semantics to ensure the independence of different agents concerning belief attitudes. Therefore, we relate properties of neighbourhood functions with the underlying Branching Time structure. The completeness of the bdi-stit logic is shown by expanding the canonical models of Xu for Stit Theory.

1. C. Semmling, H. Wansing, From BDI and stit to bdi-stit logic, *Logic and Logical Philosophy*, 185-207, 2008.
2. M.Xu, Decidability of Deliberative Stit Theories with Multiple Agents, in: D.M. Gabbay and H.J. Ohlbach (eds.), *Temporal logic, First International Conference, ICTL'94*, Springer-Verlag, Berlin, 332-348, 1994.

DIMITER VAKARELOV
 SOFIA UNIVERSITY - BULGARIA
 DVAK@FMI.UNI-SOFIA.BG
Whitehead's theory of space and time

Whitehead is known not only as one of the authors of the famous book “Principia Mathematica”. He also was an initiator of a new approach to the theory of space and time based on some simple spatio-temporal relations between material things taking as primitives [2]. Whitehead presented in [2] a quite detailed program how to build a mathematical formalization of the spatial part of his theory, known now as Region Based Theory of Space (RBTS) (see [1]). Unfortunately, the part of his theory dealing with time (called in [2] Epochal Theory of Time (ETT)) is developed only in an informal way, which makes quite difficult to extract a good mathematical theory of space and time. In our talk we will present an integrated mathematical formalization of a fragment of Whitehead’s theory of space and time incorporating in it some modern versions of RBTS and some formal counterpart of ETT. The main result is a Stone-like representation theorem stating that any abstract system is representable in the class of standard models.

1. D. Vakarelov, ”Region-Based Theory of Space: Algebras of Regions, Representation Theory and Logics”. In: Dov Gabbay et al.(Eds.) *Mathematical Problems from Applied Logics. New Logics for the XXIst Century. II*. Springer, 2007, 267-348.
2. A. N. Whitehead, ”Process and Reality”. New York, MacMillan, 1929.

4.2.9 Paraconsistent Logics

This session is organized by Alexandre Costa-Leite from the University of Brasilia, Brazil. It is a session in honor of Casey Neil McGinnis (USA) (in memoriam).

GRAHAM PRIEST - (INVITED SPEAKER)
UNIVERSITIES OF MELBOURNE (AUSTRALIA) AND ST ANDREWS (UK), AND
THE GRADUATE CENTER, CITY UNIVERSITY OF NEW YORK (USA)
G.PRIEST@UNIMELB.EDU.AU

The catuskoti

In early Buddhist logic, it was standard to assume that for any state of affairs there were four possibilities: that it held, that it did not, both, or neither. This is the *catuskoti* (or *tetralemma*). Classical logicians have had a hard time making sense of this, but it makes perfectly good sense in the semantics of various paraconsistent logics, such as First Degree Entailment. Matters are more complicated for later Buddhist thinkers, such as Nagarjuna, who appear to suggest that none or these options, or more than one, may hold. The point of this talk is to examine the matter, including the formal logical machinery that may be appropriate.

Accepted contributed talks

ALEXANDRE COSTA-LEITE
UNIVERSITY OF BRASILIA - BRAZIL
COSTALEITE@UNB.BR

Paraconsistentization: the general theory of paraconsistent logics

This talk describes a method to convert any logic into a paraconsistent logic. This is a universal approach to the concept of *paraconsistency*. Instead of investigating particular systems of paraconsistent logics, we explore general and abstract properties of these systems inspired by the idea of universal logic.

SOMA DUTTA
INDIAN INSTITUTE OF BIOSOCIAL RESEARCH AND DEVELOPMENT - INDIA
SOMADUTTA9@GMAIL.COM

Negation in Paraconsistent Logic

Classically, the notion of consequence and inconsistency are interwoven. Could any such connection be found in case of paraconsistent consequence? This is the key motivator behind this study. In classical context, a formula and its negation together yield every formula. This property of classical consequence is known as the explosiveness condition. There is a general discord in accepting the idea that without any relevancy an arbitrary formula can follow from $\{a, \neg a\}$ or more generally, from an inconsistent set. Paraconsistent notion of consequence, by definition, negates this explosiveness condition. That is, in paraconsistent logics a set of formulae yielding a formula a and its negation $\neg a$, does not necessarily yield every ϕ . So what should be the proper way of addressing such a set X which yields a pair of formulas $a, \neg a$ and does not yield at least one of $a, \neg a$. Intuitively, it seems to be plausible to say, X behaves inconsistently if one considers a and behaves consistently if one considers $\neg a$. With this intuition, we looked for sets of axioms characterizing the notion of consequence as well as the notion of inconsistency in paraconsistent logic. While axiomatizing sets of axioms for the notion of consequence as well as the notion of inconsistency of

paraconsistent logic by modifying already existing classical consequence axioms as minimum as possible, a strange connection of double negation has come out. In this paper we will propose this new notion viz. inconsistency with respect to formula with a plausible axiomatization and explore the connection of double negation (which emerged from the proposed axioms) with paraconsistent logics in the existing literature.

References

1. Priest, Beall, Armour-Garb, The Law of Non-Contradiction, New Philosophical Essays
2. Priest G., Routley R., A preliminary History of Paraconsistent and Dialethic Approaches
3. Carnielli W. A., Marcos J., A Taxonomy of C-systems
4. Chakraborty M. K., Dutta S., Axioms of paraconsistency and Paraconsistent Consequence Relation, L. Magdalena, M. Ojeda-Aciego, J. L. Vardegay (eds.), Proceedings of IPMU08, pp 23 - 30, Torremolinos, Malaga, Spain, June 22 - 27, 2008

JEAN-LOUIS HUDRY
UNIVERSITY OF TARTU - ESTONIA
HUDRY@UT.EE

Aristotle and the Principle of Non-Contradiction: Where are the Proofs?

If PNC is so strong a principle, why is it that Aristotles justifications are so weak? Priest (2006) claims that the weak justifications illustrate the failure of PNC as a logical principle. My paper aims to show that Aristotle would have had no problem to agree with such a view. Lukasiewicz (1910) is the first to suggest a logical interpretation of Aristotles PNC (cf. *Metaphysics*). Yet, it would have been more exact to restrict the interpretation to an ontological PNC and an epistemic PNC. The ontological PNC asserts that it is impossible for something to be both predicated and not predicated of a same thing at the same time and in the same respect. As for the epistemic PNC, it amounts to a belief in the ontological PNC, such that speakers believe that it is impossible for a predication of things to be both true and false at the same time and in the same respect. The necessary truth of the ontological PNC does not apply to the belief itself, since a belief may be false. Aristotle is also aware that a general proof of the epistemic PNC is circular: to prove that every belief in the ontological PNC is true requires that speakers already accept the epistemic PNC as true. Yet, it is possible to show that a belief rejecting the ontological PNC is false. Aristotle speaks of refutation (*elenchos*), but adds that it is not a proper proof, as it cannot be generalised to every belief. Indeed, the refutation of a false belief involves a dialectical condition, namely a discussion between at least two speakers. Therefore, Aristotle is ready to assert that meaningful

discourse requires an epistemic PNC; but he is quick to acknowledge that the justifications of the epistemic PNC are intrinsically weak, as they are nothing more than individual refutations of false beliefs rejecting the ontological PNC.

SRECKO KOVAC
 INSTITUTE OF PHILOSOPHY - CROATIA
 SKOVAC@IFZG.HR

Paraconsistent identities and modalities

The idea of modalizing the satisfaction of formulas is familiar in paraconsistent logic. For instance, $\phi \wedge \psi$ was interpreted by S. Jaśkowski in his discussive logic [?] (see also [?]) as $\phi \wedge \diamond \psi$. In J.-Y. Béziau [?, ?] the approach is generalized to a specific four-valued logic, where the four values 0^- , 0^+ , 1^- and 1^+ are conceived as “necessarily false”, “possibly false”, “possibly true”, and “necessarily true”, respectively. Both approaches can be extended to a quantification theory with identity.

Those theories are compared with a theory proposed in a continuation of [?], which defines a class of paraconsistent first-order models with an equivalence relation \cong as a paraconsistent identity, the classical identity being a subset of \cong . An equivalence class of objects at a world, $[u]_w$, is defined as the set $\{u' \mid u' \cong_w u\}$. The twofold satisfaction relation (positive, \models , and negative, \models^-) is based on modally defined satisfaction of atomic formulas. Regarding the satisfaction of identity formulas, u_1 and u_2 are identical at w iff their respective \cong -counterparts at w are each other's \cong -counterparts at an accessible world w' :

$$\mathfrak{M}, w \models_v t_1 = t_n \text{ iff } (\exists w' wRw')(\exists u'_1 \in [u_1]_w)(\exists u'_2 \in [u_2]_w) u'_1 \cong_{w'} u'_2$$

We obtain as one of the consequences that identical thing(s) do not have to share all their properties.

HANS LYCKE
 GENT UNIVERSITY - BELGIUM
 HANS.LYCKE@UGENT.BE

Paraconsistent Intuitionistic Logic

In standard intuitionistic logic INT, negation is proof theoretically characterized by the inference rules reductio (RED) and ex falso quodlibet (EFQ). Because of EFQ, the logic INT is explosive, which means that anything follows from a contradiction. However, in view of the intuitive interpretation of intuitionistic negation, i.e. the possibility to derive a contradiction, it is hard to see why the logic INT should validate the inference rule EFQ. For, the construction of a contradiction certainly doesn't guarantee the construction of any formula whatsoever. An obvious solution to this problem consists in the overall rejection of the inference rule EFQ. The logic resulting from this move is the paraconsistent logic INTuN. However, the rejection of EFQ comes with a serious disadvantage, for most applications of the INT-derivable inference rule reductio ad absurdum (RAA) aren't valid either. In view of the intuitive interpretation of intuitionistic negation, most applications of RAA should be valid. In this paper, I will

characterize the adaptive logic INTuNr. The latter adds to the logic INTuN all unproblematic applications of the inference rule EFQ (e.g. the applications that lead to unproblematic applications of RAA). In this way, the logic INTuNr doesn't only avoid explosion, but also captures the intuitive meaning of intuitionistic negation.

JOS M. MÉNDEZ

UNIVERSITY OF SALAMANCA

SEFUS@USAL.ES

GEMMA ROBLES

UNIVERSIDAD DE LA LAGUNA - SPAIN

GEMMAROBLES@GMAIL.COM

FRANCISCO SALTO

UNIVERSIDAD DE LEÓN - SPAIN

FRANCISCO.SALTO@UNILEON.ES

Paraconsistent logics adequate to consistency understood as the absence of the negation of any implicative theorem

In [1] two senses of a so-called weak-consistency are defined: consistency as the absence of the negation of any theorem; and consistency as the absence of the argument of any negation theorem.

Let us now define a third sense of "weak Consistency", which is the concept of consistency the title of this paper refers to: consistency understood as the absence of the negation of any implicative theorem

[Weak consistency in a third sense] Let S be a logic and T be a theory built upon S . Then, T is w3-inconsistent (weak inconsistent in a third sense) iff $\neg(A \rightarrow B) \in T$, $A \rightarrow B$ being a theorem of S (a theory is w3-consistent —weak consistent in a third sense— iff it is not w3-inconsistent).

The aim of this paper is to define a series of logics adequate to this sense of consistency in the ternary relational semantics with a set of designated points. These logics are said to be adequate to the concept of consistency in Definition 1 in the sense that the completeness proof can be carried out if consistency is understood as stated in this definition. If consistency were understood in the standard sense, the completeness proof would fail, at least in the present semantical context, i.e., the ternary relational semantics with a set of designated points. Now, let us define:

[w3-paraconsistency] A logic S is w3-paraconsistent iff the rule "If $\vDash A \rightarrow B$, then $\neg(A \rightarrow B) \vDash B$ " is not a rule of S .

It will be proved that all logics in this paper are paraconsistent in the standard sense, but that none of them is w3-paraconsistent.

All logics are included in Lewis' S4, some of them include classical propositional logic, but none of them is relevant.

A Routley-Meyer type ternary relational semantics, negation being modelled with the Routley operator is provided for each one of these logics. Soundness and completeness theorems are proved. In some cases, strong —i.e., in respect of deducibility— soundness and completeness theorems are also proven.

Acknowledgements: Work supported by research projects FFI2008-05859/FISO and FFI2008-01205/FISO, financed by the MICINN (Spanish Ministry of Science and Innovation). G. Robles is supported by Juan de la Cierva Program of the MICINN.

References:

1. G. Robles, J. M. Mndez, "The basic constructive logic for a weak sense of consistency", *Journal of Logic Language and Information*, 17/1, pp. 89-107, 2008.

DMITRY ZAITSEV
MOSCOW STATE UNIVERSITY - RUSSIA
ZZDIMA@YANDEX.RU

Paraconsistent classical logic

Any system of relevant logic is known to be paraconsistent in a strict sense, that is to be both atomic and molecular paraconsistent. In my talk, I will show how paraconsistent hybrid logic can be generated by spoiling the system of the first degree relevant entailment (FDE).

Starting with Belnaps matrixes for negation, conjunction and disjunction I spoil the semantical logic with classical implication. The resulting logic, call it FDEP, is a hybrid of classical positive logic (TV+) with DeMorgan logic. An adequate axiomatization for this logic will be presented.

4.2.10 Algebras for Logics

This session is organized by Joanna Grygiel from the University of Czestochowa, Poland.

The use of algebra for the theory of reasoning was a fundamental turn in the development of logic. It was the first way to use mathematics to deal with logic, a fundamental step towards mathematical logic.

In this special session different algebraic structures and algebraic operators useful for the understanding of logic will be presented and discussed.

Accepted contributed talks

CARLOS GALLARDO
UNIVERSIDAD NACIONAL DEL SUR - ARGENTINA
ALICIA ZILIANI
UNIVERSIDAD NACIONAL DE SAN JUAN - ARGENTINA

Weak implication in the discriminator variety of m -generalized Lukasiewicz algebras of order n

In 1940, Gr C Moisil introduced Lukasiewicz algebras of order 3 and 4 in order to obtain the algebraic counterpart of the corresponding Lukasiewicz logics. A year later, this author generalized these notions by defining Lukasiewicz algebras of order n , and he studied them from an algebraic point of view. On

the other hand, in 1969 R. Cignoli indicated an equational definition of these algebras equivalent to that given by Moisil. Ockham algebras which are more closely related to De Morgan algebras are the ones that satisfy the identity $f^{2^m}x = x$, for some $1 \leq m$. The variety of these algebras will be denoted by $K_{m,0}$. As Lukasiewicz algebras of order n have a reduct which is a De Morgan algebra J. Vaz De Carvalho and T. Almada generalized them by considering algebras of the same type which have a reduct in $K_{m,0}$. Hence, they introduced the variety L_n^m , $1 \leq m$, $2 \leq n$, of m generalized Lukasiewicz algebras of order n (A generalization of the Lukasiewicz algebras, *Studia Logica* 69 (2001), 329-338). We define an implication operation on m generalized Lukasiewicz algebras of order n , called weak implication, from which we obtain a new characterization of the congruences on these algebras by means of certain special subsets of them. Besides, we describe the principal congruences in a different way from that indicated in the above mentioned paper. Finally, we prove that L_n^m is a discriminator variety.

1. J. Bermann, *Distributive Lattices with an additional unary operation*, *Aequationes Math.* 16 (1977), 165-171.
2. V. Boiescu, A. Filipoiu, G. Georgescu and S. Rudeanu, *Lukasiewicz-Moisil Algebras*, *Annals of Discrete Mathematics* 49, North-Holland, 1991.
3. T. Blyth and J. Varlet, *Ockham Algebras*, Oxford University Press, New York, 1994.
4. R. Cignoli, *Moisil Algebras*, *Notas de Lógica Matemática* 27, Univ. Nacional del Sur, Bahía Blanca, Argentina, 1970.
5. Gr. C. Moisil, *Notes sur les logiques non-chrysippiennes*, *Ann. Sci. Univ. Jassy* 27 (1941), 86-98.
6. Gr. C. Moisil, *Sur les logiques de Lukasiewicz a un nombre fini de valeurs*, *Rev. Roum. Math. Pures Appl.* 9 (1964), 905-920.
7. A. Monteiro, *La semi-simplicite des algebres de Boole topologiques et les systemes deductifs*, *Revista de la Unión Matemática Argentina*, Vol. 25 (1975), 417-448.
8. A. Urquhart, *Distributive lattices with a dual homomorphic operation*, *Studia Logica* 38 (1979), 201-209.
9. J. Vaz De Carvalho and T. Almada, *A generalization of the Lukasiewicz algebras*, *Studia Logica* 69 (2001), 329-338.

JAN GALUSZKA
 SILESIAN UNIVERSITY OF TECHNOLOGY - POLAND
 JAN.GALUSZKA@POLSL.PL
Lattice of quasigroup formulas

The family of power terms xy^n where n is a positive integer is inductively defined as follows: $xy^1 := xy$, $xy^n := (xy^{n-1})y$. With these terms the following family of formulas are associated: $\forall x, y \ xy^n = x$ where n is a positive integer. As a generalization of these formulas we propose the following torsion formula: $\forall x, y \ \exists n \ xy^n = x$. Using Steinitz numbers (for the original construction of these numbers see [6], a slightly reformulated construction is proposed in [3] and in [4]) we can introduce a family of new formulas as follows: $\exists n \ \forall x, y \ n|s, \ xy^n = x$ where s is a Steinitz number. As associated with the torsion formula we have the following family of formulas: $\forall x, y \ \exists n \ n|s, \ xy^n = x$ where s is a Steinitz number.

Formulas described above are named one-sided quasigroup formulas (groupoids satisfying at least one of them are one-sided quasigroups (see [2] and [4])). Evidently there are groupoids being one-sided quasigroups satisfying none of them. On the set of all formulas defining one-sided quasigroups we introduce a lattice structure and prove the following theorem:

Theorem One-sided quasigroup formulas form a lattice isomorphic to the lattice of closed Steinitz numbers with the divisibility relation.

References

- [1] V.D. Belousov, Foundations of the Theory of Quasigroups and Loops (Russian), Izdat. "Nauka", Moscow, 1967.
- [2] J. Gałuszka, Groupoids with quasigroup and Latin square properties, Discrete Math. 308 (2008), no. 24, 6414–6425.
- [3] J. Gałuszka, Codes of groupoids with one-sided quasigroup conditions, Algebra Discrete Math. (2009), no. 2, 27–44.
- [4] J. Gałuszka, Lattices of classes of groupoids with one-sided quasigroup conditions, Algebra Discrete Math. (2010), no. 1.
- [5] Quasigroups and loops: theory and applications, Heldermann, Berlin, 1990.
- [6] E. Steinitz, Algebraische Theorie der Körper, J. reine angew. Math. 137 (1910), 167–309.

MAJID ALIZADEH

UNIVERSITY OF TEHERAN - IRAN

HECTOR FREYTES

ARGENTINIAN INSTITUTE OF MATHEMATICS - ARGENTINA

ANTONIO LEDDA

UNIVERSITY OF CAGLIARI - ITALY

ANTONIO.LEDDA@INWIND.IT

Completion and amalgamation of bounded distributive quasi lattices

One of the basic motivations for studying the completion of a certain structure is due to the need of filling the gaps of the original one; a leading example could be turning a partial algebra into a total one. In the case of lattice ordered structures, the most relevant examples are represented by canonical extensions and Dedekind-MacNeille completions, see e.g. [2]. Nevertheless, once we move from lattice ordered structures to quasi ordered ones, the classical approach does not work. This observation motivated us in investigating a generalization

of the classical filter-based approach to the case of *bounded distributive quasi lattices (bdq-lattices)*, introduced by I. Chajda in [1]. The main problem in the completion of bdq-lattices lies in the fact that it may happen for elements x, y in a bdq-lattice \mathbf{L} that $x \leq y, y \leq x$ but $x \neq y$. In this case, the usual notion of lattice filter is no longer useful to distinguish x and y . Thus, we use a particular system of congruences which allows to obtain, out of any bdq-lattice \mathbf{L} , a quasi ordered space of functions $\langle E(\mathbf{L}), \tau, \preceq \rangle$, where τ is a topology on $E(\mathbf{L})$ admitting as a quotient the Priestley topology [5]. By this construction, we can embed the original bdq-lattice \mathbf{L} into a (functionally) “complete” one. As an application of the previous results, we close the paper by proving, along the style of [4], the amalgamation property for the class of bdq-lattices.

1. Chajda I., “Lattices in quasiordered sets”, *Acta Univ. Palack Olumuc*, 31, 1992, pp. 6-12.
2. Galatos N., Jipsen P., Kowalski T., Ono H., *Residuated Lattices: An Algebraic Glimpse at Substructural Logics*, Volume 151, Elsevier, 2007.
3. Gumm H.P., Ursini A., “Ideals in universal algebra”, *Algebra Universalis*, 19, 1984, pp. 45-54.
4. Maksimova L. L., “Craig’s theorem in superintuitionistic logics and amalgamable varieties of pseudo-Boolean algebras”, *Algebra and Logic*, 16, 1977, pp. 427-455.
5. Priestley H., “Ordered sets and duality for distributive lattices”, *Annals of Discrete Mathematics*, 23, 1984, pp. 39-60.

BLAISE BLÉRIOT

KOGUEP NJIONOU

UNIVERSITY OF YAOUNDÉ 1 - CAMEROON

KOGUEP@YAHOO.COM *Some properties of fuzzy ideal of hyperlattice*

The concept of fuzzy ideal on an algebraic structure is well-known in the literature, but so far mostly fuzzy ideals on hypergroups and hyperrings have been studied, while the study of fuzzy ideals on hyperlattice has been neglected. In [6] we have introduced the notion of fuzzy ideal of hyperlattice and established some important properties. The notion of fuzzy prime ideal of a lattice has been studied in [4] and the notion of prime fuzzy ideal of a lattice was studied in [8].

In this talk the following topics are considered:

- 1) Examples of fuzzy ideals of a hyperlattice.
- 2) Construction of fuzzy ideal of a hyperlattice L induced by a fuzzy set of L .
- 3) Difference between fuzzy prime ideal and prime fuzzy ideal of hyperlattice and some properties of.
- 4) Prove of fuzzy prime ideal theorem for hyperlattice.

References

- [1] M. Attallah, Completely Fuzzy Prime Ideals of distributive Lattices, The journal of Fuzzy Mathematics vol. 8, No. 1, 2000, Los Angeles, 151-156.
- [2] P. Corsini, V. Leoreanu, Applications of Hyperstructure Theory, Dordrecht, Kluwer Academic Publisher, 2003.

- [3] B.A. Davey and H.A. Priestley, "Introduction to Lattices and order", Second edition Cambridge (2002).
- [4] T.K. Dutta and B.K. Biswas, On completely Fuzzy Semiprime ideals of a Semiring, The journal of Fuzzy Mathematics, Vol 8, No. 3, 2000, 577-581.
- [5] B.B. N. Koguep, C. Nkuimi and C. Lele, On fuzzy prime ideal of lattice, SAMSA Journal of pure and applicable mathematics, Vol. 3, pp 1-11, 2008.
- [6] B.B. N. Koguep, C. Nkuimi and C. Lele, On fuzzy prime ideal of hyperlattice, International Journal of Algebra, Vol. 2, no. 15, (2008) 739-750.
- [7] A. Rahnamai-Barghi, The prime ideal theorem for distributive hyperlattices, Ital. Journal of Pure and Applied Math., vol. 10, pp.75-78, 2001.
- [8] U.M. Swamy, D. Viswanadha Raju, Fuzzy ideals and congruences of Lattices, Fuzzy Sets and Systemes 95 (1998) 249-253.

JOANNA GRYGIEL
 JAN DLUGOSZ UNIVERSITY - POLAND
 J.E.GRYGIEL@GMAIL.COM
On some characterization of distributive lattice

ALDO V.FIGALLO
 UNIVERSIDAD NACIONAL DEL SUR - ARGENTINA
 AVFIGALLO@GMAIL.COM
 GUSTAVO PELAITAY
 UNIVERSIDAD NACIONAL DE SAN JUAN - ARGENTINA
 GPELITAY@GMAIL.COM
 CLAUDIA SANZA
 UNIVERSIDAD NACIONAL DE SAN JUAN
 CSANZA@CRIBA.EDU.AR

Tense operators on symmetrical Heyting algebras

In 1942, Gr. C. Moisil introduced symmetrical Heyting algebras as Heyting algebras with a dual involutive endomorphism. These algebras were investigated by A. Monteiro [4] and later on, by H. P. Sankappanavar [5] and L. Iturrioz [1]. In this paper, we define and study tense symmetrical Heyting algebras (or *TSH*-algebras) namely, symmetrical Heyting algebras endowed with two unary operators. These algebras constitute a generalization of tense Boolean algebras [3]. In particular, we obtain a topological duality for *TSH*-algebras. Besides, we present two characterizations of the *TSH*-congruences, one of them by means of the duality above mentioned.

References

1. L. Iturrioz, *Algèbres de Heyting Involutives*, Notas de Lógica Matemática 31, UNS, 1974.
2. L. Iturrioz, *Symmetrical Heyting algebras with operators*, Zeitschr. F. Math. Logik und Grundlagen. D. Math. 29 (1983), 33–70.
3. T. Kowalski, *Varieties of tense algebras*, Reports on Mathematical Logic 32(1998), 53–96.

4. A. Monteiro, *Sur les algèbres de Heyting Simetriques*, Portugaliae Math. 39, 1-4(1980), 1-237.
5. H.P. Sankappanavar, *Heyting algebras with a dual endomorphism*, Zeitschr. F. Math. Logik und Grundlagen. D. Math. 33(1987) , 563-573.

TOMOYUKI SUZUKI
 UNIVERSITY OF LEICESTER - UK
 TS119@MCS.LE.AC.UK

Canonical inequalities on FL-algebras

Canonicity of substructural logic, or more generally the canonicity of lattice expansions with non-smooth operations, has seen many contributions over the last decades. However, when we consider non-smooth operations, e.g FL-algebras, the canonicity results obtained from generalizing Jansson-Tarski's methods run into the problem of the existence of two types of extensions (sigma-extensions and pi-extensions), which do not coincide in general. In this talk, we will show how to harness Ghilardi and Meloni's technique of "parallel calculation" (Ghilardi and Meloni, 1997) to obtain new canonicity results for substructural logic. The method will be presented in the light of the recent work (Dunn, Gehrke and Palmigiano, 2005).

RODOLFO ERTOLA
 UNIVERSIDAD NACIONAL DEL SUR - ARGENTINA
 ADRIANA GALLI
 UNIVERSIDAD NACIONAL DE LA PLATA
 HERNÁN SAN MARTÍN
 RCERTOLA@YAHOO.COM.AR

Non-compatible Operations in Heyting Algebras

Abstract: We study some non-compatible operations that can be defined using the min operator in the context of a Heyting algebra. One example is the minimum x-dense, that has been studied from a logical point of view in [2]. We are interested, for instance, in interdefinability and equationality. Regarding logical questions, we focus on different axiomatizations and we consider if the corresponding extensions of intuitionistic logic are conservative. Finally, we study the relationship with the successor (see [1]).

References

- [1] Caicedo, X. and Cignoli, R. An algebraic Approach to Intuitionistic Connectives. Journal of Symbolic Logic. vol 66 (2001). pp. 1620-1636.
- [2] Humberstone, L. The Pleasures of Anticipation: Enriching Intuitionistic Logic. Journal of Philosophical Logic. vol. 30 (2001). pp. 395-438.

4.3 Contest

Contest: How to combine logics?

When we have two logics we may want to put them together. For example on the one hand we have a temporal logic, on the other hand a deontic logic, how to produce then a temporal deontic logic? This is a very interesting question in the engineering of logic. People have been working in the subject since about 15 years. But there are still some fundamental problems not completely solved, such as the collapsing problem. These problems are connected to the very nature of what a logical system is. One may wonder if the intuitive definition of combination of logic as the smallest conservative extension of two given logics really works, and also if it is always possible to combine two logics.

References

1. J.-Y.béziau, A paradox in the combination of logics, in Workshop on Combination of Logics: Theory and Applications, W.A.Carnielli, F.M.Dionisio and P.Mateus (ed), IST, Lisbon, 2004, pp.75-78.
2. C. Caleiro and J. Ramos. From fibring to cryptofibring: a solution to the collapsing problem. *Logica Universalis*, 1(1):71–92, 2007.
3. W.A. Carnielli; M.E. Coniglio; D. Gabbay; P. Gouveia; C. Sernadas, *Analysis and Synthesis of Logics. How to Cut and Paste Reasoning Systems*, Springer, 2008.
4. D.Gabbay, *Fibring Logics*, Oxford University Press, 1999.

How to take part in the contest?

All participants of the school and the congress are welcome to take part in the contest. Send a short paper (10 to 15 pages) to unilog2010@gmail.com before January 15th, 2010. The best ones will be selected for presentation at a special session during the congress and the jury will then decide which, if any, is the winner.

The jury is composed by Marcus Kracht, Dana Scott and Cristina Sernadas. The price will be offered by *Birkhäuser*.

CHRISTOPH BENZMÜLLER
ARTICULATE SOFTWARE - USA
C.BENZMUELLER@GOOGLEMAIL.COM

Simple type theory is well suited as framework for combining

Simple type theory is well suited as framework for combining classical and non-classical logics. This claim is based on the observation that various prominent logics, including (quantified) multimodal logics and intuitionistic logics, can be elegantly embedded in simple type theory. Furthermore, simple type theory is sufficiently expressive to model combinations of embedded logics and it has a well understood semantics. Off-the-shelf reasoning systems for simple type theory exist that can be uniformly employed for reasoning within and about

combinations of logics.

DOMINIQUE DUVAL

UNIVERSITY OF GRENOBLE - FRANCE

DOMINIQUE.DUVAL@IMAG.FR

How to combine diagrammatic logics

We claim that combining "things", whatever these things are, is made easier if these things can be seen as the objects of a category. We define the category of diagrammatic logics, so that categorical constructions can be used for combining diagrammatic logics. As an example, a combination of logics using an opfibration is presented, in order to study computational side-effects due to the evolution of the state during the execution of an imperative program.

VLADIMIR L. VASYUKOV

INSTITUTE OF PHILOSOPHY RAS - RUSSIA

VASYUKOV4@GMAIL.COM

Combining Logics from the Point of View of Universal Logic

In number of papers concerning the issue of combining logics, in fact, one and the same type of combination is exploited. But there are another types of combination which as a rule lay beyond the scope of scholars. In the paper all these types are considered in categorical setting. The categorical constructions introduced allow to describe the nature and the structure of the general universe of possible combinations of logical systems. It is shown that categorically such universe turns out to be both a topos and a paraconsistent complement topos.

4.4 Contributed Talks

MUSA AKRAMI
ISLAMIC AZAD UNIVERSITY - IRAN
MUSA.AKRAMI@GMAIL.COM

Avicennian ontological reading of the principle of non-contradiction

The main position of the logician as such may be the belief that principle of non-contradiction (PNC) refers in principle to propositions. Such an interpretation is a minimal reading of non-contradiction. There are also positions that deal with NCP metaphysically rather than semantically or logically.

Avicenna, as a peripatetic metaphysician-logician of Islamic era, gives some remarks on NCP in his books on general metaphysics rather than in books on logic. He follows Aristotles approach to show that non-contradiction is among the occurrences (avarez) to the existent inasmuch as it exists (or existence qua existence). According to Avicenna, truth (haqq) has several meanings, including existence in external things, permanent existence, and the state of the verbal statements or the state of the belief indicating the state of the external thing. This Aristotelian metaphysical interpretation of NCP, accepted by Avicenna, allows one to regard it as the most primary of all true statements. One should accept it on the basis of some metaphysical analysis and insight, so that it is the most evident of the self-evidents as a feature of existence. If existence qua existence is the subject matter of metaphysics, it exhibits non-contradiction as its most evident metaphysical feature.

In such an ontological reading of (PNC) in particular, and of logic in general, logic and its classical foundations manifest a metaphysical feature, showing a deep relation and correspondence between logic and ontology: logical entities, relations and events exhibit a correspondence to ontological entities, relations and events. As a corollary result of the research reflected in the present paper, any attempt to go toward universal logic must have an overlap with understanding formal ontology as the science of all formal principles governing existence qua existence and all entities belonging to various kinds of existence.

References

Aristotle (1984) *Metaphysics*, trans. W. D. Ross, revised by J. Barnes (Princeton, NJ: Princeton University Press).

Avicenna, *The Metaphysics of the Healing*, Translated by Michael E. Marmura, Utah: Brigham Young University Press, 2005.

Priest, G. et al. (2004) *The Law of Non-contradiction Principle*, Oxford University Press.

BERNARDO ALONSO
FEDERAL UNIVERSITY OF RIO DE JANEIRO - BRAZIL
UNIVERSITY OF HERTFORDSHIRE - UK
TALKTOBERNARDO@GMAIL.COM

Information Overload and The Entailment Property in The Logic of Being Informed

Informational reading of KTB (Brower's System), as proposed in Floridi 2006,

formalizes the relation of "being informed". To be more precise, in that paper it is argued that there is an information logic (IL), different from epistemic logic (EL) and from doxastic logic (DL) (Hintikka, 1962), that formalizes the relation a is informed that p (holds the information). This sense of "being informed" is related to cognitive issues and to the logical analysis of an agents possession of a belief or a piece of knowledge. In this paper we examine the process of combining a number of cognitively interpretable normal modal logics (NML) through the combination of axioms that satisfies IL. The motivation behind rebuilding Floridi's task is to analyse in detail two main philosophical consequences: Information overload and the dethroning of the $Kp \rightarrow Bp$ principle (Girle, 2000). We argue that these two consequences of IL pose a risk to theories about active externalism, such as The Extended Mind (Chalmers and Clark, 1998), bringing to light a weird kind of factual omniscience, with no logics that attribute such epistemic divinity to their agents. It is claimed that, to avoid this unexpected consequence, contents that were coupled to a cognitive system must have previously been consciously endorsed.

DOROTEYA ANGELOVA
 BULGARIAN ACADEMY OF SCIENCES - BULGARIA
 TEIAANG@YAHOO.COM

Paraconsistent and paracomplete logics: or how to treat logical pluralism

The aim of the talk is to be investigated some systems of paraconsistent and paracomplete logics and their role for the defence of Beall and Restalls interpretation of logical pluralism, namely that logic is both one and many [1:17]. This standpoint is strongly embraced with the view that the core notion for logic is logical consequence, i.e. the valid argument is one whose conclusion is true in every case in which all its premises are true [2:23]. The basic idea is that logical consequence is the stable kernel in the logical systems which entitle them to be called logic (this circumstance defines the uniformity of logic, it is a reason to be said that logic is one) and in the same time is a reason for their difference because the different logics present different explications of the mentioned cases. In this regard I will try to defend Restall and Bealls position that the specific cases, expressed by some paraconsistent and paracomplete logics, are the main characteristics which present some of the most essential and fruitful variety of logics. The reason is that they are connected with the precisification of consequence the necessary requirement to form logic and are basic for the models the sufficient condition to work this logic. I will illustrate the above circumstances regarding relevant logic and a couple of other paraconsistent and paracomplete systems. In the same time I will argue against the critiques towards the above view of logical pluralism.

References:

1. Beall, JC and Restall, G. (1999). Defending Logical Pluralism
 in: <http://consequently.org/writing/defplur/>
2. Beall, JC and Restall, G. (2006). Logical Pluralism. Oxford: Oxford University Press.

ARNON AVRON
TEL-AVIV UNIVERSITY
AA@TAU.AC.IL
JONATHAN BEN-NAIM
UNIVERSITY PAUL SABATIER - FRANCE
BENNAIM@IRIT.FR
BEATA KONIKOWSKA
POLISH ACADEMY OF SCIENCES - POLAND
BEATA.KONIKOWSKA@GMAIL.COM

Logics of Reasonable Information Sources

Extending the work of Belnap [1], we study structures which consist of a set of information sources providing information about formulas of classical logic and a processor collecting information from the sources and extending it using certain rules compliant with the truth tables of classical logic, which we call ESP structures. In continuation of our previous work [2], characterizing general ESP structures and the source-processor logics they generate, we now examine ESP structures with reasonable information sources which provide coherent information about formulas. We characterize the logic of a single reasonable source, and prove that the logics generated by ESP structures with reasonable sources coincide with the general source-processor logics described in [2]. However, we show that there are processor valuations in general ESP structures which cannot be obtained from any finite number of valuations defined by reasonable sources.

[1] A. Avron, J. Ben-Naim, and B. Konikowska, Processing Information from a Set of Sources, in: D. Makinson, J. Malinowski, and H. Wansing eds., *Towards Mathematical Philosophy*, Trends in Logic 28, 165 -186, Springer, 2009.

[2] N.D. Belnap, A useful four-valued logic, in: G.Epstein and J.M. Dunn eds., *Modern Uses of Multiple-Valued Logic*, 7-37. Reidel, Dordrecht, 1977.

HILAN BENSUSAN
UNIVERSITY OF BRASILIA - BRAZIL
HILANB@UNB.BR

Towards a universal logic of singularity

There are many different logical resources to express different kinds of singularity: those that satisfy descriptions, those that are demonstrated, those that are rigidly designated. Inspired by the approach taken by Universal Logic, we can develop a general framework for all encounters with singular items of all sorts a machinery that would enable us to express items in different patterns of singularity. In fact, singularities can be expressed by several kinds of logical resources, but there are arguably common elements to those resources. In particular, they work as some kind of glue between an expression and an item capable either to bear it or to be specified by it. These common elements to all kinds could start out with a break with all sorts of any: whatever is singular contrasts with what is no more than an example at least by being an example of too many things. In this work, I'll begin to explore what is common between

the various forms of expressing what is singular.

MATHIEU BEIRLAEN
GHENT UNIVERSITY - BELGIUM
MATHIEU.BEIRLAEN@UGENT.BE

Some Qualitative Adaptive Logics of Confirmation

Due to its definition in terms of classical logic, Hempel's satisfaction criterion of confirmation is unable to handle both incomplete data sets and data sets containing irrelevant information. In order to adequately handle these problems, a logic of confirmation must be non-monotonic. As an alternative to the satisfaction criterion of confirmation, I will present an adaptive logic of induction (devised by Diderik Batens) of which the consequence relation also serves as a criterion of confirmation. A variant of this logic will allow us to confirm only those hypotheses of which there is a positive instance in our data set (the notion of positive instance can be traced back to the work of Nelson Goodman, and provides us with an adequate solution for Hempel's Raven Paradox). Each of these logics can then be further extended to an even stronger logic of confirmation by performing various minor operations on its respective definition. Thus we become a whole family of logics of confirmation, each of which naturally characterizes the dynamics of confirmation and provides us with new heuristic tools for further research.

PIOTR BLASZCZYK
PEDAGOGICAL UNIVERSITY OF KRAKOW - POLAND

About the point where Achilles catches up with the Tortoise

FRANCESCA BOCCUNI
UNIVERSITY OF PADUA - ITALY
FRANCESCA.BOCCUNI@TISCALI.IT

Plural logicism

PG (Plural Grundgesetze) is a predicative monadic second-order system which is aimed to derive second-order Peano arithmetic. It exploits the notion of plural quantification and a few Fregean devices, among which the infamous Basic Law V. George Boolos' plural semantics is replaced with Martino's Acts of Choice Semantics (ACS), which is developed from the notion of arbitrary reference in mathematical reasoning. Also, substitutional quantification is exploited to interpret quantification into predicate position. ACS provides a form of logicism which is radically alternative to Frege's and which is grounded on the existence of individuals rather than on the existence of concepts.

References

1. Martino, E. (2001). Arbitrary Reference in Mathematical Reasoning. *Topoi*, 20, 65-77
2. Martino, E. (2004). Lupi, pecore e logica. (In M. Carrara and P. Giaretta

(Eds.), *Filosofia e logica* (pp.103-33). Catanzaro: Rubettino.)

ZBIGNIEW BONIKOWSKI
OPOLE UNIVERSITY
ZBONIK@MATH.UNI.OPOLE.PL
URSZULA WYBRANIEC-SKARDOWSKA
POZNAN SCHOOL OF BANKING - POLAND
UWS@UNI.OPOLE.PL
A Generalization of Certain Set-theoretical Operations

RAINHARD Z. BENGUEZ
TECHNOLOGY UNIVERSITY OF MUNICH
BENGUEZ@CVL-A.TUM.DE
On Gödel's completeness theorem

In this contribution we will give a (constrained) constructive proof of Gödel's Completeness-Theorem. For this we will define a certain set of formulae and derive a model which means that we are taking a semantic point of view (in the tradition of Tarski). Additionally to our main goal we will gain a didactic method of introducing, using and, therefore, understanding the semantic point of view (terms, manner of speaking).

SELMER BRINGSJORD
RENSSELAER POLYTECHNIC INSTITUTE (RPI) - USA
SELMER@RPI.EDU
JOSHUA TAYLOR
RENSSELAER POLYTECHNIC INSTITUTE (RPI) - USA
TAYLOJ@RPI.EDU
The cognitive path to universal Logic

One path to universal logic (and aspects and components thereof) is to focus on logics themselves. We give specifically the metaphor of the universal logician working in a library whose volumes are logics, where he or she reads and processes the content in these books in various ways (merging them, etc.). The cognitive path is different. It is based on an attempt to figure out how human beings populated the library to begin with: How do we create logics in the first place? In words some may find a bit more helpful: What is "background logic," formally speaking, and how do human cognizers problem-solve, reason, and make decisions in and on the basis of background logic? An answer to this question would, we claim, enable significant progress in universal logic. We report on our research intended to answer this question, and on a working computational system - Slate - designed to assist humans reasoning in background logic.

RAMON S. CAPELLE DE ANDRADE
ITALA M.L. D'OTTAVIANO
STATE UNIVERSITY OF CAMPINAS - BRAZIL

RAMONUNESP@YAHOO.COM.BR

ITALA@CLE.UNICAMP.BR

Implication and Causation: a realistic perspective

According to Peirce (1958), regularities result from conditional final causes understood as crystallised habits. A conditional sentence If A, then B is composed of two clauses, the antecedent, or the if part, and the consequent, or the then part. We understand the conditional sentence if A, then B in terms of a final cause. The antecedent A will be understood in terms of an efficient cause. So, for example, the consequent activate the production of histidine will be nomologically determined, given the presence of the state of affairs histidine less than X, by the final cause if the quantity of histidine is less than X, then activate the production of histidine. The aim of this work is to defend the hypothesis according to which the logical form If A, then B is present in the mode of expression of a physico-chemical law, of a biological conditional and of a habit. But the nomological connection between the antecedent A and the consequent B is not the same, which leads us to relate different pairs of antecedents and consequents with different types of implication. We will argue that physico-chemical laws, which have strong nomological power, are compatible with strict implication (the antecedent implies the consequent in all possible states of affairs). Biological conditionals, which have moderate nomological power, are compatible with material implication (the antecedent may be true and the consequent false). Habits, which have weak nomological power, are compatible with relevant implication (the antecedent may be true and the consequent false, but we need to avoid vacuously true consequents to suppose that there is a causal connection between the antecedent and the consequent).

References

1. ANDERSON, A.R.A.; BELNAP, N. D. Entailment: the logic of relevance and necessity. Princeton: Princeton University Press, 1975.
2. ARMSTRONG, D. M. What is a law of nature? Cambridge: Cambridge University Press, 1991.
3. D'OTTAVIANO, I. M. L On the development of paraconsistent logic and Da Costas work. The Journal of Non Classical Logic. V.7, 1990, p. 89-152.
4. PEIRCE, C. S. Collected Papers 6 vol. org. Harttshorne, c; Weiss, Cambridge, Ma: Harvard University Press, 1958.
5. SHOENFIELD. J. R. Mathematical logic. Readings: Addison-Wesley, 1967.
6. WIENER, N. Cybernetics, or control and communication in animals and machines. New York: Wiley, 1948.

SALOUA CHATTI

UNIVERSITY OF TUNIS - TUNISIA

SALOUACHATTI@YAHOO.FR

Referential opacity and epistemic logic

Referential opacity is the failure of substitutivity of identity and in Quine's view of existential generalization as well. Quine thinks that no solution of opacity is available in belief or modal contexts. But epistemic logicians like Hintikka and Lenzen think that referential opacity can be solved since it is due not to absence of reference but to plurality of references: its solution is provided by stabilizing the reference in belief and knowledge contexts. However, stabilizing the reference needs in Hintikka's frame pragmatic methods of identification while Lenzen prefers using Kripke's frame and rigid designation. My aim in this paper is to analyze these solutions in order to show if and how they provide answers to Quine's criticisms. I will then compare between these options and answer these questions (among others): How can one identify individuals? Under what conditions may one use 'exportation'? How is the De Re / De Dicto distinction treated? [De Re: $(\exists x) \text{Ka}(x=b)$; De Dicto: $\text{Ka}(\exists x)(x=b)$]. By answering these questions, I will show that Hintikka's approach keeps all its actuality since rigid designation is not always warranted and that we can preserve the De Re/De Dicto distinction, i.e. the singular/general distinction which is crucial in belief and knowledge contexts.

Bibliography:

1. Hintikka, J: Knowledge and belief: An introduction to the logic of the two notions, prepared by V.Hendricks and J.Symons, Cornell University press, 2005
2. Lenzen, W: "Epistemic logic", in Handbook of epistemology, I. Niiniluoto, M. Sintonen, and J Wolenski (eds), Kluwer 2002
3. Quine: "Quantifiers and propositional attitudes", in The Ways of paradox and other essays, Harvard University Press, revised edition 1976

SHIH-HSUN CHEN

NATIONAL CHUNG-CHENG UNIVERSITY - TAIWAN

On the Appropriateness of Taking $RCS(R3)$ as Domain of Region – Why $ROS(R3)$ is a good model of regions?

This paper is a note on treating " $ROS(R3)$ as a model of regions. Ian Pratt-Hartmann proposes taking " $ROS(R3)$ as a good model of regions in[1]. First of all, there are two meanings of mereotopology defined by Ian Pratt-Hartmann: (1) we can see mereotopology as a model of formal language of Boolean algebra, and (2) we can see mereotopology as a model of first-order language which describing regions. I try to point out the difference here, since the existence of region and that of boundary are different. We can easily construct another Boolean algebraic structure (in this structure, region contains its boundary) which is isomorphic to mereotopology, however, we could also find that this structure will confront some problems as being a model of first-order language which describes regions. Second, I will explain the reason why Ian Pratt-Hartmann thinks that

ROS(R3)(which is a mereotopology) is a good model of regions, moreover, I supply some proofs which Ian Pratt-Hartmann omits, such that readers interested in mereotopology can realize easily.

References:

1. Pratt-Hartmann, I., First-Order Mereotopology: in Handbook of Spatial Logics Aiello, M, I. Pratt-Hartmann and J. van Benthem ed. Dordrecht: Springer. pp.13-97, (2007)
2. van den Dries, L., Tame Topology and O-Minimal Structures, volume 248 of London Mathematical Society Lecture Note Series. Cambridge University Press, Cambridge. (1998)

YUE CHEN
RAY JENNINGS
J.SAHASRABUDHE
SIMON FRASER UNIVERSITY - CANADA
NEK@SFU.CA
JENNINGS@SFU.CA
JDS16@SFU.CA

Hypergraph as a semantic idiom

A new semantic idiom is presented in the paper, one that uses hypergraphs as the semantic representatives of sentences of a propositional language. A standard hypergraph H on a base set X is a collection of hyperedges that are subsets of X . We trace a short history of this idiom, one that focuses on a special kind of hypergraph whose base set is the power set $p(U)$ of the universe of a model. Power-set hypergraphs serve as a unifying semantic idiom that combines various previously known semantics for the first degree entailment of the system E of entailment. In this idiom, an ordering relation between simple (that is, inclusion-disordered) hypergraphs models the entailment relation. Such an entailment relation preserves chromaticity of the hypergraphs. Hypergraph therefore affords a richer idiom for semantic investigation than that of truth and meaning in standard semantics. As the ordering relation between simple hypergraphs varies, the comparatively rich hypergraph-theoretic idiom also reveals other, hitherto unstudied, systems. Furthermore, we show that any distributive lattice can be represented as a hypergraph lattice, whose expressive power therefore can hardly be exaggerated. These hypergraph structures are instances of more abstract structures amenable to algebraic methods. We can adopt as base structures, abstract algebraic structures more general than the Boolean algebra of subsets, for example, distributive lattices of various kinds, and usefully generalize the notion of simple hypergraph itself, as an antichain on a lattice. Taking this lead, in the final portion of the paper we generalize hypergraphs to a more abstract setting. Here we show that the language of hypergraphs is quite powerful and give a characterization of boolean lattices in this language. An examination of the properties of lattice hypergraph not only generates familiar

logic systems previously interpreted by more cumbersome semantic structures, but also affords new insights into connections between hypergraphs and lattices.

Few bibliographical references:

[1] A. R. Anderson and N. D. Belnap. Tautological entailments. *Philosophical Studies*, 13:924, 1961. [2] N. Belnap. How a computer should think. In *Contemporary Aspects of Philosophy*, pages 3056, 1977. [3] N. D. Belnap. Intensional models for first degree formulas. *Journal of Symbolic Logic*, 32:122, 1967. [4] B. Brown. Lp, fde and ambiguity. In *Proceedings of the 2001 Internal Conference on Artificial Intelligence*, 2001. [5] R. E. Jennings and Y. Chen. Articular models for first degree entailment. forthcoming, 2009. [6] R. E. Jennings and Y. Chen. Articular models for first degree paraconsistent systems. forthcoming, 2009. [7] J. M. Dunn. Intuitive semantics for first-degree entailments and coupled trees. *Philosophical Studies*, 29:149168, 1976. [8] J. Hintikka. Existential presuppositions and existential commitments. *Journal of Philosophy*, 56:12537, 1959. [9] R. C. Jeffrey. *Formal Logic: Its Scope and Limits*. New York: McGraw-Hill Book Company, 1967. [10] W. T. Parry. Ein axiomsystem für eine neue art von implication (analytische implication). *Ergebnisse eines Mathematischen Colloquiums*, 4:56, 1933. [11] R. Routley and V. Routley. The semantics of first degree entailment. *nous*, 6:335359, 1972.

LEONARDO CABRER

NORBERT PREINING

JAPANESE ADVANCED INSTITUTE OF SCIENCE AND TECHNOLOGY - JAPAN

LMCABRER@YAHOO.COM.AR

PREINING@JAIST.AC.JP

The semantic hierarchies of First Order Gödel Logics - algebra versus Kripke frames

The class of (first order) Gödel logics admits several layers of semantics. The most restrictive being semantics based on the Reals, the most permissive being Gödel (L-) algebras, with linear Kripke frames with constant domains between those two.

It has been shown that if one considers the generated logics as comparing factors, the subset of countable Kripke frames corresponds exactly to the real valued semantics, i.e., for each countable linear Kripke frame with constant domains there is a truth value set such that the respective logics coincide, and for each truth value set there is a countable linear Kripke frame with constant domains such that the respective logics coincide.

While both the study of logics based on a single truth value set or Kripke frame has been undertaken since about 20 years by various groups (e.g., [1,2]), in the algebraic case generally only logics defined by all or a large class of algebras has been studied.

The current work is targetted at pinpointing the sub-class of Gödel algebras that allow a similar representation result w.r.t. the set of linearly ordered Kripke frames with constant domains. Furthermore, we discuss the possibility to represent logics of single Gödel algebras as intersections of logics defined by Kripke frames.

[1] M. Takano, Ordered sets \mathbb{R} and \mathbb{Q} as bases of Kripke models. *Studia Logica* 46:137-148, 1987. [2] N. Preining, Gödel logics and Cantor-Bendixon Analysis. *Proceedings of LPAR 2002, LNAI 2514*, 327-336.

JEAN-PIERRE DESCLÈS
UNIVERSITY OF PARIS-SORBONNE - FRANCE
JEAN-PIERRE.DESCLÈS@PARIS-SORBONNE.FR
ANCA CHRISTINE PASCU
UNIVERSIT DE BRETAGNE OCCIDENTALE - FRANCE
ANCA.PASCU@UNIV-BREST.FR

How to articulate extension with intension and objects with concepts

From a logical viewpoint, object is never defined, even by a negative definition. This paper is a theoretical contribution about object by the way of a new constructivist logical approach called Logic of Determination of Objects (LDO) founded on a basic operation, called determination. This new logics takes in account cognitive problems as heritage of properties by non typical occurrences or by indeterminate atypical objects in opposition to prototypes that are typical completely determinate objects. We show how are defined and organized extensional classes, intensions, more and less determined objects, more or less typical representative of a concept, prototype, using a determination operation that constructs a class of indeterminate objects from an object representation of a concept object.

The aim of the LDO is to provide conceptual and logical answers to the following questions and issues: What is a typical instance? What is an atypical instance? What is a prototypical instance? How does one define a typicality relation between instances without using a degree of membership? Articulate intension with extension? Define "family resemblances"? Manage exceptions? Manage prototypical properties? Manage multiple inheritances? To study these problems, we adopt the general framework of Combinatory Logic (CL) (Curry, *Combinatory Logic*, 1958) with types in which it becomes possible to define not only operators of predication (predicates), but also operators of determination of objects, and operators for building indeterminate objects from concepts, as well as explicitly articulating, for given concepts, the "structured intension of concepts" with the "structured extension of concepts" without taking into consideration that intension is defined only by duality with the extension.

The LDO is a non-classical logic of construction of objects. It contains a theory of typicality and a extended system of quantification.

ELENA DRAGALINA-CHERNAYA
MOSCOW HIGHER SCHOOL OF ECONOMICS - RUSSIA

The binary quantifiers perspective on logicity

My purpose is to interpret abstract logics as formal ontologies, i.e. as genuine logics at least in phenomenological sense. My proposal is to consider classes of isomorphism as model-theoretic analogues of categorical objects of Husserl's formal region. Logic has no ontology, but logic is formal ontology. Some principles of demarcation of the bounds of logic as formal ontology are discussed.

Although Tarski's philosophical generalization of his permutation invariance criterion - our logic is logic of cardinality - appeared to be justified by the theory of monadic quantification (logic of properties of classes of individuals), it is not correct for the theory of binary quantification (logic of properties of classes of pairs of individuals). The point is that heterogeneous quantifier prefixes considered as binary quantifiers distinguish equicardinal relations. Thus not only cardinalities, but also patterns of ordering of the universe have to be taken into account by logic with binary quantifiers.

CATARINA DUTILH-NOVAES
UNIVERSITY OF AMSTERDAM - THE NETHERLANDS
C.DUTILHNOVAES@UVA.NL

The undergeneration of permutation invariance as a criterion for logicity
Permutation-invariance as a criterion for logicity is a much-discussed topic in the recent and not-so-recent literature. It has its enthusiastic defenders (Sher, Bonnay), but it has also met with considerable resistance. The most frequent charge of inadequacy is based on the claim that the criterion overgenerates, i.e. that it counts as logical notions that are arguably non-logical, in particular numerical notions. In fact, in his 1966 lecture *What are logical notions?* Tarski had already observed that it turns out that our logic [based on permutation invariance] is even less than a logic of extension, it is a logic of number, of numerical relations. (p.151) But what seems to be equally significant, and yet scarcely discussed, is the fact that the criterion also appears to undergenerate in light of the developments in logic of the last decades. At the time of Tarski's lecture, the logical systems being studied were still those which had been developed against the background of the logicist program, and as the purpose of logic according to the logicist program was to provide foundations to arithmetic, it was to be expected that these logical systems would be particularly sensitive to matters concerning cardinality and numbers. However, since then logic has developed in a variety of new directions, and its interface with computer science is particularly significant. Indeed, many of the notions and operators that are currently considered to be logical do not satisfy Tarski's permutation invariance criterion; this is the case for example of any non-S5 modal operator if interpreted on a Kripke-semantics (only the S5 modal operators satisfy the criterion). In my talk, I look into cases of undergeneration of the permutation-invariance criterion and discuss their significance for the matter of the true nature and scope of logic.

OSCAR ESQUISABEL
NATIONAL UNIVERSITY OF LA PLATA - ARGENTINA
OMESQUI1@SPEEDY.COM.AR

Leibniz: mathesis universalis, logic and science of forms
There is a received talk about the Leibnizian Mathesis Universalis as a kind of general or universal calculus. Our intention is not to contest or to reverse this interpretation, which has a long tradition imposed by the use, but rather to analyze more in detail the problems that are connected with the Leibniz's own conception about a Mathesis Universalis. Our objective here is not to get

into the details of this Leibnizian conception, but to characterize the status that Leibniz gives to the *Mathesis Universalis*, and, if possible, to delimitate the reach of such discipline.

We will try to defend the idea that the *Mathesis Universalis* has a variable status. In some point of its intellectual development, Leibniz conceived it as a structural mathematical science not limited to quantity exclusively, therefore he included the science of forms (named too the science of similar and dissimilar) within its domain. Later, Leibniz retracted from that inclusion and limited the *Mathesis Universalis* to the domain of quantity. In this way, the *Mathesis Universalis* became practically identical to algebra, although it was an extended algebra, as we have said beforehand. On the other hand, the structural-qualitative aspect became the object of the sciences of forms, which turned into a subordinating science in relation to the *Mathesis Universalis*. The reasons for these variations are probably due to changes in points of view about the reach of the science of forms, the conception of the concept of number and the way of understanding the relation between arithmetic and geometry.

1. Sasaki, Chikara, *Descartes' Mathematical Thought*, Dordrecht, Kluwer, 2003
2. Van Schooten, *Principia Matheseos Universalis, seu Introductio ad Geometriae Methodum Renati Des Cartes*, 1651.
3. Wallis, *Mathesis Universalis, sive Arithmeticum Opus Intgrum*, 1649; Newton, *Arithmetica Universalis and Mathesis Universalis Specimina*, manuscripts from 1648.
4. Leibniz, G.W. *Mathematische Schriften*, ed. por C.I. Gerhardt, 7 vols., Berlin-Londres 1849-1863 (GM)
5. Leibniz, G.W., *Smtliche Schriften und Briefe*. Herausgegeben von der Deutschen Akademie der Wissenschaften, Darmstadt, 1923; Leipzig, 1938; Berlin, 1950 = A.
6. Rabouin, David, *Mathesis Universalis. L'ide de mathmatique universelle dAristote Descartes*, Paris, PUF, 2009.

DANIEL GĂINĂ
 UNIVERSITY OF BUCHAREST
 GAINA.DANIEL@GMAIL.COM

Omitting Types Theorem Institutionally

We present a generalization of forcing in institution-independent model theory which is used to prove an abstract omitting types theorem applicable to many first-order logics, which are, roughly speaking, logics whose sentences can be constructed from atomic formulae by means of boolean connectives and finitary first-order quantifiers. These include first-order logic (**FOL**), logic of order-sorted algebra (**OSA**), pre-order algebra (**POA**), partial algebras (**PA**) as well

as their infinitary variants $\mathbf{FOL}_{\omega_1, \omega}$, $\mathbf{OSA}_{\omega_1, \omega}$, $\mathbf{POA}_{\omega_1, \omega}$, $\mathbf{PA}_{\omega_1, \omega}$.

LUIZ ESTRADA-GONZALEZ
AUTONOMOUS UNIVERSITY OF MORELOS STATE - MEXICO,
LOISAYAXSEGROB@GMAIL.COM

On the necessary properties of logical consequence

The question I am concerned with in this talk is whether the logical consequence relation (henceforth logical consequence for short) must satisfy necessarily some properties. In several papers Jean-Yves b eziau has put forward an argument to show that logical consequence needs no satisfy any principles. I will call this "the argument of induction-practice-analogy" and can be summarized as follows. Over the last one hundred years virtually every theorem, principle for connectives, principle for the consequence relation, etc. has been thrown out. [Now nearly every structure resulting for dropping such principles is accepted as logic.] This suggests that, in spite of the appearances, logic is not grounded on any principles or laws. This is much like the situation in algebra, where an algebra is defined as a collection of operations on a structure with no additional constraints on those operations. The shortcomings of this argument are those of any inductive and analogy argument. On one hand one has to be careful about how close the analogy between logic and algebra is. On the other hand, we have succeeded in dropping certain principles, theorems, rules, etc. but there are problematic cases. From the fact that we can do without monotonicity of logical consequence it does not follow that the result will be the same if we drop reflexivity or transitivity. The last contention is exactly Beall and Restall's in their book Logical Pluralism, since for them, from the analysis of the very notion of logical consequence, being it in the business of truth preservation (from premises to conclusions), logical consequence is transitive and reflexive, for truth preservation is indeed a reflexive and transitive relation. I am ready to grant that truth preservation is reflexive and transitive, but what I contend is Beall and Restall's characterization of the pretheoretical notion of logical consequence. More accurately, I contend the uniqueness of such a characterization. There are other characterizations of logical consequence, like the well-known q-consequence, but there are at least other two notions of logical consequence, one of them less known but already present in the literature, pconsequence, and other of which I have no notice and that I will dub r-consequence. Under those alternative characterizations logical consequence might not be reflexive or transitive, and this supports b eziaus intuition that logicity lies beyond any principles or laws.

KATARZYNA GAN-KRZYWOSZYNSKA
UNIVERSITY OF NANCY 2 - FRANCE
PIOTR LESNIEWSKI
ADAM MICKIEWICZ UNIVERSITY - POLAND
KGAN@UNIV-NANCY2.FR
GRUS@AMU.EDU.PL

Vuillemin between two Lukasiewicz's answers

Hao Wang said once "There is more philosophical value in placing things in their right perspective than in solving specific problems?. Let us emphasize the phrase more philosophical value. It is taken for granted that the fundamental (philosophical) question "What is logic?" (the question Q for short) is a properly (i.e. well-posed) question. Is that so? Following Ajdukiewicz's pragmatic logic we introduce some modified concepts of a positive (negative) assumption of a given question. (Although the so called an assumption based conception of presupposition is no longer apt. We are aware well of that David I. Beaver's belief.) We use the term assumption as more neutral than the term presupposition; obviously, the latter is worked out with great care and nicety of detail not only in basic systems of erotetic logic. A question whose positive or negative assumption is not true is called an improperly posed question. It is our considered opinion that the question Q could be posed in the contexts of progressive structures based on Roman Suszko's diachronic logic in particular. For the sake of brevity we call them progressive contexts. It goes without saying that the non-reductionistic approach to questions is adopted. Two different (and both famous) Lukasiewicz's answers to the question Q are expanded within broader scope of philosophical systems classification by Jules Vuillemin. Such an interaction between the principal trend in universal logic (that leads from logical matrices to abstract logics) and philosophical studies of assumptions goes far beyond the very idea of practical turn in logic (in the Gabbay/Woods' sense).

JUAN LUIS GASTALDI
UNIVERSITY OF BORDEAUX 3 - FRANCE
JUAN.LUIS.GASTALDI@GMAIL.COM

Logic and Philosophy in the work of Kant and Hegel: The philosophical conditions for a general logic

German Idealism, which dominated the philosophical scene in the 19th century, appears in the work of its two major figures, Kant and Hegel, as the endeavour to build and establish a general logic, to the determinations of which the classical metaphysical and ontological problems should be reduced. Although these attempts have scarcely contributed to the positive development of formal logic, it is possible to argue that they created the conditions that made possible the expansion of Frege's works impact, thus allowing his essential logical achievement to also become a major philosophical event that played a critical role in the birth of contemporary philosophy. This event should be seen as the expression of the philosophical generality or universality that the new logical achievements were able to claim. From a detailed analysis of both Kants Transcendental Logic and Hegels Dialect, focused on the distinction between conceptual determination and formal determination, this contribution will try to characterize this particular kind of universality that since the 19th century philosophy has expected from logic. Its aim is to propose a discussion on the conditions a logic should satisfy to be considered as general or universal from a philosophical point of view, as well as on the conditions that logic is, in return, allowed to impose on the philosophical discourse.

YVON GAUTHIER
UNIVERSITY OF MONTRÉAL - CANADA
YVON.GAUTHIER@UMONTREAL.CA

Modular polynomial logic

Modular polynomial logic is an arithmetical logic designed to produce a syntactic proof of the self-consistency of arithmetic. Arithmetic here is not the Dedekind-Peano set-theoretic arithmetic, but Fermat-Kronecker classical arithmetic or number theory with Fermat's infinite descent replacing Peano's induction postulate and Kronecker's forms (homogeneous polynomials) playing the role of generalized integers. Fermat's method of infinite descent following André Weil it is really a finite descent in finite fields is a constructive method in number theory and is not equivalent to complete or transfinite induction from a constructivist point of view (see 1,2,3) The formalization of infinite descent introduces non-classical or non-standard logical concepts that challenge the consistency of Peano arithmetic. According to Greg Restall's characterization, a paraconsistent logic is an inconsistency-tolerant logic; provided that the inconsistencies in question are located on the side of classical logic and standard arithmetic, modular polynomial logic is an absolutely paraconsistent logic in the sense that inconsistencies are everywhere else.

References

1. Gauthier, Y., Internal. Logic. Foundations of Mathematics from Kronecker to Hilbert, Kluwer, Synthese Library, Dordrecht/Boston/London, 2002.
2. Gauthier, Y. *Classical Function Theory and Applied Proof Theory*, International Journal of Pure and Applied Mathematics, Volume 56, no. 2 (2009), 223-233.

EMMANUEL GENOT
SHAHID RAHMAN
UNIVERSITY OF LILLE 3 - FRANCE
EMMANUEL.GENOT@FREE.FR
SHAHID.RAHMAN@UNIV-LILLE3.FR

A Dialogical Semantics for Interrogative Consequence

Interrogative consequence has been presented by (Hintikka et al. 1999), as an extension of classical consequence, in order to account for empirical reasoning as a variety of deductive reasoning with interrogative steps. Interrogative tableaux systems have also been used, and were given a game-theoretic semantics, reconstructing interrogative reasoning as a game against Nature. However, their puzzling proof-theoretic aspects have never been thoroughly discussed, and the semantics offered is unsatisfactory on many aspects. We discuss the semantics offered by (Harris 1994), and show why it has to be improved. We then propose a dialogical reconstruction of interrogative logic, and we establish that proof-theoretically, the core system captures Anderson and Belnap's first degree entailment, recovering classical logic by ad hoc closure rules. We show that the

dialogical semantics improves upon Harris' game-theoretic interpretation, and discuss the relation between this dialogic, classical game-theoretic semantics (for non-interrogative consequence) and dialogical semantics in general, with a particular attention to the interpretation of negation. We conclude by offering some comments on the modal interpretation of interrogative consequence—since the conclusion of an interrogative argument is, according to Hintikka, "known"—and its extension to cover nonmonotonic reasoning.

Bibliography

1. Genot, E.J., 2009, "The Game of Inquiry: the interrogative approach of inquiry and belief revision theory", *Synthese*, 171.
 2. Harris, S., 1994, "GTS and Interrogative Tableaux", *Synthese*, 99
 3. Hintikka, J., Halonen, and A Mutanen, 1999, "Interrogative Logic as a general theory of reasoning," in J. Hintikka, 1999, *Inquiry as Inquiry*, Kluwer.
- Anderson, A. R. and Belnap, N. D., 1975, *Entailment: The Logic of Relevance and Necessity*, Princeton University Press, vol. I

KATARZYNA GRYGIEL
JAGIELLONIAN UNIVERSITY - POLAND
GRYGIEL@TCS.UJ.EDU.PL

Lambda calculus vs combinatory logic: quantitative approach

In the beginning of the 20th century two new models of computations were introduced: lambda calculus and combinatory logic. It is a well known fact that they are equivalent in question of expression power. It turns out, however, that a typical lambda calculus term and a typical combinatory logic term are very unlike. Due to the quantitative approach towards those models we have shown that not only the structure, but also the semantics of typical terms differ radically. Using the notion of density we can define typical terms. By looking at them as at some special graph theoretical objects and applying combinatorial methods we can say how typical terms look like and on that basis claim some facts about their semantics (e.g. strong normalisation). Joint work with: Rene David, Jakub Kozik, Christophe Raffalli, Guillaume Theyssier, Marek Zaionc.

RAFFAELA GIOVAGNOLI
UNIVERSITY OF ROME 2 - ITALY
RAFFA.GIOVAGNOLI@TISCALI.IT

From Single to Relational Scoreboards

I move from some problems concerning the conception of single scoreboard in conversation grounded on a shared epistemic standard (David Lewis). Score evolves, like baseball, in a more-or-less rule-governed way: If at time t the conversational score is s , and if between time t and time t' the course of conversation is c , then at time t' the score is s' , where s' is determined in a certain way by s and c . Robert Brandom modifies Lewis single scoreboard: scorekeeping entails

that each interlocutor is assigned a different score. For to each, at each stage of conversation, different commitments and different entitlements are assigned. Ill describe some formal steps moving also from Mark Lance's and McFarlane's views of scoreboard in conversation to arrive at a plausible scheme that considers deontic statuses and deontic attitudes.

PAUL HEALEY
LONDON - UK
PAULMSRF@BTINTERNET.COM

Understandings of logic sublated by the dialectic

Empirical, Formal and Speculative understandings of logic as identified by Hegel will be given an axiomatic interpretation. The domain of their values will be decided by a three-valued modal relation for the probability mass function. Keynes and Poppers solution to the problem of unknown proportions will be challenged by an understanding of logic that puts the content of what the axioms mean for making rational decisions before their mere being. What is true for inferences will then work for the principle of a dialectic function in contrast to the two proposed by Hume and the one proposed by David Lewis . In this way, it will be demonstrated that Hegel's understanding of logic is still more advanced than ones that fails to recognise they function within the dialectic.

OLE HJORTLAND
THE UNIVERSITY OF ST ANDREWS - SCOTLAND
OLETHHJORTLAND@GMAIL.COM

Categoricity and Non-Classical Logics

We explore Carnap's so-called categoricity problem. Smiley (1996) solved the problem for classical logic, and Rumfitt (1997) follows up with a solution for Strong Kleene. Using n-sided sequent calculus, we offer a proof-theoretic framework to handle the categoricity problem for a range of many-valued logics. In conclusion, we discuss some connections with proof-theoretic semantics and the semantic role of proof-conditions.

1. Rumfitt, I.: 1997, The categoricity problem and truth-value gaps, *Analysis* 57(4), 223-236.
2. Smiley, T.: 1996, Rejection, *Analysis* 56(1), 19.

DALE JACQUETTE
UNIVERSITY OF BERN - SWITZERLAND
DALE.JACQUETTE@PHILO.UNIBE.CH

An argument for universal logic: troubles relativizing truth-functions in Tarski's truth-schemata hierarchy

Tarski avoids the liar paradox by relativizing truth and falsehood to particular languages and forbidding the predication to sentences in a language of truth or falsehood by any sentences belonging to the same language. The Tarski truth-schemata stratify an object language and indefinitely ascending hierarchy of

meta-languages in which the truth or falsehood of sentences in a language can only be asserted or denied in a higher-order meta-language. However, Tarski's statement of the truth-schemata themselves involve general truth functions, and in particular the biconditional, defined in terms of truth conditions involving truth values standardly displayed in a truth table. Consistently with his semantic program, all such truth values should also be relativized to particular languages for Tarski. The objection thus points toward the more interesting problem of Tarski's concept of the exact status of truth predications in a general logic of sentential connectives. Tarski's three-part solution to the circularity objection which he anticipates is discussed and refuted in detail. The upshot is to support a universal logic of propositional connectives whose truth values do not need to be relativized to a Tarskian hierarchy of linguistically relativized truth values.

COLIN JAMES III
CEC SERVICES - USA
INFO@CEC-SERVICES.COM

4vbc is proved to be a group, ring, and module

Four valued bit code (4vbc) consists of the elements $\{0, 0\}$, $\{0, 1\}$, $\{1, 0\}$, and $\{1, 1\}$. The motivation is to show that 4vbc is a vector space, or if not then to show what category 4vbc is. This paper proves that 4vbc is not a vector space but is an Abelian group, a ring, and a module.

AMY D. KAROFKY
HOFSTRA UNIVERSITY - USA
PHIADK@HOFSTRA.EDU

Conditionals and contingentarianism

Conditional statements are known to be problematic. Its not clear whether a conditional should be treated truth-functionally and, if so, whether it should be treated as a single proposition or as a relation between two propositions. Furthermore, treating conditionals truth-functionally results in some strange consequences: It seems counterintuitive that anything can follow from a false antecedent and that anything can lead to a necessarily true consequent. And, in general, its not clear how to treat counterfactual conditionals. All of these problems are compounded when dealing with nested conditionals. I show that these and some other problems involving conditionals are due to the assumption that there is genuine contingency in the world. I argue that a rejection of contingentarianism in favor of necessitarianism results in the dissolution of all of these problems. I provide a necessitarian account of (so-called) conditional statements, according to which the only appropriate use of a conditional is when the truth value of the antecedent is unknown, and according to which (so-called) true conditional statements are more accurately expressed as nonconditional, universal or general propositions. Necessitarianism entails the collapse of modal logic (since the study of modal propositions will be the study of necessary propositions only (i.e. all propositions)). I argue that this consequence is both desirable and true.

YAROSLAV KOKHAN
ACADEMY OF SCIENCES OF UKRAINE
YARKAEN@UKR.NET

Semantical Presuppositions in Logical Syntax

Logical syntax itself depends on semantics because even principles the modern formal languages based on them implicitly contain two following semantical presuppositions: (I) all names of individuals are proper names i. e. everyone of them has the only denotation (not more or less); (II) model objects which are interpretants of linguistic expressions are all the denotations but not the senses. Let us call semantics based on these two principles the standard semantics. One can take different nonstandard semantics and build formal languages and calculi on them as on the basis. The author proposes to replace predicate notion with notion of generalized function for this purpose. This means that any such a function (a) can have any number of values as long as its arguments have fixed and (b) can have no arguments at all. Formal languages based on such notion of function require to generalize the equality relation and to introduce the special logical function of choice because of many-valuedness of functions in general case. Equality is definable in new languages. We can construct calculi with any given semantics in mentioned function languages.

ZOFIA KOSTRZYCKA
UNIVERSITY OF TECHNOLOGY - POLAND
Z.KOSTRZYCKA@PO.OPOLE.PL

Locally finite logics have the density

Our aim is to give more general conditions on the existence of the density of truth. The notion of local finiteness (for propositional logics) turns out to be very helpful in this task. We do not restrict our attention to logical systems defined in the standard propositional language – such as classical or intuitionistic logic. We also take into consideration a family of modal logics which obey our criterium. We prove that the density of truth exists for a large class of locally finite (locally tabular) propositional logics. We are primarily interested in classical and intuitionistic logic and show that their implicational fragments have the same density. There are also given some locally finite logics without the density of truth.

[1] Kostrzycka Z. *On the Density of Truth of Locally Finite Logics*, Journal of Logic and Computation, Advance Access, June 26, 2009.

BORIS KOVALERCHUK
CENTRAL WASHINGTON UNIVERSITY - USA
BORISK@CWU.EDU

LEONID PERLOVSKY
HARVARD UNIVERSITY AND AFRL - USA
LEONID@SEAS.HARVARD.EDU

On Dynamic Logic for Phenomena Modeling

This presentation provides a formal description of the Dynamic Logic for Phe-

nomena modeling (DLP) along with the comparison of the goals of DLP and some other dynamic logics. DLP is presented with its syntactic, reasoning, and semantic parts in terms of the model theory. Computational complexity issues that motivate this work are presented using an example of polynomial models. Modeling of complex real-world phenomena such as the mind presents tremendous computational complexity challenges. DLP addresses these challenges in a non-traditional way. The main idea behind its success in applications is matching the levels of uncertainty of the problem/model and the levels of uncertainty of the evaluation criterion used to identify the model. When a model becomes more certain then the evaluation criterion is also adjusted dynamically to match the adjusted model. This process is called Dynamic Logic of Phenomena modeling, which mimics processes of the mind and natural evolution. There are two complimentary trends in modeling physical phenomena and logic. In the first one, it is adding more logic structures to classical mathematical techniques. In logic, it is ?dynamification? of logic with various new non-classical logics about actions rather than about propositions as well as about making logic operations dynamic. To actually benefit each other these areas need to be close enough in specific tasks and goals. We use the comparison of goals to establish initial links of DLP with some dynamic logics and to facilitate further studies of linkages in both communities.

TAMAR LANDO
 UC BERKELEY COLLEGE OF LETTERS AND SCIENCE - USA
 TLANDO@BERKELEY.EDU
Completeness of S_4 with respect to the measure algebra

JUI-LIN LEE
 CHE-PING SU
 NATIONAL FORMOSA UNIVERSITY - TAIWAN
 JLLEELOGICIAN@GMAIL.COM
 AKIRASU.TW@YAHOO.COM.TW
A Remark on the minimality of ω

In this talk we will present the fact that the axioms of comprehension scheme and infinity in ZF do not exactly offer us the minimal collection of all natural numbers, as we usually expect or what we have learned from elementary set theory course. Since this is also true for any inductively defined set, inductive sets like the set of all terms (for a fixed first order language) or the quantifier-free part of a theory extension (constructed in [1] for a possible model of any given theory) are not as concrete as we think (though no paradox is generated and no harm is really made in the sense of formalism).

Reference:

[1] Jui-Lin Lee, The classical model existence theorem in subclassical predicate logics. I. Towards mathematical philosophy, pages 187-199, Trends Log. Stud. Log. Libr., 28, Springer, Dordrecht, 2009.

JAVIER LEGRIS
NATIONAL ACADEMY OF SCIENCES - ARGENTINA
JLEGRIS@RETINA.AR

Universality as generality: the case of Ernst Schröder's pasygraphy

According to Ernst Schröder's original idea of formal algebra, a formal theory is a set of basic symbols with certain combination rules. For these operations and relations certain postulates hold, from which theorems are derived. In this conception, the structural side of formal algebra is implicit. A formal theory is merely schematic, including the extreme case of schemata consisting exclusively of blanks. The applications of it to different domains can lead to formal systems with more meaningful symbols and less blanks. This general applicability of formal algebra suggested an idea of universality. It was implicit in Schröder's Handbook of algebra and arithmetic (1873) and underlies his Lectures on the Algebra of Logic. In volumen III of this work (1895), he extended this program, adopting the algebra of relatives of Peirce. Now, in his paper On Pasigraphy (1898), Schröder considered the algebra of relatives as a universal scientific language. At the same time, this pasigraphy was a foundational theory for *prima facie* every scientific domain. In this theory the basic or fundamental notions of pure mathematics (logic, arithmetic and geometry) are introduced. From these notions further theories could be formulated. This is a different conception of universality, resembling previous ideas of Frege, concerning a contentual universality. The aim of this paper is to analyze Schröder's conception of universality underlying his idea of a pasigraphy in its historical context, that is, as a chapter in the history of universal logic. Moreover, it will be discussed to what extent a general symbolic structure can be used as a basis for a universal language. It will be argued that the distinction between alternative senses of universality rests on alternative ideas of formal entities, whose ontological presuppositions should be elucidated. If a theory can be formal as far as it represents alternatively formal objects, on one side, and properties or structures, on the other side, then these two categories have to be clearly distinguished.

DOMENICO LENZI
UNIVERSITY OF SALENTO - ITALY
DOMENICO.LENZI@UNILE.IT

On a particular axiomatization of Propositional Calculus with the Negation and the Implication as the unique connectives

In a previous work we presented a complete axiomatization of the implicational fragment of the classical Propositional Calculus and gave a constructive proof of its weak completeness. Here we extend our results to the classical Propositional Calculus, with the negation and implication connectives. We will use only constructive proofs.

MARIA MANZANO
UNIVERSITY OF SALAMANCA - SPAIN
MARA@USAL.ES
ENRIQUE ALONSO

AUTONOMOUS UNIVERSITY OF MADRID - SPAIN
ENRIQUE.ALONSO@UAM.ES

Completeness: actors, history, and meaning

The completeness theorem is one of the best pointers of the balance, health and goodness of a formal system. A calculus without a semantic counterpart is a fruitless set of rules without a proper logical purpose. When and how is the necessity of a completeness proof born? When does it separate itself from a theorem concerning the decidability of satisfiability for a given logic? Russell and Whitehead were not in the position to properly distinguish and separate formal calculus and semantic issues, they do not believe that the semantical level constitute in itself a land for formal analysis. The early completeness demonstrations for Propositional Logics are intimately related to decidability and representation in terms of finite algebras. The original publications of Post, Stone, Quine, Tarski, and Gödel are relevant for this line. It was Gödel's idea not to presuppose decidability of the calculus and to search for completeness using a mechanism previously employed by Löwenheim and Skolem.

Henkin's completeness proof came two decades after, but it was soon adopted as the method, since it was rather flexible and could be easily applied to other logical systems. In fact, Henkin himself created it for Type Theory, but shortly realized that it could also be used in first order logic. This universal method is at present our main research interest. Its genesis is what we are trying to clarify.

This historical overview help us to analyse the present equilibrium between models and calculi of a given logical system. Can we use as well Henkins method in Universal Logic?

MARIA MANZANO
UNIVERSITY OF SALAMANCA - SPAIN
MARA@USAL.ES

LUIS URTUBEY
NATIONAL UNIVERSITY OF CORDOBA - ARGENTINA
LURTUBEY@GMAIL.COM

Completeness and interpolation with a standard abstract consequence relation.
Henkin's Completeness Proof deserves a place among those specific results lifted to broader logical contexts. Its advantages concerning flexibility and broad range of application have been widely appreciated. In the same vain, Robert Goldblatt has accomplished a sort of generalization of the method of Henkins completeness proof, more recently. After having developed his nowadays-famous proofs, Henkin adapted his method to apply it to other targets, such as the Craig-Lyndon interpolation. Incidentally, potential generalizations of Henkin's proper extension of the Craig-Lyndon interpolation theorem using his method of constants deserve further consideration. We expect that such a generalization would shed light on the epistemological significance of conditions concerning completeness. This paper aims to stress the significance of a generalization of Henkin's method, similar to the generalization accomplished by Goldblatt some years ago, to understand certain facts relevant to seek for some logical universals.

FEDERICO MARULANDA
UNIVERSIDAD MICHOACANA DE SAN NICOLÁS DE HIDALGO - MEXICO
FEDERICO.MARULANDA@GMAIL.COM

Limitations of axiomatic dialetheic truth theory

The best-known application of dialetheism is to semantic paradoxes such as the Liar. In particular, Graham Priest has advocated the adoption of an arithmetized axiomatic truth theory, which I will call PA^* , in which contradictions arising from the Liar paradox can be accepted as theorems, thanks to the adoption of an underlying paraconsistent logic. It would be remarkable if the soundness of PA^* could be proved from within PA^* , but this has not been accomplished (and Hartry Field has shown that the obvious proof strategy cannot succeed). I argue that if such a proof were forthcoming, certain facts about the behavior of the provability predicate for PA^* could not be established, whether in PA^* or outside of it, on pain of trivializing the theory. I discuss drawbacks associated with this fact, while raising several other criticisms of the dialetheic strategy along the way. I conclude that it is not in virtue of its truth theory that dialetheism is to be considered an attractive position.

JOKE MEHEUS
GHENT UNIVERSITY
JOKE.MEHEUS@UGENT.BE

Adaptive Deontic Logics for Various Types of Normative Conflicts

It is commonly known that Standard Deontic Logic leads to triviality when applied to normative conflicts. Over the past three decades, considerable attention has been paid to normative conflicts of the form "A is obliged and not-A is obliged". At this moment, a plethora of systems is available that can handle this particular form of deontic conflict. Other forms of normative conflicts have been largely (and in my opinion, unjustly) ignored.

The aim of this paper is threefold. First, I shall present a taxonomy of the different kinds of normative conflicts. Attention will be paid to the origin of the conflict as well as to the different kinds of "impossibility" that are involved. Next, I shall discuss different strategies to deal with the different kinds of normative conflicts and present general procedures to characterize the (monotonic) logics that are obtained by means of these strategies. Finally, I shall argue that these monotonic systems are too poor to deal with the different kinds of normative conflicts, but that the adaptive versions based on them lead to satisfactory results.

RICARDO MENDES GRANDE
STATE UNIVERSITY OF CAMPINAS - BRAZIL
RICARDOMGRANDE@BOL.COM.BR

On the applicability of mathematics

The purpose of this talk is to show how the concepts of formal content and duality due to Granger [1,2] can help us to explain why mathematics fits so adequately to the description of empirical reality. We take quantum mechanics as

a study of case to understand such a success of the applicability of mathematics. We try to give a different solution (from the well known ones) to the problem of the applicability of mathematics to empirical sciences. By those known solutions we mean the realist approaches derived from Plato, developed essentially by Frege [4], Steiners [5] anthropocentric account and few other approaches (apud[4]). We also try to account for another special feature of mathematics and that such a few philosophers have tried to understand; that's the role of the symbolic reasoning in helping scientists to make new discoveries, such as the ones we find in Dirac's work. We mean by that the prediction of anti-matter (see [3]). From a reasoning that seemed to be only a free symbol manipulation, Dirac was able to make these predictions that were confirmed in a short period of time; so we think that it's necessary to give an epistemological solution to this subject and that does not take into account the existence of mathematical objects in the sense the realists approaches believe they exist, i.e., in an analogous sense of the physical existence.

References

- [1] Granger, G.G. The notion of formal content, Social research, pag. 359-382, 49(2) 1982
- [2] Granger, G.G. Contenus formels et dualité, Manuscripto-revista internacional de filosofia. Vol.30, n.2, jul.dez.2007. Centro de lgica, epistemologia e historia da cincia-Unicamp
- [3] Lindsay, R. and B. Margenau, H. Foundations of physics, Chapter 1, Dover 1957
- [4] Da Silva, J.J. Filosofias da matemtica, Edunesp 2007.

MICHAEL MOORTGAT

UTRECHT INSTITUTE OF LINGUISTICS - THE NETHERLANDS

M.J.MOORTGAT@UU.NL

Tertium non datur in the Lambek-Grishin calculus

The Lambek-Grishin calculus (LG) is a bilinear extension of the Syntactic Calculus obtained by complementing Lambek's multiplicative conjunction and the residual left and right implications with a multiplicative disjunction and residual left and right coimplications (difference operations). Interaction between these two families is governed by linear distributivity principles. These principles are structure-preserving: they respect the non-commutativity and non-associativity of the multiplicative operations—essential properties for a logic that wants to capture word order and phrase structure in natural language. In this talk, we add two pairs of negations to LG: a Galois connected pair, and by arrow reversal, a dual Galois connected pair. The composition of the Galois connected operations yields a closure operation (being expanding, monotone, and idempotent); from the composition of the dual Galois connected operations, one obtains an interior operation (contracting, monotone, idempotent). We generalize the distributivity principles relating the product and coproduct operations to the unary negations and show that (directional versions of) the law of the excluded middle are theorems in this setting. Because the distributivity principles have the status of irreversible rules, collapse into a one-negation system with an in-

volutive negation and de Morgan interdefinability of the product and coproduct families is avoided. Instead, we find 'half' of the de Morgan laws. We show that LG extended with these negations has particularly simple analyses for a number of syntactic and semantic phenomena that are problematic for the original Lambek calculi.

References

1. Moortgat, M. (2009) Symmetric categorial grammar. J Philosophical Logic 38(6), 681-710.
2. Bernardi, R. and Moortgat, M. (to appear) Continuation
3. semantics for the Lambek-Grishin calculus. Information and Computation.

ALESSIO MORETTI

UNIVERSITY OF NICE - FRANCE

ALEMORE@CLUB-INTERNET.FR

The Aristotelian p^q -semantics and their p^q -lattices

"Universal logic" (UL) is said to deal essentially with the most abstract properties of "consequence". But if one acknowledges that logic is also concerned with "negation", things get more complex: since 2004 it has turned out that the pure formal study on negation opens to a whole new branch of mathematics, at the intersection of logic and geometry: "n-opposition theory" (NOT), the "geometry of oppositions" (negation being only a special kind of opposition). NOT teaches that the elementary oppositional structures (the logical "square", "hexagon", "cube",...) are just instances of "logical bi-simplexes of dim. m". And these, in turn, generalised by a game-theoretical "Aristotelian pQ-semantics" (generating "pQ-lattices"), are a particular case of "logical poly-simplexes of dim m". So, if NOT confirms the mathematical specificity of UL, its hyper-geometric nature changes UL's very architecture.

IONEL NARITA

WEST UNIVERSITY OF TIMISOARA - ROMANIA

IONEL.NARITA@GMAIL.COM

Decision method for the paradoxes of material implication

The aim of this study is to develop a method to select the occurrences of material implication in a formula of propositional logic which can be interpreted by the consequential relationship. It is well known that there are a lot of formulas of propositional logic, so that, despite their validity, they cannot be interpreted by correct arguments, because the material implication symbol cannot be interpreted by consequence (or deduction) relationship. For instance, though the formula $A_i(B_iA)$ is logically valid, there are incorrect arguments having the same logical form. These situations are known as paradoxes of material implication. On the other hand, there are formulas, as modus ponens, where the interpretation of material implication by consequence relation is possible without

paradox. It results that the symbol of material implication can be interpreted by consequence relationship only conditioned. In this study, a test to distinguish between paradoxical and unparadoxical occurrences of material implication is presented. By several examples, it is shown that in the same formula, different types of material implication occurrences (paradoxical or nonparadoxical) can exist. For example, the transitivity law, $((A \dot{\imath} B) \text{ and } (B \dot{\imath} C)) \dot{\imath} (A \dot{\imath} C)$, admits both paradoxical and nonparadoxical interpretations. While the argument $((P \text{---} Q) \text{ and } (Q \text{---} R)) \text{---} (P \text{---} R)$ is correct, an interpretation like $((P \dot{\imath} Q) \text{ and } (Q \text{---} R)) \text{---} (P \text{---} R)$ is an incorrect argument. (" $\dot{\imath}$ " = material implication symbol; " --- " = the relation of consequence).

RAJA NATARAJAN
TATA INSTITUTE OF FUNDAMENTAL RESEARCH - INDIA
RAJA@TIFR.RES.IN

Computer Aided Proof

We examine the impact of computers on the notion of mathematical proof. Recent advances in the field of 'Interactive Proof Checking' with the associated development of powerful tools such as 'Proof Assistants' have given rise to an interesting consequence – viz. the practical feasibility of importing techniques developed in the computer science community and redeploying them to improve the main activity of the working mathematician, namely the process of proof development. At the core of such redeployed techniques lie the notions of formal systems, formal reasoning, and formal proofs. However the process of formalizing mathematics is a highly non-trivial task, and gives rise to a number of challenging and interesting issues which need to be addressed in order to make the discipline of computer assisted mathematics more prevalent in the future.

References:

Asperti, A., Geuvers, H., and Natarajan R.: Social processes, program verification and all that, *Mathematical Structures in Computer Science*, Vol. 19, No. 5 (October 2009) pp. 877–896.

GRIGORY K. OLKHOVIKOV
URALS STATE UNIVERSITY - RUSSIA
GRIGORY.OLKHOVIKOV@USU.RU

Ross's Paradox: A New Approach

The report dwells upon a well-known paradox of deontic logic, namely, the Rosss paradox. It demonstrates how the paradox uncovers an important principle about norms. This principle is analyzed against the following backgrounds: (a) standard deontic logic; (b) propositional dynamic deontic logic; (c) propositional dynamic deontic logic of long-term obligations; (d) a mathematical theory of norms, devised by the author not long ago. Within the first three of the above-mentioned systems, the principle either cannot be presented in its true form, or can be presented and is invalid, which leads to obvious inadequacies in presentation of reasoning about norms. Within the fourth system, some versions of the principle can be presented and can be proven valid as well.

FABRICE PATAUT
UNIVERSITY OF PARIS 1 - FRANCE
FABRICE.PATAUT@UNIV-PARIS1.FR

Anti-realism, strict finitism and structural rules

The conclusion of Michael Dummetts's manifestability argument is that intuitionistic logic satisfies the semantic requirements of antirealism. Some philosophers have argued that the traditional antirealist desideratum of decidability in principle is too weak. Semantic antirealism properly construed must be committed to effective decidability. As such, it either leads to strict finitism (Wright [1982] 1987), or to a much stronger kind of logical revisionism: substructural logics, and in particular linear logics, rather than intuitionistic logic, satisfy the semantic requirements of strict antirealism (Dubucs and Marion 2003). I shall develop two kinds of replies. The first kind of reply is that if we jettison the effectively vs. in principle distinction, as applied to manifestability-type arguments, we end up with an unsatisfactory explanation of how the meaning of statements covering the practically unsurveyable cases is fixed. I shall then look at two radical antirealist principles disqualifying structural rules: Token Preservation and Preservation of Local Feasibility. Against Bonnay and Cozic's criticisms (Bonnay and Cozic, forthcoming), I shall argue (i) that some conceptual support may be provided for Token Preservation, which doesn't rely on a causal misreading of the turnstile, and (ii) that the appeal to non feasible ways of doing feasible things is not a good way to argue for Preservation of Local Feasibility.

References

1. BONNAY (Denis) and COZIK (Michael), forthcoming, "Which Logic for the Radical Antirealist?", *Logic, Epistemology and the Unity of Science*, Springer Verlag, Berlin and Heidelberg [24 pages, in print].
2. DUBUCS (Jacques) and MARION (Mathieu), 2004, "Strict Antirealism and Substructural Logics", *Philosophical Dimensions of Logic and Science*, J. Cachro, G. Kurezewski and A. Rojczak, eds., Kluwer Academic Publishers, Dordrecht, pp. 235-249.
3. WRIGHT (Crispin), [1982] 1987, "Strict Finitism", *Realism, Meaning and Truth*, Basil Blackwell, Oxford, 1st ed., pp. 107-175.

OXANA PAVLENKO
SOUTHERN FEDERAL UNIVERSITY - RUSSIA
SEASANA@MAIL.RU

The place of logic structure "question-answer" in dialogue theory of understanding

Understanding question as a particular form of conclusion appeared in philosophy discussions of Antiquity. According to Socrates a dialogue is joint search for truth and is formed from questions (problems and contradictions) and answers

(their solutions). Questioner and respondent in the process of dialogue exchanging thoughts express different views on the world. None of them is not true, but each of them can express his own understanding because the truth cannot be known by one person. In philosophy the hermeneutic method of understanding the sense of the text is the same as dialogue method where the structure "question-answer" is used. In his turn in informal logic D.Walton presenting a dialectical theory of explanation defined a successful explanation as a transfer of understanding from a respondent to a questioner in a dialogue. This theory combines two views on the nature of explanation: an explanation is seen as search for an answer to a question and is defined in terms of a concept called understanding. Such combination of different points of view is effectively for defining scientific explanations. Thus, logic of question is the main component in dialogue theory of understanding. Such coincidence of approaches to research of the procedure of understanding in philosophy and informal logic shows the importance of dialogue and its logic structure "question-answer" in developing of modern methodology of scientific cognition in whole. References: 1. Walton, Douglas. 2000. The place of dialogue theory in logic, computer science and communication studies. In *International Journal for Epistemology, logic and Philosophy of Science*, vol. 123, 327-346. 2. Walton, Douglas. 2004. A new dialectical theory of explanation. In *Philosophical Explanations*, vol.7, No 1, 71-89.

SERGEY PAVLOV
 RUSSIAN ACADEMY OF SCIENCES - RUSSIA
 SERGEY.APH.PAVLOV@GMAIL.COM

Truth and Falsehood Operators Logic from Point of View of Universal Logic
 This paper proposes the truth and falsehood operators logic. These operators are included in language of this logic which allows the iteration of such operators. The truth and falsehood operators (T, F) are logically independent. It give us an opportunity to consider class of sentential logics in the language of this logic which have 2, 3, 4-valued interpretations. So this logic can treated as universal logic relatively to this class of sentential logics.

The truth and falsehood tetralemma [1]:
 either (TS and FS), or (TS and FS), or (TS and FS), or (TS and FS).

Now let us consider language of logic with negation and implication ?.

Truth and falsehood conditions for negation and implication are standard.

In spite of above laws of classical logic are not valid.

So we can assert axiomatic emptiness relative to languages of logics with negation and implication.

Finally, bivalence principle is equivalent to T-biconditional.

Reference

[1] S.A. Pavlov. Logic FL4 with Falsehood Operator, MultiValued Logics, V. 5, 2000, pp. 125-138.

GILLMAN PAYETTE
 UNIVERSITY OF CALGARY - CANADA

GGPAYETT@UCALGARY.CA

Preservationism and Truth

This paper first introduces preservationism and give it a precise formulation. Second, Field's discussion of Kreisel's "squeeze" argument for using model-theoretic consequence as capturing the intuitive notion of validity is exposed. Discussion of Field's analysis of validity will lead to a discussion of Field's own view on the matter of soundness and his thesis that validity should be considered a basic, intuitive notion, given that validity can't be captured, even extensionally, by necessary truth preservation. I call his position "sociologism"-to be reminiscent of psychologism—since it relies on what we think to be valid reasoning, but it has less of a psychological bent. It is shown how the "sociologism" fits with the preservationist program. Finally, the matter of pluralism will be addressed. The end of the paper ties the preservationist program to the theme of universal logic.

ANDREA PEDEFERRI

UNIVERSITY OF MILAN - ITALY

ANDREA.PEDEFERRI@UNIMI.IT

Some remarks about the status of second order logic

Andrea Pedeferrri, Dpt of Philosophy, University of Milan, Italy, "Some remarks about the status of second order logic" Second order logic has been always considered problematic by modern logicians: so problematic that some of them refuse to call it logic at all. Lindström Theorem sets out a boundary between the "pure logicity" of first order logic and the "mathematicality" of second order logic: is the validity of completeness, compactness and Löwenheim-Skolem Theorem the only qualification to call a formal system "logic"? After all the lacking of expressive power of first order represented by the lacking of categoricity, could well be considered an important flaw too. Moreover, it could sound odd that, on the one hand we do not call second order a proper logic due to its being "uncontrollable", and on the other hand we state, as a corner stone of the "controllable" first order, the Löwenheim-Skolem Theorem, a theorem which states the incapability of a theory to "control" its models.

DENIS PONOMARYOV

INSTITUTE OF INFORMATICS SYSTEMS - RUSSIA

PONOM@IIS.NSK.SU

On decomposability in logical calculi

In Computer Science, decomposition is a standard technique to reduce complexity of problems. In Logic, the notion of decomposition appears in numerous applications including the important field of automated reasoning over theories. The main idea is to identify those fragments of a theory that are necessary and sufficient for testing a given property, thus reducing the search space and complexity of reasoning. There is a number of papers, in which modularization and decomposition methods for logical theories are considered.

In presence of interpolation, a natural approach is to consider signature

partitions of theories.

Assume T is a theory, $\text{sig}(T)$ is the signature of T , and Δ is a subset of $\text{sig}(T)$. We call the theory T Δ -decomposable, if it is equivalent to a union of theories T_1 and T_2 such that the union of $\text{sig}(T_1)$ and $\text{sig}(T_2)$ equals $\text{sig}(T)$ and the intersection of $\text{sig}(T_1)$ and $\text{sig}(T_2)$ is exactly Δ . In the case Δ is empty, we speak of a pure decomposition of T into signature-disjoint theories and if $\text{sig}(T_1)$ or $\text{sig}(T_2)$ equals Δ , we say that T is trivially Δ -decomposable. In fact, the components T_1 and T_2 induce a partition of the signature $\text{sig}(T) \setminus \Delta$ which we call a signature Δ -decomposition of T . Note that T_1 or T_2 may happen to be non-trivially Δ -decomposable and thus, give a finer signature *Delta*-decomposition of T .

We consider the problem of deciding whether a given finite set of formulas is non-trivially Δ -decomposable for a given subsignature Δ . Which logical calculi allow for an algorithm to compute signature Δ -decompositions for an arbitrary given finite set of formulas T and a $\Delta \subset \text{sig}(T)$? What properties should a calculus satisfy for every its set of formulas to have a unique finest signature Δ -decomposition for each subsignature Δ ? In the talk, we give a partial answer to these questions on the example of a broad class of logical calculi. Unsurprisingly, the considered problems are closely related to important interpolation properties studied in logics: the Craig interpolation property and uniform interpolation property. The results covered in the talk are directly transferred to the classical, intuitionistic logic, and a wide range of modal logics.

FREDERIK VAN DE PUTTE
GHENT UNIVERSITY - BELGIUM
FRVDEPUT.VANDEPUTTE@UGENT.BE
Three Adaptive Logics of Induction

In this talk I want to present three basic adaptive logics of induction: LI, IL and G, defined within the standard format for adaptive logics from [2]. They provide three different qualitative accounts of how people might derive generalizations from a set of data. As expected, and as usual for most adaptive logics, they are nonmonotonic and have a dynamic proof theory.

The consequence sets of the three basic logics are closed under classical logic. For so-called “complete data”, the basic logics all lead to the same consequence set. The difference lies in the conditional assumption each of them makes, which results in a different outlook of the proofs, and in significantly different consequences for some canonical “incomplete” premise sets. The logics can be ordered according to their strength (proofs have been provided). This leads to unexpected results when it comes to the need of instances or even positive instances to derive a generalization. It turns out that this extra condition actually strengthens the consequence relation, rather than weakening it.

Starting from some observations about G, I will show that yet another strengthening of this logic is both plausible and possible. I will rely on the Popperian idea that stronger generalizations should be privileged over less stronger ones, and apply this to G. This will result in a definition of SG, the strongest logic within the whole range of adaptive logics of induction studied so far.

References

- [1] D. Batens and L. Haesaert. On classical adaptive logics of induction. *Logique et Analyse*, 46:225-290, 2003.
- [2] D. Batens. A universal logic approach to adaptative logics. *Logica Universalis*, 1:221-242, 2007.

A.V. RAVISHANKAR SARMA
INSTITUTE OF TECHNOLOGY - INDIA
AVRS@IITK.AC.IN

Role of Abductive Reasoning in Belief Revision

Belief revision is concerned with how we modify beliefs when we receive new evidential information. The rational behind such modification is to fix some of the inconsistencies arising out of a conflict between accepting new and old information together. Abductive reasoning on the other hand starts from a set of accepted facts and infers to their most likely or best explanation. To explain an event is to give a causal history, in many cases, causal explanation can be taken as best explanation. Suppose I observe that my car wont start and makes flicking noise. Then I look for potential explanations (empty fuel tank, bad weather) which deals with the problem. The causal explanation which invokes sufficient conditions of why my car wont start is that the battery is dead. We revise beliefs accordingly and accept the inference to the best explanation, i.e., causal explanation. Despite immense importance of causal explanation in the process of belief change, we come across a very little literature on how we change beliefs in situations where causal explanations are important.

In this paper we present a theory of belief revision while extending Pagnucco, Nayak and Foo's approach of belief revision in the context of abduction, and propose an abductive entrenchment ordering for generating and evaluating the potential explanations. Our basic hypothesis is that an agent seeks *explanation*, before adding the new evidential information with the old. These potential explanations are then ordered based on the informational value and background context and eventually lead to a best explanation which explains the data. The best or adequate explanation is the one which gives necessary and sufficient conditions for phenomenon under observation. In other words, not all explanations are acceptable for abduction, but only the best or at least good ones as proposed by Peter Lipton, which is popularly known as *inference to the loveliest explanation*. We provide a criteria of such preferential ordering of explanations and provide sphere semantics for the resulting abductive entrenchment ordering. This approach to belief revision may be called causal approach to belief revision. One limitation and difficulty with causal approach is to deal with belief revision due to non-causal explanations. .

1. Peter Gärdenfors, *Knowledge in Flux: Modeling the Dynamics of Epistemic States*, Bradford Books, MIT Press, 1988.
2. Lipton, Peter. (2001). *Inference to the Best Explanation*, London: Routledge.

3. Maurice Pagnucco, Abhaya C. Nayak, Norman Y. Foo: Abductive Reasoning, Belief Expansion and Nonmonotonic Cesequence. *Deductive Databases / Abduction in Deductive Databases 1995*: 143-158

HÉLIO REBELLO CARDOSO JR
STATE UNIVERSITY OF SÃO PAULO - BRAZIL
HEREBELL@HOTMAIL.COM

Peirce's logic of relatives and the pluralism of continuity relative and continuous predicates

One of the most important Peircean philosophical problems is continuity. Its mathematical and metaphysical problems had received a logical reasoning. In fact, Peirce developed the logic of relatives, in order to study pluralistic change as continuity's main character. He states: continuity is simply what generality becomes in the logic of relatives (CP 5.436, 1905). It means that the general feature of continuity can be mostly spelled out in terms of relations, since they are the proper predicate to define continuity. Therefore, a pluralistic changing reality could be expressed according to relative predicates (CP, 3.638, 1901) and these ones are supposed to be ruled by the utmost form of pure or continuous predicate (New Elements of Math., 1908). According to Peirce, the relative predicate provides the kind of predication in which different relatives belonging to the predicate stand generally for a relation or relative character and the reality which corresponds to a proposition with a relative predicate is called fundamentum relationis. Moreover, different relations might gather together so as to form a relationship system. Being the relative predicate a suitable way to define continuous reality, it would be appropriate that the system of continua would be also defined in terms of a conceivable predication. As a matter of fact, Peirce called continuous/pure predicate the self-containing character coming up through a series of relations so as to make its reality perfectly continuous. In this paper I shall consider, first, the vital link between continuity and the philosophical problem of relationship in some of Peirce's writings. Accordingly, second, I shall take into account that the development of the Peircean continuity has two parts. The first part envelops the typology of discrete collections and multitudes; the second one the typology of continuous multiplicities. Roughly, discrete collections are formed by units that could be individually assigned, while the unities of continuous multiplicities could not. Indeed, the line between discrete collections and continuous multiplicities is harder to draw than it appears at a first glance, because there are discrete collections that include individually or/and generally designated units, as they hold the premonition of continuity. This challenge is what makes the Peircean logic of relatives worthwhile, for it remains to be inspected if the implications between discrete collections and continuous multiplicities also involve the very definition of continuity so as to sustain relations as its proper predicate and not merely as a metaphorical way of speaking. An it fulfills my third goal.

GEMMA ROBLES

UNIVERSITY OF LA LAGUNA - SPAIN
GEMMAROBLES@GMAIL.COM

Disjunctive Syllogism, Lewis' modal logics and paraconsistency

In logics where rules $E\wedge (A \wedge B \vdash A, B)$ and $I\wedge (A, B \vdash A \wedge B)$ hold, ECQ ("E contradictione quodlibet": $A, \neg A \vdash B$) is equivalently formulated in the form $A \wedge \neg A \vdash B$.

As $E\wedge$ and $I\wedge$ hold in all logics defined in this paper, by ECQ we shall refer to this second version of the rule.

As it is well-known (cf. [4]), a logic S is paraconsistent if ECQ is not a rule of S . Not less well-known is the fact that Lewis' logics are not paraconsistent. But this fact is, indeed, no accident. Actually, Lewis holds that B is deducible from $A \wedge \neg A$ (equivalently, $(A \wedge \neg A) \rightsquigarrow B$ — \rightsquigarrow stands for strict implication), according to the argument in [3], p. 250, currently known as "Lewis' argument" (cf. [1] §16.1), which relies on the disjunctive syllogism (d.s) understood as a rule of inference.

The aim of this paper is not to discuss this challenged argument again (cf. e.g. [1] and [2]) but to define a series of paraconsistent logics included in Lewis' $S4$.

In all logics in this paper, d.s is understood as a rule of proof, not as a rule of inference. Therefore, ECQ does not hold in any of them. So, theories built upon these logics are not necessarily closed by d.s, and consequently, in case of inconsistency, triviality does not follow automatically. Nevertheless, consistent, prime theories are of course always closed by d.s.

All logics in this paper contain classical logic in the sense that all tautologies in \wedge , \vee and \neg are provable. Moreover, as d.s is a primitive rule in each one of them, Modus Ponens for \supset is available. A Routley-Meyer type ternary relational semantics is provided for each one of these logics. Soundness and completeness theorems are proved.

Acknowledgements: Work supported by research projects FFI2008-05859/FISO and FFI2008-01205/FISO, financed by the Spanish Ministry of Science and Innovation. G. Robles is supported by Juan de la Cierva Program of the Spanish Ministry of Science and Innovation.

References:

- [1] Anderson, A. R., Belnap, N. D. Jr. (1975) Entailment. The Logic of Relevance and Necessity, vol I. (Princeton University Press).
- [2] Anderson, A. R., Belnap, N. D. Jr., Dunn, J. M. (1992) Entailment. The Logic of Relevance and Necessity, vol II. (Princeton University Press).
- [3] Lewis, C. I., Langford, H. (1932) Symbolic Logic, Dover, New York, 1959.
- [4] Priest, G., Tanaka, K. (2004) Paraconsistent Logic. (In E. N. Zalta (Ed.), The Stanford Encyclopedia of Philosophy. Winter 2004 Edition). URL: <http://plato.stanford.edu/archives/win2004/entries/logic-paraconsistent>.

CASSIANO TERRA RODRIGUES
PONTIFICAL CATHOLIC UNIVERSITY OF SÃO PAULO - BRAZIL
CTRODRIGUES@PUCSP.BR

Deduction, Induction, and Abduction according to C.S.Peirce: Necessity, Prob-

ability, Discovery

According to C.S. Peirce, the essence of reasoning lies in the fact that where certain relations are observed to occur, certain others also obtain. So, there are three basic ways in which we can ascertain the logical connexion between premises and conclusions. Deduction is in first place the mode of necessary logical reasoning. It is the only mode of drawing necessary conclusions, for the truth of the premises grounds the truth of the conclusions. It can be described in its logical form as the well-known modus ponens or modus tollens. Induction is the type of reasoning that contrary to deduction doesn't draw necessary conclusions, for the truth of the premises doesn't necessarily warrant the truth of the conclusions, but only probably state it. Induction, therefore, doesn't allow for discovery, only for testing the conclusions we draw by deduction. Its specific feature is to allow us to see that certain characters belong to certain objects. Abduction is the type of reasoning that doesn't have any logical necessity and has the least probability of establishing a true relation between premises and conclusions, but is the only one with heuristic power. Its distinctive feature is that it tells us that certain objects might have certain characters. It can be described nonetheless as the logical fallacy of affirming the consequent, or *Post hoc ergo propter hoc*.

FRANCISCO J.SALGUERO-LAMILLAR

ANGEL NEPOMUCENO-FERNANDEZ

FERNANDO SOLER-TOSCANO

EMILIO GÓMEZ-CAMINERO

UNIVERSIDAD DE SEVILLA - SPAIN

ALGUERO@US.ES

NEPOMUCE@US.ES

FSOLER@US.ES

EGCAMINERO@YAHOO.ES

Knowing and applying rules: tableaux for mixed modal deontic-epistemic logics

A game can be formalized in a multimodal logic with epistemic and deontic operators. Then, the game rules must be defined by means of associated epistemic and deontic actions, what means that we need a mixed modal deontic-epistemic logic to define a game as a set of rules in this way. Given a set of agents, models are constructed with two kinds of accessibility relations: equivalence relations for epistemic accessibility, and serial relations for deontic accessibility.

We will use labelled tableaux for dealing with this logic. Different labels are used according to the accessibility relation and the agent considered. Two kinds of rules are also used in this tableaux method that can be called common rules and inheritance rules. The former are used only once in the execution of the tableaux; the latter may be used so many times as we need and they guarantee that the accessibility relations have the desired properties. Indeed, we can deal with a S4 or a T system for epistemic operators just by changing the inheritance rules. Therefore, soundness is guaranteed by means of these inheritance rules. In such a system the operators iteration can make the tableaux infinite. But this tableaux method solves the problem by allowing us to get finite models

for interpreting mixed modal deontic-epistemic sentences that are satisfiable. To achieve this result we define accessibility relations for any deontic and epistemic interpretation of our modal operators and use this definition to develop construction rules for the tableaux with certain restrictions on world indices. This logic is very close to a dynamic interpretation of modal operators, since we can establish a relation between sentences that express strategic knowledge and some formulas of this logic.

DARKO SARENAC
COLORADO STATE UNIVERSITY - USA
DARKO.SARENAC@COLOSTATE DOT EDU
Modal logic for qualitative dynamics

DENIS I. SAVELIEV
MOSCOW STATE UNIVERSITY - RUSSIA
DENISSAVELIEV@MAIL.RU
Completeness in infinitary logi

We investigate infinitary logics $\mathcal{L}_{\kappa,\lambda}$ and some more abstract logics, in view of the following general question: Given a theorem of the usual finitary logic $\mathcal{L}_{\omega,\omega}$, as Löwenheim–Skolem, Compactness, Completeness, Ultraproduct, Omitting Type, etc., for which κ, λ the logic $\mathcal{L}_{\kappa,\lambda}$ satisfies an appropriate analog of that theorem? Typically, the answer leads to large cardinals. A particular emphasis of the talk will be to our recent result on the Infinitary Completeness Theorem. We show that in fact Completeness is equivalent to Compactness: any consistent theory in $\mathcal{L}_{\kappa,\lambda}$ has a model if and only if κ is strongly compact, and any consistent theory in $\mathcal{L}_{\kappa,\lambda}$ using at most κ non-logical symbols has a model if and only if κ is weakly compact. Actually, this result is applicable to a wider class of infinitary logics, e.g., this holds for higher-order ones: any consistent theory in $\mathcal{L}_{\kappa,\lambda}^n$ has a model if and only if κ is extendible. We discuss also infinitary analogs of other logical theorems.

References:

- [1] J. Barwise and S. Feferman (ed.). Model-Theoretic Logics. Springer, 1985, xviii + 893 pp.
- [2] M. A. Dickmann. Large Infinitary Languages: Model Theory. North-Holland, 1975, xv + 464 pp.
- [3] A. Kanamori. The Higher Infinite. Springer, 2005, xxii + 536 pp.
- [4] H. J. Keisler. Model Theory for Infinitary Logic: Logic with Countable Conjunctions and Finite Quantifiers. North-Holland, 1971, x + 208 pp.
- [5] H. J. Keisler and A. Tarski. From accessible to inaccessible cardinals. Fundam. Math., vol. 53 (1964), pp. 225–308.
- [6] M. Magidor. On the role of supercompact and extendible cardinals in logic. Israel J. Math., vol. 10 (1971), pp. 147–157.

MARCOS SILVA
LEIPZIG UNIVERSITY - GERMANY

PONTIFICAL CATHOLIC UNIVERSITY OF RIO DE JANEIRO - BRAZI
MARCOSILVARJ@HOTMAIL.COM *Truth Tables as Metaphysics: sense, calculus
and limits of expression in Wittgenstein's Tractatus*

The way of this research is to investigate how Wittgenstein's Tractatus can be read from its account of truth tables as a more adequate notational system for propositional expression, in comparison with the notation used in Principia Mathematica, for instance. In this way, I hold its truth table metaphysics as an specially illuminating key concept or reading strategy for understanding Tractatus. I defend that its truth table account is rich enough to allow a global reading of central tractarian theses about modeling paradigms in the nature of language.

Here follows an enumeration to these positive tractarian theses: 1) a strong principle of Frege or truthfunctional principle (every proposition is elementary or can be analysed in terms of elementary propositions); 2) a postulating of a complete propositional analysis; 3) sense propositional determinateness; 4) essential propositional bipolarity as a criterion for sense (a legitimate proposition should be able to be true and to be false); 5) a possible fully expression of reality. Besides, there are some specific theses about logic, namely: 6) logical propositions are tautologies; 7) they can be recognized by the symbol itself (where truth table could be a decision algorithm); 8) they are complex, i.e., a special articulation of elementary proposition; 9) logical propositions make manifest (zeigen) the inner structure of language; 10) logical operators do not denote anything in reality (its Grundgedanke!). This tentative approach shed light indirectly on the strong original relationship between tractarian theses and its specific account of logic. In this sense, it is easier to acknowledge that one of the major efforts made in Tractatus was the defence of an account of logic that could make logical propositions categorically different from scientific ones.

My point here is to show that when truth table is understood as an special notation, some theses in Tractatus can be elucidated both positively and negatively. In a positive way, as the topics above suggest. And in a negative way: revealing where and when these tractarian theses fail and bring down the whole tractarian project. We can read Tractatus from its truth table account emphasizing what Wittgenstein was trying to perform, i.e., to determinate an exhaustive horizon to propositional sense. This suggestion of reading can also exhibit tractarian failure, namely, the expressive incapacity of truthfunctional analysis deals with all empirical propositions, specially the ones which convey generality or hold any kind of gradation or series. In fact, Tractatus fails to deal satisfactorily with generalities (e.g. quantification in infinite domains), it lacks also subtleness in comparison to predicative negation (Tractatus holds negation as a propositional operator) and the exclusion by contrariety (e.g. ascription of color to visual points).

Tractatus fails where the truth table notation fails. It cannot deal with infinite generalities, predicative negation and exclusion by contrariety (only by contradiction). A fortiori, I defend that the failure ground to Tractatus is its strong compromise with the truth table as a more adequate notation to express

propositions. Tractatus has bet too much on a technique which has a very short scope of expressivity because of its high level of abstraction in analysis. As a result, if we hold the truth table notation as a conceptual key to Tractatus we can fully understand its project and failure. Moreover, we can also explicit the relevant metaphysical compromises of a truth table technique in its own origin (greatly forgotten nowadays).

LUIZ HENRIQUE DA CRUZ SILVESTRINI
MARCELO ESTEBAN CONIGLIO
STATE UNIVERSITY OF CAMPINAS - BRAZIL
HENRIQUE@CLE.UNICAMP.BR
CONIGLIO@CLE.UNICAMP.BR

Pragmatic satisfaction and quasi-truth

Newton da Costa and his collaborators (cf. [1]) have introduced the notion of quasi-truth by means of partial structures, where the relations within the structure are partial. Thus, the membership (or not) of a given tuple of the domain in such a relation is not always defined, and so any partial relation R is a triple of sets (P, M, D) where P is the set of tuples which effectively belong to R , M is the set of tuples which effectively do not belong to R , and D is the set of tuples whose membership to R is (still) undetermined. In this way, the predicates as triples approach provides a conceptual framework to analyse the use of (first-order) structures in science in contexts of informational incompleteness.

In this paper the notion of predicates as triples is extended recursively to any complex (i.e., non-atomic) formula of the first-order object language. Thus, the interpretation of any formula j in a partial structure A inductively originates a triple, generalizing da Costas approach to atomic formulas.

Moreover, this proposal generalizes the usual perspective of a given first-order formula j (with at most n free variables) within a structure A seen as a relation R , which is defined inductively. From this, a new definition of quasi-truth via the notion of pragmatic satisfaction is obtained.

References

[1] da Costa, N.C.A., and French, S. (2003). Science and partial truth: A unitary approach to models and scientific reasoning. Oxford: Oxford University Press.

EDÉLCIO GONALVES DE SOUZA
PONTIFICAL CATHOLIC UNIVERSITY OF SÃO PAULO - BRAZIL
EDELICIO@PUCSP.BR
ALEXANDRE AUGUSTO MARTINS RODRIGUES
UNIVERSITY OF SÃO PAULO - BRAZIL
AAMROD@TERRA.COM.BR

Quantifier Elimination and Strong Isomorphism

We generalize the classical theorem on quantifier elimination for infinitary languages, studying its consequences in respect to the notion of strong isomorphism

of substructures of a given structure that is a model of our initial theory. Therefore, we obtain a kind of abstract version of Steinitz theorem of the classical field theory.

SHASHI M. SRIVASTAVA
INDIAN STATISTICAL INSTITUTE - INDIA
SMOHAN@ISICAL.IC.IN

Some parametrization theorems for measurable sets with uncountable sections
Every analytic set in the product of two Polish spaces with uncountable vertical sections contains a set in the product of Selivanowski sigma-algebra and Borel sigma-algebra with sections perfect. This generalizes similar result proved by Wesley (using forcing) and Cenzer-Mauldin. We use it to prove some parametrization theorems for measurable sets with uncountable sections.

References:

1. D. Cenzer and R. D. Mauldin, Measurable parametrizations and selections, Trans. Amer. Math. Soc., 245, 1978, 309-408.
2. E. Wesley, Extensions of measurable choice theorems by means of forcing, Israel J. of Math., 14, 1973, 104-114.

PETROS STEFANEAS
NATIONAL TECHNICAL UNIVERSITY OF ATHENS
PETROS@MATH.NTUA.GR

On institutions and proof events

JENDRIK STELLING
LEIPZIG UNIVERSITY - GERMANY
STELLING.JENDRIK@GOOGLEMAIL.COM

Are Truth Values Algebraic?

Logicians talk about truth values all the time. When asked how to locate them, or how to decide how many truth values a given logic has, the orthodox answer has to do with algebraic semantics. The formula is simple: Construct a certain kind of minimal matrix semantics, look at the algebraic elements of the matrix's algebraic component, and voil: You've located the truth values. This view seems so plausible that it went virtually unchallenged until Polish logician Roman Suszko wrote a biting attack against the people advocating many-valued logics, chiefly among them his fellow Pole Lukasiewicz. Suszko argued that all many-valued semantics could be reduced to ordinary two-valued ones (albeit with some losses on the side). Since then, the nature of truth-values has entered the publications again. In this talk, I will ultimately argue that the whole idea of equating truth-values with algebraic elements is mistaken. I will present a different analysis, one that takes notions like truth and falsity to be secondary to the related notions of being truth-preserving and being falsity-preserving. This conception shifts the focus from the algebraic to the relational part of a given logical system. Related issues such as many-valuedness are also discussed.

GABRIELA STEREN

ARIEL ARBISER
UNIVERSITY OF BUENOS AIRES - ARGENTINA
GSTEREN@YAHOO.COM
ARBISER@DC.UBA.AR

Combinatory Logics for Lambda Calculi with Patterns

We introduce CL_p, a combinatory logic system for a lambda-calculus with patterns (namely lambda-P), obtaining a consistent extension of classical combinatory logic (CL). Our goal is to find an appropriate bridge between the two formalisms, and take advantage of some of the positive aspects of each. As in classical CL, our system will avoid dealing with abstractions and bound variables, while allowing functions to impose restrictions over their arguments through pattern matching, in the same spirit as in lambda-P. We introduce back and forth translation rules which allow us to represent this pattern calculus within the language of combinators, simulating the abstraction mechanism and achieving combinatorial completeness. Since the full language becomes non-confluent - as does the unrestricted lambda-P - we provide a restriction to the set of patterns (based on the revised Rigid Pattern Condition of lambda-P) so that the whole system satisfies confluence and ensures the consistency of the underlying logical theory. We propose and study other variants of interest such as the introduction of both curried and first-order constructors for modeling data structures and the generalization of the matching mechanism. We also introduce a more general definition of pattern matching, characterizing a family of confluent variants. Finally, we propose two type systems and prove the fundamental properties.

Bibliographical references:

1. Barendregt, H. P.: The Lambda Calculus: its Syntax and Semantics. Studies in Logic and the Foundations of Mathematics 103. North-Holland, Amsterdam, revised edition, 1984.
2. Klop, J. W., van Oostrom, V., de Vrijer, R.: Lambda Calculus with Patterns. Theoretical Computer Science, 398(1-3):16-31, 2008.
3. Schnfinkel, M.: ber die Bausteinen der mathematische Logik. Math. Ann. 92:305-316, 1924.
4. van Oostrom, V.: Lambda Calculus with Patterns. Technical report, Vrije Univ., 1990.

CHRISTIAN STRASSER
GHENT UNIVERSITY - BELGIUM
CHRISTIAN.STRASSER@UGENT.BE

Adaptively Applying Modus Ponens in Conditional Logics of Normality

Since the early eighties default reasoning, i.e., reasoning on the basis of what is normally or typically the case, has drawn much attention from philosophical logicians as well as scholars working in artificial intelligence. A promising logical representation has been given in form of conditional logics of normality (see e.g. [2], [3]). Compared to classical approaches such as default logic, circumscription, autoepistemic logic, these logics benefit from a natural, simple

and unifying representation of default knowledge in form of conditionals $A?B$: From A normally follows B . While these logics offer promising ways to reason about conditionals, what is missing is the ability to perform default inferencing itself. This talk presents a generic way to enhance given conditional logics of normality in order to allow for defeasible applications of modus ponens (MP) to conditionals. For that purpose an adaptive logic framework is introduced. Adaptive logics (see [1]) allow us to apply MP to a conditional $A?B$ and a fact A on the condition that it is safe to do so, concerning the factual and conditional knowledge at hand. It is unsafe, for instance, if the factual information describes exceptional circumstances to a given rule. The two adaptive standard strategies are shown to correspond to different intuitions, a skeptical and a credulous one, that manifest themselves in the handling of so-called floating conclusions.

References:

- [1] Diderik Batens. A universal logic approach to adaptive logics. *Logica Universalis*, 1:221242, 2007.
- [2] Craig Boutilier. Unifying default reasoning and belief revision in a modal framework. *Artificial Intelligence*, 68(1):3385, 1994.
- [3] Philippe Lamarre. $S4$ as the conditional logic of nonmonotonicity. In *KR*, pages 357367, 1991.

THOMAS STUDER
UNIVERSITY OF BERN - SWITZERLAND
TSTUDER@IAM.UNIBE.CH

Syntactic cut-elimination for modal fixed point logics

Fixed point extensions of propositional modal logics occur naturally in many different contexts. In epistemic logic, for instance, common knowledge of a proposition is defined as the greatest fixed point of a certain positive operator. Also in temporal logics safety and liveness properties are formalized by least, respectively greatest, fixed points. Kozen's μ -calculus provides the general extension of modal logic with fixed points for arbitrary positive operators.

From a proof-theoretic perspective, syntactic cut-elimination is one of the major open problems for these logics. In this talk we will survey the problem of cut-elimination for modal fixed point logics. We will present a solution for the case of common knowledge which makes essential use of deep inference. Moreover, we discuss whether and how far this approach can be extended towards a cut-elimination procedure for the modal μ -calculus. We will show new results characterizing exactly the fragment of the μ -calculus for which the deep inference approach to cut-elimination works.

KORDULA SWIETORZECKA
JOHANNES CZERMAK
UNIVERSITY OF CARDINAL ST. WYSZYNSKI IN WARSAW, POLAND
Some calculus for a logic of change

TINKO TINCHEV

SOFIA UNIVERSITY ST KLIMENT OHRIDSKI - BULGARIA
TINKO@FMI.UNI-SOFIA.BG

Universal fragments of the logics of the strong contact and the strong connectedness

Traditionally, the classical geometry and topology as an abstract kind of geometry are point-based in a sense that they take the notion of a point as one of the basic primitive notions. An alternative approach to the theories of the space goes back to Whitehead. It is based on the notion region as primitive and the binary predicate contact between regions. Usually the regions are regular closed sets in a given topological space (which form a Boolean algebra), the binary contact relation between regions is the relation ‘non-empty intersection’ and the unary relation connectedness is connectedness in topological sense. The binary relation strong contact between regions is defined as topological connectedness of the interior of the meet of non-empty subregions. The unary relation strong connectedness is defined as topological connectedness of the interior.

In the present talk axiomatizations of the universal fragment of the first-order theory of the Boolean algebra of regular closed subsets with the relations strong contact and strong connectedness for different classes of topological spaces are given. In particular we consider the so-called polytops in Euclidean plane.

IVAN VARZINCZAK
JOHANNES HEIDEMA
KATARINA BRITZADIMIR
MERAKA INSTITUTE AND UNIVERSITY OF SOUTH AFRICA
IVAN.VARZINCZAK@MERAKA.ORG.ZA
JOHANNES.HEIDEMA@GMAIL.COM
ARINA.BRITZ@MERAKA.ORG.ZA

Pertinent Entailment

We investigate infra-classical entailment relations that we call pertinent entailments. The notion of pertinence proposed here is induced by a binary accessibility relation on worlds establishing a link (representing some form of pertinence) between premiss and consequence. We show that this notion can be captured elegantly using a simple modal logic without nested modalities. One road to infra-classicality has been studied extensively, that of substructural logics, which weaken the generating engine of axioms and inference rules for producing entailment pairs (X, Y) . Here we follow an alternative (not antagonistic) strategy: we first demand that X entails Y classically, and then, with supplementary information provided by an accessibility relation, more, trimming down the set of entailment pairs to infra-classicality. It turns out that our pertinent entailment relations restrict well-known ‘paradoxes’ avoided by relevance/relevant logic in an interesting way. We also show that they possess other non-classical properties, like paraconsistency. Moreover, we investigate how a notion of obligation can be captured elegantly and simply by our formalism. We also discuss the properties of these pertinent entailment relations with respect to inference rules traditionally considered in the literature.

VLADIMIR VASYUKOV
RUSSIAN ACADEMY OF SCIENCES - RUSSIA
VASYUKOV4@GMAIL.COM

From logical to metalogical pluralism

The recent situation in logics features the stable proliferation of non-classical logical systems and this process, to all appearances, is irreversible by its nature. During more than two thousand years the scholars considered Aristotelian and Stoic logics solely; modern classical logic is a continuation of this tradition being different just by its means. The emerging of non-classical logics stroke seriously the logical investigations compelling to reevaluate and cast doubt on many results which were took for granted so far. Though such a situation would be easily methodologically diagnosed - as the well-known "monism vs. pluralism" dilemma - but this by no means can help us to resolve a number of fundamental questions concerning the problem of plurality of non-classical logic responses on eternal disciplinary requests. This plurality makes important an issue of choice of the uniquely true among them while taking into account that there are no recipes and prescriptions for to-date. The strategy of overcoming this problem situation comes either to the quest for "paradise lost" (classical or other logic as the only recipe) or to the decisive acceptance of the point of view of the principal plurality of logical systems as the future prognostic perspective. An interesting aspect of the confrontation considered is an issue of non-classical metalogics arising within the metalanguage formulation of logical consequence: from ? follows ? if and only if from A is true follows ? is true. The second word "follows" points to the metalogical consequence and then a question arises: would this consequence be necessary the classical one? In fact, this condition is not necessary in many cases e.g. in relevant one but could we in this case reformulate the definition as "from ? relevantly follows ? if and only if from A is true relevantly follows ? is true"? Here we have a relevant logic in metalevel. But then there arises a temptation to introduce formulations of such a kind: "from ? intuitionistically follows ? if and only if from A is true intuitionistically follows ? is true", "from ? quantum logically follows ? if and only if from A is true quantum logically follows ? is true" etc. If we will try to identify some formulation of type "from ? in logic X1 follows ? if and only if from A is true in logic Y1 follows ? is true" and "from ? in logic X2 follows ? if and only if from A is true in logic Y2 follows ? is true" then we will need a meta-metatheory for defining criteria of such an identification. The universal logic seems to be the good one for this aim since within it the cross mutual translatability of logical systems is considered.

SHEILA VELOSO
STATE UNIVERSITY OF RIO DE JANEIRO UERJ
SHEILA.MURGEL.BRIDGE@GMAIL.COM
PAULO VELOSO
FEDERAL UNIVERSITY OF RIO DE JANEIRO, UFRJ
PAULA VELOSO
UNIVERSITY OF SÃO PAULO

Piaget-like transformation in universal logic

Piaget examined the behavior of classical propositional negation in the 50's. Examining the behavior of some negation induced transformations under composition, he found that they form a familiar 4-element group: the Klein group of symmetries. Piaget's analysis can be explained by the behavior of classical negation on a propositional letter: the integers modulo 2. This approach also works for other kinds of logics: e.g., in the case of intuitionistic logic, one obtains a monoid of transformations.

We extend these ideas to the context of universal logic and other kinds of negation-like unary symbols. We consider two unary symbols and examine the effect of applying one externally and the other internally, up to equivalence. These transformations under composition form a Piaget-like monoid. The behavior of the underlying unary symbols under composition form (cyclic) monoids of transformations. These underlying monoids of transformations impose constraints on the corresponding Piaget-like monoid, which determine, to a large extent, its structure. Piaget-like monoids provide useful information on their logics. Much as the determinant provides some information about a matrix, the Piaget-like monoid gives a condensed view of the logic, which may be easier to handle. Distinct logics may present the same Piaget-like monoid, but logics with non-isomorphic Piaget-like monoids are non-isomorphic as well.

Piaget-like monoids are useful tools for analyzing and comparing logics.

PETER VERDÉE
GHENT UNIVERSITY - BELGIUM
PETER.VERDEE@UGENT.BE

Rich Set Theory using Adaptive Logic

In this talk I present two solutions for the paradoxes of naive set theory. Naive set theory is based on the Abstraction axiom schema and the Extensionality axiom and leads to different paradoxes among which Curry's paradox, Russell's paradox and Cantor's paradox. These paradoxes and classical logic (CL) together trivialize naive set theory. The solutions presented here make use of so called adaptive logic (AL). This is a class of logics with a dynamic proof theory that elegantly formalize various kinds of complex defeasible reasoning forms. I discuss two classes of AL's as the underlying logic of a set theory based on the axioms of naive set theory. In this way, it is possible to block problematic (paradoxical) consequences of the axioms but allow for the unproblematic ones. The downside of going adaptive is a substantial increase in computational complexity. The philosophical purpose of this project is twofold. First, the process of searching for an appropriate AL solution might be seen as an intuitive explication for the defeasible reasoning process of overcoming the paradoxes of set theory. Secondly, the here presented adaptive set theories are interesting theories in their own respect. Most useful theorems in Zermelo Fraenkel set theory (ZF) are provable, but the adaptive theories are evidently non-trivial, in contrast to set theories like ZF. Moreover, the adaptive set theories start from no other than intuitive axioms on sets, unlike the rather counterintuitive set of axioms for ZF. One could argue that the adaptive set theories rely on weaker

philosophical assumptions and thus make fewer metaphysical claims.

JORGEN VILLADSEN

TECHNICAL UNIVERSITY OF DENMARK - DENMARK

JV@IMM.DTU.DK

Nominalistic logic

Nominalistic Logic (Jrgen Villadsen 2008) is a presentation of Intensional Type Theory (Paul Gilmore 2001) as a sequent calculus together with a succinct nominalization axiom (N) that permits names of predicates as individuals in certain cases. The logic has a flexible comprehension axiom, but no extensionality axiom and no infinity axiom, although axiom N is the key to the derivation of Peano's postulates for the natural numbers. We present a revised Nominalistic Logic with a new rule for application in the type theory such that each term has a unique type. We also add a choice axiom. The resulting logic provides a very concise foundation of mathematics.

References

Paul Gilmore 2001. An Intensional Type Theory: Motivation and Cut-Elimination. *Journal of Symbolic Logic* p. 383-400.

Jrgen Villadsen 2008. Nominalistic Logic: From Naive Set Theory to Intensional Type Theory. In Klaus Robering (Editor): *New Approaches to Classes and Concepts*. *Studies in Logic: Volume 14* p. 57-85 (College Publications).

ALEXEY G. VLADIMIROV

MAYMONID STATE CLASSICAL ACADEMY - RUSSIA

A.G.VLADIMIROV@MAIL.RU

Completeness in infinitary modal logic

We extend some results of Saveliev's "Completeness in Infinitary Logic" to infinitary modal logics. We show that the Canonical Model Theorem holds for all infinitary modal logics in the language $\mathcal{L}_{\kappa,1,\square}$ if and only if κ is a weakly compact cardinal. We show that some modal logics that are complete in $\mathcal{L}_{\omega,1,\square}$, e.g., $K, K4, S4$, remain complete in $\mathcal{L}_{\kappa,1,\square}$ for weakly compact κ . We discuss an analog of Sahlqvist's theorem. We discuss also Completeness of predicate modal logics in $\mathcal{L}_{\kappa,\lambda,\square}$. This is a joint work with Denis I. Saveliev.

References

[1] J. Barwise and S. Feferman (ed.). *Model-Theoretic Logics*. Springer, 1985, xviii + 893 pp.

[2] P. Blackburn, J. van Benthem and F. Wolter (ed.). *Handbook for Modal Logic*. Elsevier, 2007, xii + 1231 pp.

[3] A. Chagrov and M. Zakharyashev. *Modal logic*. Oxford, 1997, xvi + 605 pp.

[4] M. A. Dickmann. *Large Infinitary Languages: Model Theory*. North-Holland, 1975, xv + 464 pp.

[5] A. Kanamori. *The Higher Infinite*. Springer, 2005, xxii + 536 pp.

[6] G. Sambin and V. Vaccaro. A new proof of Sahlqvist's theorem on modal definability and completeness. *J. Symb. Logic*, vol. 54 (1989), pp. 992-999.

URSZULA WYBRANIEC-SKARDOWSKA
POZNAN SCHOOL OF BANKING, POLAND
UWS@UNI.OPOLE.PL
JACEK WALDMAJER
UNIVERSITY OF OPOLE, POLAND
JWALDMAJER@UNI.OPOLE.PL
On consequence operations

STEPHAN VAN DER WAART VAN GULIK
PETER VERDÉE
GHENT UNIVERSITY
STEPHAN.VANDERWAARTVANGULIK@UGENT.BE
PETER.VERDEE@UGENT.BE

Gaining insight: towards a functional characterization of information in formal logics

It is quite common for logicians to accept the idea that deductive inferences are non-informative. Yet, this idea clearly conflicts with our everyday reasoning experiences: most of us will acknowledge that some inferences bring along new insights and thus seem to contain some kind of ‘information’ (for example, it is quite hard to argue that Euclid’s theorem contains no new information). In this talk, we shall present various conceptual and technical aspects of our project aimed at developing a formal framework that allows classical and non-classical logics to deal with the notion information in an intuitive way. The formal core of the framework is based on a slightly modified version of the so-called ‘block semantics’, developed by Diderik Batens, cf. [1], and encompasses two new quantitative information measure functions that enable us to express how much information is present (at a certain line) in a formal logic proof. The functions are based on the formal notions of entropy and self-information as defined in standard information theory. More specifically, the first function is able to express a precise distance between the amount of information at a line of a proof and the total amount of information present in the premises. The second function is a ‘goal-directed variant’ of the first function and allows us to formalize goal dependent accounts of information.

References

[1] D. Batens, Blocks. The clue to dynamic aspects of logic, *Logique et Analyse* 150-152 (1995) 285-328, appeared 1997.

TOMOYUKI YAMADA
HOKKAIDO UNIVERSITY - JAPAN
YAMADA@LET.HOKUDAI.AC.JP

Acts of Withdrawing in Dynamic Logic of Propositional Commitments

We usually withdraw our own assertions or concessions when our beliefs are revised. The effects of acts of withdrawing assertions or concessions, however, are significantly different from the effects of retractions studied in the AGM approach to belief revision; they do not satisfy AGM postulates for belief retractions. We develop a dynamic modal logic that can deal with effects of acts of

withdrawing of assertions and concessions by extending a dynamic logic called DMPCL (Dynamified Multi-agent Propositional Commitment Logic), which is developed according to the same strategy that leads to the development of dynamic epistemic logics in the last two decades. Thus we first develop a propositional modal logic, MPCL, which deals with static structures of multi-agent propositional commitments, and then “dynamify” it by adding dynamic modalities that represent acts of asserting and conceding to MPCL. In the resulting logic DMPCL, acts of asserting and conceding are modeled as events that update propositional commitments borne by individual agents involved in a discourse. MPCL is axiomatized in a completely standard way, and DMPCL is axiomatized by adding a set of so-called “reduction axioms” to the proof system of MPCL. Acts of withdrawing assertions and withdrawing concessions can then be modeled as yet another kind of events that update agents’ propositional commitments by adding dynamic modalities that represent acts of withdrawing assertions and withdrawing concessions to DMPCL. Unsurprisingly, the effects of acts of withdrawing are very difficult to capture, and the completeness problem for the extended logic, called DMPCL+, is still open. Yet the possibility of withdrawal seems to be a distinguishing characteristic common to a wide range of acts whose effects are conventional or institutional, and thus the logical dynamics of acts of withdrawing seems to be of great significance to the study of social interactions among rational agents.

AZIZ F. ZAMBAK

YEDITEPE UNIVERSITY - TURKEY

AZIZ.ZAMBAK@GMAIL.COM

A Trans-logic system for machine intelligence: the transformation of data within various logical systems

We attribute a constructive and regulative role to logic in AI to find a proper (ideal) way of reasoning for machine agency. For the realization of such roles, a logical model that can operate in complex situations and overcome the frame problem should be developed. In this presentation, some basic principles for a logical model in AI will be proposed. Our aim is to present the general skeleton of the logical model called the trans-logic system. The main idea behind the trans-logic system is that in AI, reasoning is based on the idea of using data (S-units and M-sets) and operating successive processes until the final information is achieved (realized). The trans-logic system includes concomitant logics which have various functions for reasoning processes in machine intelligence. In AI, we propose to use groups of programs, each of which are based on different logical systems that allow a machine intelligence process to handle particular data in a large set of functional analysis. In the trans-logic model, we give fuzzy logic a regulative and transformational role in logic programming because fuzzy logic can regulate sequences of information processing, permitting passage from one stage (for example, deductive reasoning system) to another stage (for example, paraconsistent systems). Fuzzy logic is also important for idealization and appropriation because appropriation is a significant criterion for understanding whether a piece of data is suitable, proper, and relevant to the agent or not. Fuzzy logic is not an effective reasoning model; but rather an effective

regulative model for constructing an interactional and transformational system between different reasoning models.

5 Sponsors

1. FCT - Fundação para a Ciência e Tecnologia - Portugal
2. Instituto de Telecomunicações - Portugal
3. Fundacao Calouste Gulbenkian - Portugal
4. Universidade Técnica de Lisboa - Portugal
5. Centro Internacional de Matemática - Portugal
6. Redes Energéticas Nacionais - Portugal
7. Association for Symbolic Logic - United States of America
8. Sociedade Brasileira de Lgica